


HAUSA NAMES FOR PLANTS AND TREES



[DRAFT -PREPARED FOR COMMENT ONLY]

2nd EDITION

Roger Blench
Mallam Dendo
8, Guest Road
Cambridge CB1 2AL
United Kingdom
Voice/ Fax. 0044-(0)1223-560687
Mobile worldwide (00-44)-(0)7967-696804
E-mail R.Blench@odi.org.uk
<http://www.rogerblench.info/RBOP.htm>

This printout: December 11, 2007

IMPORTANT

THIS DOCUMENT REPRESENTS WORK IN PROGRESS AND IS DISTRIBUTED TO INTERESTED RESEARCHERS IN THAT STATE. IT REPRESENTS A SYNTHESIS OF NUMEROUS DOCUMENTS ON HAUSA WITH OFTEN HIGHLY INCONSISTENT ORTHOGRAPHIC REPRESENTATIONS AND SOMETMES INCONSISTENT IDENTIFICATIONS. I HAVE INCLUDED MY OWN FIELD DATA BUT MUCH REMAINS TO BE CHECKED. CONSTRUCTIVE CRITICISM ON ORTHOGRAPHY, SUGGESTIONS FOR ADDITIONAL INFORMATION AND NEW TERMS WOULD BE WELCOMED.

TABLE OF CONTENTS

TABLE OF CONTENTS	ii
TABLES.....	ii
1. Introduction.....	iv
2. Transcription.....	iv
Vowels	v
Consonants	v
Tones	vi
Plurals and other forms.....	vi
Variability in Hausa forms.....	vi
3. Queries	vi
4. Terminology	vi
5. Uses and cultural importance of plants	vii
6. Choice of entries.....	vii
7. Sources of Hausa plant names	vii
8. Further work	viii
References.....	viii

TABLES

Table 1. Acronyms	iii
-------------------	-----

Hausa is divided into numerous rather poorly defined dialects. However, apart from those recognised by linguists, where plants have been collected in a particular place we only have the name of the location with no idea how widespread the term is within the Hausa world as a whole. Table 1 shows the acronyms used in the tables for particular sites.

Table 1. Acronyms

Ad	Ader
Arg	Argungu
B	Bauchi
cv.	cultivar
D	Damaturu
Dgm	Damagaram
Dr	Daura
E	East
G	Gobir
Gl	Gumel
H	Hadejia
K	Kano
Knt	Kontagora
Kt	Katsina
Ktg	Katagum
N	North
Ng	Niger
S	Sokoto
W	West
Z	Zaria
Zm	Zamfara

1. Introduction

This is a guide to the Hausa names of plants, both wild and cultivated. The Hausa language, apart from being the first language of many people in Nigeria and Niger, is an important second language to many communities in surrounding areas. Despite this, there is no reliable guide to the scientific names of Hausa plants using a modern system of transcription. Ethnobotanical information is essential to the work of scientists and others concerned more practically with the environment. In addition, linguists and anthropologists often find it useful to identify trees and plants. Local people have extensive knowledge both about the trees and plants in their region, their uses and distribution. In order to work effectively with communities it is necessary to discuss individual plant species. This can only be done if there is an effective identification base for the local language. Moreover, increasing environmental damage throughout the region is causing a significant loss of this type of local knowledge partly because the trees and plants are no longer available to be shown to the next generation.

The earliest and still valuable source for Hausa plant names in Nigeria is Dalziel (1916) reprised in Dalziel (1937). Much of this information and subsequent ethnobotanical material is in Burkill (1985, 1994, 1995, 1997, 2000, 2004) although the synoptic nature of these publications makes them hard to search. Mention should also be made of Gbile (1980), a useful compilation but marred by inconsistent and multiple transcriptions of the same term.

For the Republic of Niger, there are numerous ethnobotanical publications reflecting a greater interest in Francophone countries in topics such as ethnomedicine. Unfortunately, none of these are transcribed according to linguistic standards, and none are comparable to Levy-Luxereau (1972) for animal names. Nonetheless, they contain important information about arid-zone plants not available in Nigeria-oriented texts. The most important of these sources is ACCT (1985) although this draws heavily on Aubréville (1950) and Peyre de Fabrègues (1972). An important study that has often been neglected is Adam et al. (1972) which gives a great deal of information about useful plants in Ader.

A variety of other sources give Hausa names for outlying regions. For example, Irvine (1961) gives Hausa names recorded in Northern Ghana. It is hard to determine the status of such terms since Hausa in Northern Ghana is not a native language but only used as a lingua franca and thus by speakers of very different levels of competence. Trade connections with northern Nigeria mean that it is constantly relexified from multiple sources. As a consequence these are excluded. Colombel (1995, 1997) transcribes Hausa plant names from northern Cameroun, but some do not look like Hausa and the system of transcription is not explained.

This guide is intended to provide Hausa plant names in as accurate a transcription as possible, with up-to-date scientific names. Where the plant has been identified, the Latin name and the common English name, if one exists, is given. Singulars and plurals are also given of as many plants as possible. In addition, whatever is known about the use of the plant is added to the definition. However, there are numerous terms recorded only by collectors for herbaria which it has not yet proven possible to confirm in the field. Such transcriptions and identifications should thus be regarded as highly provisional. In order to move towards standardisation, I have eliminated forms that I confused are either confused transcriptions or false identifications, or citations that are actually in languages other than Hausa (notably Tamashek and Kanuri).

2. Transcription

The Hausa language has been written in a wide variety of ways and although different but official orthographies exist for both Nigeria and Niger, publications do not always adhered to them. The transcriptions used here are intended to represent Hausa as fully as possible, in terms of both tone and vowel length, and may therefore differ from locally published materials. The vowels, consonants and tones are first described and then the orthography used is indicated below.

Vowels

Hausa has five vowels;

	Front	Central	Back
Close	i		u
Close-Mid	e		o
Open		a	

All vowels can be long or short: long vowels are marked by doubling. Macrons ā, ē etc. are used in many reference publications (e.g. Abraham 1949; Newman 1997) but these are sometimes hard to read in conjunction with tone marks. On the length of final vowels, I have adopted the transcriptions proposed by Joe McIntyre, which sometimes differ from published forms.

Sequences of vowel plus approximant (Vy and Vw spelt Vi and Vu in Hausa orthography, are marked with tones over the first vowel.

Consonants

Hausa consonants are as follows;

	Bilabial	Labio-dental	Alveolar	Alveopa-latal	Palatal	Velar
Plosive	p b		t d	tʃ dʒ		k g
Fricative		f v	s z			h
Glottalised	ʈ		ɖ	ɕ	ɲ	ʁ
Nasal	m		n			
Lateral			l			
Roll				ɾ		
Tap/trill				r		
Approximant	w				y	

Syllable-final nasals are homorganic with the following consonant. In Abraham (1962), three alternative forms are written [ŋ], [m] and [ɲ]; in practical orthographies these are usually reduced to [n] and [m] and this solution is followed here. Botanical sources do not generally distinguish the two types of /r/ in Hausa but these can generally be reconstructed by linguistic rules.

Orthography of consonants:

tʃ	=	c
dʒ	=	j
ɕ	=	ts

The glottalised y, ɲ is often written 'y in standard publications. /f/ has a wide variety of dialectal and positional allophones, [f], [p], [h], [hw]. [p] is developing as a distinct phoneme through the introduction of loanwords from French and English.

Tones

Hausa has two level tones and a falling tone, marked as follows;

High	´
Falling	^
Low	`

All tones are marked, to distinguish words where the tones are known from words that have been only partially transcribed. In many sources, low tone is marked and high tone is left unmarked.

Plurals and other forms

The plurals of Hausa words are unpredictable for practical purposes, and it is also difficult to know whether a word will have a plural at all, especially in the case of plant names. Where the plurals are known they are given directly after the singular. In some cases, the plural is dialectal; for example Kano and Sokoto may often have a different plural despite the singular being common to both lects.

Variability in Hausa forms

Hausa words have considerable variation, some dialectal and some free variation within a single lect. i/u variation is particularly common. In the example below, it is likely that the /i/ is the original vowel and the /u/ introduced to create harmony with C₁ of the second word.

Ipomoea aitonii bútà wútáá bítà wútáá

Other variations, especially of the initial consonant, are more puzzling. For the moment, these are all recorded, since they may be encountered in the field.

3. Queries

The sources provide some names that cannot so far be identified by present-day Hausa speakers. There may be several reasons for this;

- the transcription is so garbled that speakers simply cannot recognise it as a word they know.
- the word was recorded in a remote area where the plant exists but it is no longer present in the more densely farmed areas
- the word is in another language and is thus not recognised.

4. Terminology

Latin names are given for all the plants identified. The practice of botanists of constantly changing their minds on the names of even quite common and well established economic plants makes this necessary. In recent years, even the name of the shea tree, probably the single most important tree for farmers in northern Nigeria, has been changed from *Butyrospermum paradoxum* to *Vitellaria paradoxa*. The authorities identify the name given at a particular period so that in future, if the name changes again, or the taxonomists reclassify it, the correct identification can be traced. The scientific names used here are adopted from Burkill (1985 ff.) as the most recent authoritative source.

English names are those given in various sources. Some names, such as shea and locust are widely known and used. Others are considerably more obscure but are anyway given here because it is valuable to have a

common name. Some of these names are used in Nigerian English, others are part of international currency known to plant scientists but would not be useful in the field. Some common names in West African French are also given.

5. Uses and cultural importance of plants

Ethnobotany has two major uses; naming plants accurately allows professionals such as foresters to talk with communities effectively about vegetation. But beyond identification, the real value of this is to determine the role particular plants play in the economic and cultural life of communities. For many plants, no use is yet recorded, but almost certainly the plant plays a part either in the extensive medical herbarium or for more practical economic purposes.

In the past, many more wild plants were used as additional sources of food. Before international fruits such as oranges and mangoes became readily available in the market, wild fruits were much more appreciated. Many of these trees have now retreated to remote areas, to be replaced by planted trees close to villages. In the same way, a large number of plants are noted in earlier sources as ‘famine foods’ i.e. plants that can be eaten after processing in cases of severe food shortage. The development of food relief has meant that much of the knowledge about such wild plants is in danger of being lost. So when such information is recorded, it does not mean that it is current practice, but reminds people of the former potential of such plants.

6. Choice of entries

The richness of Hausa terminology in respect of cultivated plants is such that the entries have had to be selective. The general principle guiding the choice has been to include;

- a) generic names for plants in all regional forms
- a) specific terms for parts of a plant, both wild and cultivated

But to exclude;

- a) words that refer principally to the quality of a plant rather than its botanical variety. For example, **bùtùrí hùùtáá** is applied to poor quality guinea-corn rather than signifying a particular cultivar and so is excluded.
- b) words that refer to the state of a plant. For example, **dâmbúí** refers to locust-pods beginning to ripen and is excluded

7. Sources of Hausa plant names

Hausa plant names are also a source of rich cultural information if correctly understood. Although many plants have no obvious etymologies, where these can be decoded, the principal sources are as follows;

- a) Borrowings from other languages (Arabic, Fulfulde, English)
- b) Geographical names (names of towns or regions or peoples conceived to be the source of the plant, like ‘turkey’ in English)
- c) Epithets, composite names or phrases describing the plant or its properties in some ways (similar ‘love-lies-bleeding’ in English)

Early records of plant names often run together all the words of a name, especially in the case of epithets, so that the exact meaning cannot be seen. Dalziel (1916) actually includes false etymologies, which he seems to have constructed as a result of not clearly understanding the importance of vowel length and tone. In some cases, important distinctions are homographic in early sources. Thus *baba* can refer to *bààbá* ‘father’, *báábáá* ‘indigo’ and *bàbbá* ‘big’, all of which are legitimate elements in plant names. McIntyre (2007) is an

important study of this type of verbal compound and a number of plant names are transcribed in the examples.

8. Further work

The present document consists of a preliminary synthesis of existing field materials on Hausa. It needs substantial checking in the field both in terms of content, transcription and expansion of the ethnobotanical aspects.

References

- Abraham, R.C. 1962. *Dictionary of the Hausa language*. London: University of London Press.
- ACCT 1985. *Contribution aux études ethnobotaniques et floristiques au Niger*. Paris: ACCT.
- Adam, J.G., N. Echard & M. Lescot 1972. *Plantes médicinales Hausa de L'Adar*. Paris: Muséum National d'Histoire Naturelle.
- Ag Sidiyene, E. 1966. *Des arbres et des arbustes spontanés de l'Adrar des Iforas (Mali)*. Paris: ORSTOM/CIRAD.
- Aubréville, A. 1950. *Flore soudano-guinéenne*. Paris: Société d'Éditions Géographiques, maritimes et coloniales.
- Burkill, H.M. 1985. *The Useful Plants of West Tropical Africa, Families A-D*, Kew: Royal Botanic Gardens.
- Burkill, H.M. 1994. *The Useful Plants of West Tropical Africa, Families E-I*, Kew: Royal Botanic Gardens.
- Burkill, H.M. 1995. *The Useful Plants of West Tropical Africa, Families J-L*, Kew: Royal Botanic Gardens.
- Burkill, H.M. 1997. *The Useful Plants of West Tropical Africa, Families M-R*, Kew: Royal Botanic Gardens.
- Burkill, H.M. 2000. *The Useful Plants of West Tropical Africa, Families S-Z*, Kew: Royal Botanic Gardens.
- Burkill, H.M. 2004. *The Useful Plants of West Tropical Africa, General Index*. Kew: Royal Botanic Gardens.
- Colombel, V. de 1995. Noms de plantes: classification, reconstruction et histoire à partir des noms de six cents plantes en dix langues tchadiques des monts du Mandara. In: *Studia Chadica et Hamitosemitica*. Ibrizimow, D. & R. Leger eds. 229-251. Köln: Rüdiger Köppe.
- Colombel, V. de 1997. Noms et usages des plantes: étude comparative en dix langues tchadiques du groupe central. Méthodologie pour une remontée dans le temps. In: *L'homme et le milieu végétal dans le bassin du Lac Tchad*. D. Barreteau, R. Dognin & C. von Graffenried eds. 289-310. Paris : ORSTOM.
- Dalziel, J.M. 1916. *A Hausa botanical vocabulary*. London: T. Fisher Unwin.
- Dalziel, J.M. 1937. *The Useful Plants of West Tropical Africa*. London: Crown Agents.
- Dieterlen, Germaine 1952. Classification des végétaux chez les Dogon. *Journal de la Société des Africanistes*, 22(1-2):115-158.
- Gbile, Z.O. 1980. *Vernacular names of Nigerian plants (Hausa)*. Lagos: Federal Department of Forestry.
- Irvine, F.R. 1961. *Woody Plants of Ghana with special reference to their uses*. London: Oxford University Press.
- Jinju, M.H. 1990. *African traditional medicine: a case study of Hausa medicinal plants and therapy*. Zaria: Gaskiya Corporation.
- Keay, R.W. 1989. *Trees of Nigeria*. Oxford: Oxford University Press.
- Keay, R.W., Onochie, C.F.A. & Stanfield, D.P. 1964. *Nigerian trees*. (2 vols.) Federal Department of Forest Research, Ibadan.
- Levy-Luxureau, A. 1972. *Étude Ethno-Zoologique du Pays Hausa*. Société d'Études Ethno-zoologiques et Ethno-Botaniques, Paris.
- McIntyre, J.A. 2007. *Hausa verbal compounds*. Ph.D. thesis. University of Leiden. URL: <https://openaccess.leidenuniv.nl/bitstream/1887/4861/7/Thesis.pdf>
- Migeod, Frederick W.H. 1913. *A Mende natural history vocabulary*. London: Kegan Paul, Trench, Trubner.
- Newman, Paul. 2000. *The Hausa Language: An Encyclopedic Reference Grammar*. New Haven: Yale University Press.
- Newman, Paul. 2007. *Hausa dictionary*. xx
- Newman, R.M. 1997. *An English-Hausa dictionary*. Lagos: Longman.

- Okezie Akobundu, I. & C.W. Agyakwa 1998. *A handbook of West African weeds*. 2nd ed. Ibadan: International Institute of Tropical Agriculture.
- Peyre de Fabregues, B. 1972. *Lexique de noms vernaculaires de plantes de Niger*. Paris: IEMVT.

HAUSA-SCIENTIFIC-ENGLISH PLANT NAMES

Conventions

* Recorded in Bargery without tone and vowel length

° Recorded in a botanical source but not confirmed in a linguistic source

Hausa name	Dialect	Scientific name	English	Etymology
A.				
À góógè		<i>Xylopia aethiopica</i> ; <i>X. parviflora</i>		
Àà kai ka fiítòò		<i>Sida linifolia</i>		one will bring you whistling
Abantoko°	Illo	<i>Sorghum bicolor</i>	guinea-corn	
Àbàrbáá		<i>Ananas comosus</i>	pineapple	<Yoruba
Àbidóó		<i>Cola verticillata</i>	cola nut	<Yoruba
Àbín kân iyààkáá		<i>Hibiscus sabdariffa</i>	roselle	
Àbóókín kíbíyàà		<i>Saccharum spontaneum</i>		friend of the arrow
Àbùròò		<i>Digitaria iburua</i>	iburu	
Àbùrù		<i>Digitaria iburua</i>	iburu	
Àccà		<i>Digitaria exilis</i>	fonio	
Acibi		<i>Raphia sp.</i>	palm-wine	
Aduru		<i>Dioscorea sp</i>	yam	
Àdùrúúkù		<i>Newbouldia laevis</i>		
Àdúúwàà pl. ádúúwóóyíí		<i>Balanites aegyptiaca</i>	desert date	
Ádúúwàà		<i>Cajanus cajan</i>	pigeon-pea	desert date
Afoyes°		<i>Cleome brachycarpa</i>		< Tamachek?
Áfútúú		<i>Pandanus aggregate</i>	screw-pine	
Áfútúú		<i>Phoenix reclinata</i>	wild date-palm	
Àgàdà		<i>Musa paradisiaca</i>	plantain	< Igbo ?
Agaji(ni)	Ad	<i>Boscia angustifolia</i>		
Agibii		<i>Raphia sp.</i>	palm-wine	
Ágùgù		<i>Dryopteris filis-mas</i>	fern ? generic	
Ágúmóó			bark	
Ágúshíí		<i>Colocynthis citrullus</i>	egusi melon seeds	
Ágúwà	S/Ad	<i>Euphorbia balsamifera</i>		
Ágwààdóó		<i>Zea mays</i>	maize	<Yoruba
Ahaji°		<i>Aerva javanica</i>		
Àjáurùù		<i>Cola nitida</i>	cola	<Arabic
Àjé bíicínkà		<i>Sorghum bicolor</i>	early-ripening guinea-corn	
Ajenana°		<i>Trema orientalis</i>	charcoal tree	
Ákàskàs	N	<i>Phoenix dactylifera</i>	date: small cv.	
Akiye°		<i>Prosopis africana</i>	seeds of ~	
Àkòòkàrì		tree found S of Benue		
Akuku°		<i>Dracaena sp.</i>		
Ákùríí		<i>Ziziphus mauritiana</i>	jujube pulp-cake	
Ákwáálúú	K	<i>Trochomeria dalzielii</i> ; <i>T. macroura</i>		
Akwari°	Z	<i>Stylochiton lancifolius</i>		
Ákwátóó		<i>Cucurbita maxima</i>	gourd	
Ákyaráá		<i>Nicotiana rustica</i> ; <i>N. tabacum</i>	tobacco plant with poor tobacco and	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

			good flowers	
Álákàs		<i>Phoenix dactylifera</i>	date: large cv.	
Àlákàn		<i>Phoenix dactylifera</i>	date-palm	? <Arabic
Àlàlèè		<i>Blighia sapida</i>	ackee	
Álállàmi		henna substitute		<Arabic
Álám búú		<i>Sesbania dalzielii</i>		
Álám búú		<i>Sesbania sesban</i>		
Álám búú na tubi		<i>Phyllanthus reticulata</i>		
Alas°		<i>Digitaria iburua</i>	iburu	
Áláyyàdíí		<i>Elaeis guineensis</i>	palm-oil	<Yoruba
Áláyyàfóó		<i>Amaranthus caudatus</i>	waterleaf	<Yoruba
Àlbárkàà	G	<i>Senna occidentalis</i>	senna	<Arabic
Àlbárkàà kumbe		<i>Oryza sativa</i>	rice	
Àlbásàà		<i>Allium cepa</i>	onion	< Arabic
Àlbásàà màì go		<i>Allium ascalonicum</i>	garlic	onion of x
Àlbásàà màì gúdàájíí	S	<i>Allium cepa</i>	onion	round onion
Àlbásàà màì kàráá		<i>Allium porrum</i>	leek	onion with a stalk
Àlbásàà màì wúyàà		<i>Allium ascalonicum</i>	garlic	onion with a neck
Àlbàsàr gízò		<i>Urginea sp.</i>		spider's onion
Àlbàsàr gúdàájíí		<i>Allium cepa</i>	onion	round onion
Àlbàsàr kúúràá		<i>Urginea sp.</i>		hyena's onion
Àlbàsàr kwààdíí		<i>Haemanthus rupestris</i>		toad's onion
Àlbàsàr kwààdíí		<i>Crinum ornatum</i>	lily	toad's onion
Algari°		<i>Lepidium sativum</i>	cress	<Arabic
Alhaji°		<i>Aerva javanica</i>		
Álibàdà		<i>Landolphia hirsuta</i>		
Álillibáá		<i>Cordia africana</i>		
Álillibár rààfíí		<i>Harungana madagascanensis</i>		
Alizindīr	H	<i>Leptadenia hastata</i>		< Arabic
Álkámàà		<i>Triticum aestivum</i>	wheat	< Arabic
Álkámàr kwààdíí		<i>Eragrostis turgida</i>		toad's wheat
Álkámàr tūúúúwáá		<i>Borreria stachydea</i>		ant's wheat
Alkangado		<i>Datura metel</i>	hairy thorn apple	
Àlkáwáíí	K	<i>Bauhinia rufescens</i>		
Alubada		<i>Landolphia hirsuta</i>		
Ályáãráá	Kt	<i>Euphorbia balsamifera</i>		
Ámám mússà		<i>Eragrostis ciliensis</i>		vomiting of a cat
Amankete		<i>Caralluma retrospiciens</i>		
Amaru		<i>Dioscorea sp.</i>	yam	
Amazo°	Ad	<i>Mitragyna inermis</i>		
Ambru		<i>Abutilon mauritanum</i>		< Shuwa Arabic?
Ámóó		<i>Eragrostis ciliensis</i>		sound, loudness
Amureju		<i>Sesbania sp.</i>		
Ánàb		<i>Vitis sp.</i>	grape	<Arabic. Learned word
Anaya		<i>Cyphostemma adenocaulis</i>		
Anaya		<i>Cayratia gracilis</i>		
Ángùryáá		<i>Gossypium sp.</i>	cotton seed	
Ànígè		<i>Dioscorea sp.</i>	yam cv.	
Ankwai narba		<i>Mollugo nudicaulis</i>		
Antusko		<i>Nicotiana rustica/ tabacum</i>	tobacco	

Ànzáá		<i>Boscia senegalensis</i>		
Ànzáá		<i>Cadaba farinosa</i>		
Ànzán dúútsè		<i>Gardenia sokotensis</i>		<i>Boscia</i> of the rock
Áráhóó		<i>Cassia sieberana</i>	cassia pods	
Àràkéé	S	<i>Saccharum officinarum</i>	sugar-cane	
Árárrábíí		<i>Commiphora kerstingii</i> ; <i>Boswellia dalzielii</i> ; <i>B.odorata</i>		
Árgúngùù		<i>Solanum incanum</i>	garden egg cv.	< Argungu town
Árigîzà		<i>Cyperus esculentus</i>	tiger-nut	
Aru		<i>Hyphaene thebaica</i>	dum palm; bark of the unripe kernel	
Arujere		<i>Harrisonia abyssinica</i>		
Arukafuka		<i>Dioscorea sp.</i>	yam	
Asara		<i>Nicotiana rustica</i> ; <i>N. tabacum</i>	tobacco	
Ásáwàákíí		<i>Salvadora persica</i>	toothbrush tree	< Azawak region of Niger
Ashake shaku		<i>Dioscorea sp.</i>	yam	
Átáfáá		<i>Gossypium sp.</i>	cotton	
Átáràs		<i>Cola acuminata</i> ; <i>C. nitida</i> ;	cola nut cv.	
Àtílè		<i>Canarium schweinfurthii</i>	bush-candle	
Àtilis		<i>Canarium schweinfurthii</i>	bush-candle	
Àttáágàrà		<i>Cocos nucifera</i>	coconut	
Àtù máátùř		<i>Lycopersicum esculentum</i>	tomato	<English
Áudùgáá		<i>Gossypium sp.</i>	cotton	? < Arabic ¹
Áudùgār tùrààwáá		<i>Gossypium sp.</i>	cotton	
Áwárwáróó		<i>Ipomoea aquatica</i>		
Áwáyòò		<i>Ficus lutea</i>		
Áwáyòò		<i>Ficus saussureana</i>		
Áyáá		<i>Cyperus esculentus</i>	tiger-nut	
Àyàà àyàà		<i>Cyperus rotundus</i> ; <i>Kyllinga sp.</i>	nutgrass	
Àyàà rigiza	Dam	<i>Cyperus esculentus</i>	tiger-nut	
Àyàbà		<i>Musa sapientum</i>	banana	< Nupe?
Àyábār dáájíí		<i>Ensete gillettii</i>	wild banana	banana of bush
Àyábār tùrààwáá		<i>Musa sapientum</i>	banana	banana of white man
Ááyànáá		<i>Cyphostemma adenocaulis</i> , <i>Cayratia gracilis</i>		
Àyángóó		<i>Sorghum bicolor</i>	guinea-corn (red cv.)	
Àyángwáá		<i>Sorghum bicolor</i>	guinea-corn (red cv.)	
Áyáyáá		<i>Arachis hypogaea</i>	small groundnut fruits	
Áyyááráá	Kt	<i>Euphorbia balsamifera</i>		
Ázábòòràà	S	<i>Balanites aegyptiaca</i>	desert-date fruit-shell	

¹ Joe Macintyre (p.c.) relates this to Arabic *al-godon*.

B.				
Bà' ádámiyáá	A	<i>Arachis hypogaea</i>	groundnut	
Bá ágáá		<i>Arachis hypogaea</i>	groundnut	
Bà fádámèè	K	<i>Ipomoea batatas</i>	sweet potato	one of the marshes
Bà Fíláátánáá		<i>Heliotropium bacciferum</i>		one of the Fulani woman
Bà Fíláátánáá		<i>Sorghum sp.</i>	guinea-corn	one of the Fulani woman
Bà Fíláátánáá		<i>Vigna subterranea</i>	Bambara groundnut –red cultivar	one of the Fulani woman
Bà gárdááyè		<i>Cienfuegosia heteroclada</i>		one of obstinacy
Bà go záákíí		<i>Carissa edulis</i>		one that x sweetness
Bà Gwááríí		<i>Sorghum bicolor</i>	guinea-corn cv.	one of the Gbari
Bà Gwááríí		<i>Zea mays</i>	maize cv.	one of the Gbari
Bà Gwááriiyáá		<i>Arachis hypogaea</i>	groundnut	one of the Gbari woman
Bà Gwááriiyáá		<i>Vigna subteranea</i>	Bambara groundnut	one of the Gbari woman
Bà Gwááriiyáá		<i>Zea mays</i>	maize	one of the Gbari woman
Bà Gwàndaráá		<i>Gossypium barbadense</i>	cotton	one of the Gwandara
Bà Gwàndaráá		<i>Sorghum bicolor</i>	guinea-corn cv.	one of the Gwandara
Bà Jààríí		<i>Arachis hypogaea</i>	groundnut cv.	one of Zar [?]
Bà Jàmfaàríí		<i>Senna occidentalis</i>	senna	one of Zamfara
Bà Kánùwáá		<i>Cucurbita maxima-C. pepo</i>	pumpkin	one of Kano
Bà Kánùùwáá		<i>Gossypium sp.</i>	cotton cv.	one of Kano
Bà Zàmfaàríí		<i>Arachis hypogaea</i>	groundnut	one of Zamfara
Bà Zàmfaàríí		<i>Senna occidentalis</i>	senna	one of Zamfara
Bà kiskíí		<i>Commelina forskalaei-C. erecta</i>		
Báá màà tàbóó		<i>Merremia aegyptiaca</i>		we are not in the mud
Bàà rééshè	Knt	<i>Newbouldia laevis</i>		no branch
Bàà ruwáánáá		<i>Salix ledermannii</i> and other <i>Salix spp.</i>	willow	no business of mine
Bàà jíníí		<i>Ostryoderris stuhlmannii</i>		cause blood
Bàà jíníí		<i>Afrormosia laxiflora</i>		cause blood
Bàà sáámù		<i>Boswellia dalzielii-B. odorata</i>		cause receiving
Bàà túúkàà		<i>Gossypium barbadense</i>		cause plaiting
Bàà zààná		<i>Commiphora kerstingii</i>		give fence mat
Bààbá kábà		<i>Indigofera sp.</i>	indigo	father of dum-palm fronds
Báábáá		<i>Indigofera sp.</i>	indigo	
Báábáá ambalee		<i>Calotropis procera</i>	Sodom apple	
Bààbàà báábàà		<i>Ambrosia maritima; Indigofera prieurea; Tephrosia purpurea</i>	wild indigo	
Báábáá jíbjií		<i>Boerhavia diffusa</i>		indigo of the rubbish-heap
Báábáá jíbjií		<i>Datura metel</i>	hairy thorn	indigo of the

Roger Blench Hausa plant names – Hausa-Latin Circulation version

			apple	rubbish-heap
Báábáá jíbjíí		<i>Portulaca oleracea; P. quadrifida</i>	purslane	indigo of the rubbish-heap
Báábáá júújíí		<i>Datura metel</i>	hairy thorn apple	indigo of the rubbish-heap
Báábáá móórèè		<i>Ambrosia maritima</i>		indigo of enjoyment
Báábáá móórèè		<i>Tephrosia purpurea</i>		indigo of enjoyment
Báábáá ròòdóó		<i>Rogeria adenophylla</i>		indigo of x
Báábán dààmíà	Z	<i>Indigofera conjugata</i>	indigo	leopard's indigo
Báábán gííwáá		<i>Bergia suffruticosa</i>		elephant's indigo
Báábán máàráí		<i>Indigofera astragalina</i>		indigo of the spotted weaverbird
Báábán ráfí		<i>Indigofera priureana</i>		stream indigo
Báábán tàlákì		<i>Lonchocarpus cyanescens</i>		indigo of Yoruba type
Báábár ríníí		<i>Indigofera sp.</i>		dyeing indigo
Bàáfūr		<i>Detarium senegalense</i>	exudate	<Arabic
Bááfúúrè	S	<i>Polygonum senegalense</i>		
Bááfúúrè	S	<i>Pulicaria crispa</i>		
Bààkáléékàlè		<i>Canna indica</i>	Indian shot	
Bààkáréékàrè	B	<i>Canna indica</i>	Indian shot	
Bààkín càrkíí		<i>Nicotiana tabacum</i>	tobacco flower	beak of the oxpecker
Bààkín dúúníyà		<i>Cucumis pustulatus</i>		mouth of the world
Bààkín kádàà		<i>Sorghum bicolor</i>	guinea-corn cv.	crocodile's mouth
Bààkín mááyúú		<i>Holarrhena floribunda</i>		sorcerers' mouth
Bààkín mùtùm		<i>Holarrhena floribunda-pleoceras sp.</i>		person's mouth
Bààkín rààkúmíí		<i>Sorghum bicolor</i>	guinea-corn cv.	camel's mouth
Bààkín rààkúmíí		<i>Sorghum margaritifera; S. vulgare</i>		
Bààkín sùùdàá		<i>Polycarpa corymbosa</i>		bush shrike's mouth
Bààkín sùùdàá		<i>Polycarpaea linearifolia</i>		bush shrike's mouth
Báásáá mārādī		<i>Clitandra cymulosa</i>		arrow-poison of the slanderer
Báátányáá		<i>Cucumis melo</i>		
Bááyán máàràyáá	Z	<i>Monocymbium ceresiforme</i>	thatching grass	back of cob antelope
Bábacíí	S	<i>Sacciolepis africana</i>		
Bábacíí	S	<i>Setaria sphacelata</i>		
Bàbārbāfèè		<i>Arachis hypogaea</i>	groundnut cv.	Kanuri
Babbagi		<i>Ziziphus mauritiana</i>	jujube leaves	
Bàbbán bárá		<i>Lannea schimperi</i>		big one of last year
Bàbbán lèèmuú		<i>Citrus aurantium</i>	lime	big lemon
Bàbbán lèèmuú		<i>Citrus sinensis</i>	orange	big lemon
Bacakura	S	<i>Panicum laetum</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Bàdāshèráá		<i>Arachis hypogaea</i>	groundnut pods without kernel	useless person
Bàdāyíí	S	Grass sp.		
Bádòò		<i>Nymphaea lotus</i>	water-lily	
Bàdùùsáyáá		<i>Cyperus esculentus</i>	tiger-nut	
Bàgààrúúwáá pl. bàgààríí		<i>Acacia nilotica</i>	Egyptian mimosa	
Bàgààrúúwáã gííwáá		<i>Gnidia schweinfurthii</i>		elephant mimosa
Bàgààrúúwáã Mákkà		<i>Moringa oleifera</i>	horseradish tree	mimosa of Mecca
Bàgààrúúwáã Mákkà		<i>Parkinsonia aculeata</i>		mimosa of Mecca
Bàgààrúúwáã Másàr		<i>Moringa oleifera</i>	horseradish tree	Egyptian mimosa
Bàgààyíí		<i>Cadaba farinosa</i>		
Bàgàjímí		<i>Hyphaene thebaica</i>	forked stem of dum palm	
Bagashi?	Knt	<i>Vernonia pumila and spp.</i>		
Bàgúlmè		<i>Oryza sativa</i>	rice cv.	
Báháã		<i>Lonchocarpus sericeus</i>		
Báinà		<i>Panicum laetum</i>		
Bàkááániyáá		<i>Sorghum bicolor</i>	guinea-corn cv.	
Bákáã áyáá		<i>Cyperus esculentus</i>	tiger-nut	black tiger-nut
Bákáã bíí rááná		<i>Crotalaria sp</i>		black follow the sun
Bákáã káyáá		<i>Acacia hebecladoides; A. hockii</i>		black thorn
Bákáã tàràmníyáá		<i>Combretum ghasalense</i>		black <i>Combretum glutinosum</i>
Bákáá		<i>Zea mays</i>	maize –black cv.	
Bákáá	Dr	<i>Vigna subterranea</i>	Bambara groundnut cv.	
Bákáã dóókáá		<i>Isoblerlinia doka</i>		black doka
Bákín alambu		<i>Phyllanthus reticulatus</i>		black x
Bákín búúnúú	Ktg	<i>Indigofera pulchra</i>		person who is a ‘black sheep’
Bákín dábinóó		<i>Phoenix dactylifera</i>	date	black date
Bákín dǎngóó		<i>Clitandra sp</i>		black newly-hatched locust
Bákín gágàì		<i>Fadogia agrestis</i>		black aphrodisiac
Bákín gágàì		<i>Fadogia ancylantha</i>		black aphrodisiac
Bákín gármáníí		<i>Urena lobata</i>		black <i>Sida cordifolia</i>
Bákín gúmbíí	Ad	<i>Acacia macrostachya</i>		black thorny plant
Bákín kùkkúúki		<i>Lannea schimperi</i>		black <i>Sterculia setigera</i>
Bákín màkàrfò		<i>Burkea africana</i>		black <i>Afrormosia laxiflora</i>
Bàlààsá(yáá)		<i>Commelina nudiflora</i>	spiderwort	
Bàlààsáá	G	<i>Commelina erecta; C. diffusa; C. forskalaei; C. lagosensis; Murdannia nudiflora</i>		
Bàlààsánáá		<i>Commelina nudiflora</i>	spiderwort	female <i>Commelina erecta</i>
Bàlààsár dáwáákíí	G	<i>Commelina erecta; C. forskalaei; C. lagosensis;</i>		horses’ bàlààsáá

Roger Blench Hausa plant names – Hausa-Latin Circulation version

		<i>Murdannia nudiflora</i>		
Bàlááyà	G	<i>Cucurbita maxima</i>	pumpkin	
Bàlàgándáá, Bàlàgándéé	Sk/Ad	<i>Cochlospermum planchonii</i>		
Bàlbéélàà		<i>Pulicaria crispa</i>		cattle-egret
Bàlgéé	W	<i>Cochlospermum tinctorium</i>		
Bàlílí	Kt	<i>Vitellaria paradoxa</i>	shea nut	
Ballakani°	Ad	<i>Boscia angustifolia</i>		
Balsanda°		<i>Sorghum bicolor</i>	guinea-corn cv.	
Bàmàlláá		<i>Sorghum bicolor</i>	guinea-corn cv.	
Bám̀bààmíí		<i>Borassus aethiopum</i>	fan-palm – upper part	
Bambambele°		<i>Calotropis procera</i>	Sodom apple	
Bám̀bámí	Knt	<i>Alchornea cordifolia</i>		
Bambamko*	Dr	<i>Aeschynomene afraspera</i>		
Bambamko*	Dr	<i>Aeschynomene indica</i>		
Bambamko*	Dr	<i>Aeschynomene sensitiva</i>		
Bám̀bánáá		<i>Typha domingensis</i>	bulrush flower- head	
Bám̀báṛóó		<i>Clerodendrum capitatum</i>	hollow stems	
Bám̀búú		<i>Adansonia digitata</i>	baobab	
Bám̀bùs		<i>Colocynthis citrullus</i>	bitter apple	
Bám̀búúshì		<i>Colocynthis citrullus</i>	bitter apple	
Bám̀míí		<i>Elaeis guineensis</i>	palm-wine	
Banje		<i>Acacia sieberana</i>		
Banji		<i>Acacia sieberana</i>		
Bãr mà tàḃóó		<i>Merremia aegyptiaca</i>		leave [it] to the mud
Bãr ní ká cèè	Ad	<i>Cleome scaposa</i>		leave me you said
Barabutu°		<i>Artocarpus altilis</i>	breadfruit	<English
Barafutu°		<i>Artocarpus altilis</i>	breadfruit	<English
Barambo°	G	<i>Moringa oleifera</i>	horseradish tree	
Bàràṅkácií		<i>Canavalia ensiformis</i>	horse-bean	
Bárbaájíí		<i>Catunaregam nilotica</i>		vide Dal.
Bãr̀bátáá		<i>Guiera senegalensis</i> , <i>Acacia nilotica</i>	Egyptian mimosa	
Bárèèkátàà		<i>Hibiscus sabdariffa</i>	roselle petals	
Bargomi*	Kt	<i>Ficus vallis-choudae</i>		
Bàrkòònón háwáiniyaa		<i>Ctenolepis cerasiformis</i>		pepper of chameleon
Bàrkòònón bíríí		<i>Kedrostis foetidissima</i>		pepper of monkey
Bàrkòònóó		<i>Capsicum annuum</i>	chilli pepper	
Bàrkòònóó		<i>Capsicum frutescens</i>	chilli pepper	
Bàrk̀wàḏásó		<i>Capsicum annuum</i>	chilli pepper; name used by women	
Bàròò		<i>Diospyros mespiliformis</i>	dried fruit of the ebony tree	
Barugu		<i>Vossia cuspidata</i>		
Bàrzò	Go	<i>Raphionacme brownii</i>		
Básgóó	S	<i>Trochomeria dalzielii</i> ; <i>T. macroura</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Baska*		<i>Luffa aegyptiaca</i>	loofah	
Bátákáshíí		<i>Ceratotheca sesamoides</i>	false sesame leaves	
Báujée		<i>Raphionacme brownii</i>		
Báujíí	Ad	<i>Acacia seyal</i>		
Bauli		<i>Combretum lamprocarpum</i>		
Báuréeèè		<i>Gloriosa superba</i>	climbing lily	
Báushè		<i>Terminalia spp.</i>		
Báushèn gííwáá		<i>Terminalia mollis</i>		elephant <i>Terminalia</i>
Báushèn kùréégée		<i>Manihot esculenta</i>	cassava	squirrel <i>Terminalia</i>
Báushèn kúrmíí		<i>Pouteria alnifolia</i>		forest <i>Terminalia</i>
Báyáá		<i>Panicum laetum</i>		
Bàýámáá		<i>Swartzia madagascariensis</i>		
Bàzáyyánáá		<i>Aristida adscensionis</i>		type of bead
Béénà		<i>Parkia biglobosa</i>	locust tree with poor fruit	
Bento		<i>Salvadora persica</i>	toothbrush tree	< Kanuri <i>béttò</i> ?
Berefut		<i>Artocarpus communis</i>	breadfruit	< E.
Bìdìdìyáu		<i>Dyschoriste perrottetii</i>		
Bigiya	Hdj	<i>Trapa natans</i>		
Bìi dà rúwá		<i>Polygonum senegalense</i> & P. spp.		go by water
Bìi dà sàrtsè		<i>Euphorbia lateriflora</i>		remove splinter
Bìi ní dà zúgúú		<i>Jatropha curcas</i>	physic nut	follow me with a present ² [?]
Bìi nóónò		<i>Sorghum bicolor</i>	guinea-corn cv.	follow milk
Bìi(yà) ráánáá		<i>Crotalaria mucronata</i>		follow sun
Bíí(yà) ráánáá		<i>Crotalaria obovata</i>		follow sun
Bìi ráánāf áwáákíí		<i>Crotalaria atropurpurea</i> ; spp.		follow sun goat
Bìi ráánāf zóómóó		<i>Crotalaria microcarpa</i>		follow sun hare
Bìi tá dà zúgúú		<i>Jatropha curcas</i>	physic nut	
Bìi tá kà tsíírá		<i>Fadogia erythrophloea</i>		seek and be saved
Bìi záánáá		<i>Commiphora africana</i>		follow the mat
Bìi záákíí		<i>Carissa edulis</i>		follow sweetness
Bíí (yà) gééróó		<i>Oryza sativa</i>		follow millet
Bíí (yà) hàn wááwà		<i>Ctenolepis cerasiformis</i>		follow chameleon
Bíí (yà) ráánáá		<i>Crotalaria obovata</i>		follow sun
Bííííí	S	<i>Pennisetum glaucum</i>	bulrush millet without grain	
Bíídi		<i>Sphaeranthus stenocarpa</i>		
Bíídi		<i>Vigna subterranea</i>	Bambara nut	
Bíídi gwolsi	Dr	<i>Vigna subterranea</i>	Bambara nut	
Bíílóó	Kaz	<i>Boscia senegalensis</i>		
Bìjààráá		<i>Arachis hypogaea</i>	groundnut cv.	
Bíndin kùréégée	S	<i>Perotis indica</i> ; <i>Loudetia annua</i> & <i>L. hordeiformis</i>		squirrel's tail
Bírgóó	Ad	<i>Indigofera oblongifolia</i>		
Bííííí		<i>Arachis hypogaea</i>	groundnut cv.	< Fulfulde

² Exact reference unclear. *zúgúú* also applies to a white cloth.

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Bíshíyóóyí		<i>Ficus populifolia</i>		
Bítà wútáá		<i>Ipomoea aitonii</i> ; <i>Vigna luteola</i> ; <i>Merremia aegyptiaca</i>		put out the fire
Boginahi°	S	<i>Argemone mexicana</i>	Mexican poppy	<Fulfulde
Boginahi°	S	<i>Echinopsis spp.</i>		<Fulfulde
Bògòòzágé	Zm	<i>Swartzia madagascariensis</i>		
Bonekouan°		<i>Echinochloa stagnina</i>		
Bòòsòórùwáá		<i>Nicotiana tabacum</i> ; <i>N. rustica</i>	poor quality tobacco	pointless talk
Bùbbùucíí		<i>Panicum interruptum</i> ; <i>Sacciolepis africana</i>		
Bújín káró	Dr	<i>Vigna subterranea</i>	Bambara nut	harmattan wind shakes things up [?]
Buke°		<i>Gossypium barbadense</i>	cotton	
Búkú [=búkúú, búkúú, búkkúú]		<i>Sorghum bicolor</i>	poor quality guinea-corn	
Búlàngàà		<i>Vitellaria paradoxa</i>	shea tree	
Búlbúlím mússàà		<i>Eragrostis ciliensis</i>		cat's regurgitation
Bullu°		<i>Ficus vallis-choudae</i>		
Bulsulum fage° [?]		<i>Laportea fage</i>		
Bulte°		<i>Salvadora persica</i>	toothbrush tree	< Kanuri ?
Bùmbúú	S	<i>Adansonia digitata</i> ; <i>Lagenaria siceraria</i>	bottle gourd	
Búndígíí		<i>Panicum laetum</i>		
Búndùù	K	<i>Typha domingensis</i>	bulrush	
Bùnsúrún dáájìì		<i>Heteropogon contortus</i> and similar grasses		he-goat of the bush
Búrbúrwàà		<i>Eragrostis tremula</i>		
Búrbúrwàř fādámàà		<i>Eragrostis biformis</i>		<i>E. tremula</i> of the marsh
Búrkùllè	Kt	<i>Chamaecristus absus</i>	four-leaf senna	
Búruúđèè		<i>Zea mays</i>	maize	< Fulfulde
Bùùrú(ú)gù		<i>Echinochloa stagnina</i> ; <i>Vossia cuspidata</i>		< Songhay?
Bùrúkùráá		<i>Nicotiana rustica</i> ; <i>N. tabacum</i>	poor quality tobacco	
Búrzúú		<i>Vernonia perrottetii</i>		
Búrzún dīnyáá		<i>Vitex doniana</i>		
Búsái	Sk	<i>Tamarindus indica</i>	tamarind	
Bùshááráá	Kt	<i>Phragmites australis</i>	common reed	
Bútà wútáá		<i>Ipomoea aitonii</i> ; <i>Vigna luteola</i> ; <i>Merremia aegyptiaca</i>		put out the fire
Butun shààmúwáá		<i>Cynodon dactylon</i>	dub-grass, dogstooth grass	x of stork
Bútùwáá		<i>Nicotiana rustica</i> ; <i>N. tabacum</i>	poor quality tobacco	
BúúbúúKùùwáá		<i>Tripogon minimus</i>		
Bùùđáá yáu		<i>Cyphostemma adenocaulis</i>		open the spittle
Bùùđáá yáu		<i>Cayratia gracilis</i>		open the spittle
Búúki		<i>Nicotiana rustica</i> ; <i>N. tabacum</i>	poor quality tobacco	
Bùùrààbááyáá		Creeper sp. [?] <i>Commelina</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

		<i>forskalaiei; C. erecta</i>		
Bùùràĩ kàréé		<i>Amorphophallus Barteri</i>		dog's penis
Bùùràĩ záákìì		<i>Amorphophallus dracontoides</i>		donkey's penis
Bùùràĩ záákìì		<i>Cucumis metuliferus</i>	horned melon	donkey's penis
BùùrúúKùù		small shrub		
Búúsháákíí		<i>Phragmites australis</i>	common reed	
Bùùshéé		<i>Acacia nilotica</i>	Egyptian mimosa	
Bùùshíí		<i>Bergia suffruticosa</i>		
Búúzún máàràyáá		<i>Alternanthera nodiflora</i>		undressed skin of the cob antelope
B.				
Bákkô		<i>Adansonia digitata</i>	baobab	<Fulfulde?
Bálléé		<i>Phoenix dactylifera</i>	date-stone	
Bárgwán dóókì		<i>Sorghum bicolor</i>	guinea-corn cv.	horse bone-marrow
Báriyá		<i>Arachis hypogaea</i>	groundnut fruits	
Bàujéé	Go	<i>Tamarindus indica</i>	tamarind blossom	
Báurée		<i>Ficus spp.</i>	fig	
Báurén kíyááshíí		<i>Chrozophora senegalensis</i>		fig of the red ant
Báurén kíyááshíí		<i>Ficus trichopoda</i>		fig of the red ant
Báurén kurmi		<i>Ficus lutea</i>		forest fig
Bééráá		<i>Ficus spp.</i>	fig	
Bískití		<i>Commiphora africana</i>		
Búgús		<i>Ziziphus mauritiana</i>	jujube pulp-cake	
Búntùn kúdáá		<i>Cynodon dactylon</i>	smutty head of this grass	
C.				
Cáccààgíí	Kt	<i>Bauhinia rufescens</i>		
Càkàráá		<i>Anchomanes difformis</i>	tuber	
Cààkíí	Kt	<i>Capsicum frutescens</i>	chili pepper seedlings	
Cáncálíí	Gl	<i>Piliostigma thonningii</i>	Pods	
Cáncálóó	Dg	<i>Faidherbia albida</i>	whitethorn	
Càncàná kwáníkà		creeper sp.		
Canda°		<i>Nicotiana tabacum & N. rustica</i>	tobacco	
Cànkás		<i>Boscia salicifolia</i>		
Càscás		<i>Boscia salicifolia</i>		
Càzbín kùréégéé		<i>Arachis hypogaea</i>	groundnut	rosary of the squirrel
Ceceko°		<i>Sesbania pachyderma</i>		
Céédííyáá pl. cèèdàkúú	S	<i>Ficus thonningii</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Céédíyáá pl. céédíyóóyíí		<i>Ficus thonningii</i>		
Céérééríyáá		brown bean		= tsárárríyáá
Cíbdíí		<i>Boswellia dalzielii</i>		
Cicidóó	Dr	<i>Cucumis ficifolius</i> ; <i>C. prophetarum</i>	prophet's melon	
Ciciwáá	S/Kt	<i>Maerua angolensis</i>		
Cicùdíí	Gl	<i>Cucumis ficifolius</i> ; <i>C. prophetarum</i>	prophet's melon	
Cíí dà gééro		<i>Saccharum officinarum</i>	sugar-cane – sweet cultivar	eat the millet
Cìì ní dà zúgúú		<i>Jatropha curcas</i>	physic nut	
Cìì záákí		<i>Carissa edulis</i>		eat sweetness
Cííkà dáwàà		<i>Hyparrhenia subplumosa</i>		point of guinea-corn seed
Cíkà dáájìí		<i>Hyparrhenia subplumosa</i>		fill the bush
Cíkà fágéé		<i>Vernonia kotschyana</i>		fill the open space
Cíkà gídáá	S	<i>Ricinus communis</i>	castor	fill the house
Cíkà sàuráá		<i>Crotalaria sp.& Leonotis nepetifolia</i>	rattlebox	fill the disused farm
Cíkóókóó	Kt	<i>Borassus aethiopum</i>	late, kernelless fruit of the fan-palm	
Cíkwíí		<i>Gossypium hirsutum</i>	cotton	
Ciri°	G	<i>Vitellaria paradoxa</i>	shea tree	
Cììrírííí	S	<i>Combretum kerstingii</i>		
Cira°		<i>Catunaregam nilotica</i>		
Cittáá		<i>Aframomum melegueta</i>	Malagueta pepper	< Arabic
Cittáá		<i>Capsicum annum</i>	chili pepper	< Arabic
Cittáá kúm fáá		<i>Aframomum melegueta</i>	Malagueta pepper cv.	frothy pepper
Cittáá màì kwàà yáá		<i>Zingiber officinale</i>	ginger	single tuber pepper
Cittáá màì yáátsàa		<i>Zingiber officinale</i>	ginger	finger pepper
Cittār Àhò		<i>Zingiber officinale</i>	ginger	Malagueta pepper of Eloyi people
Cittār Jábà		<i>Zingiber officinale</i>	ginger	Malagueta pepper of Hyam people
Cììwóó		<i>Landolphia owariensis</i> ; <i>Saba florida</i>	rubber vine	
Cizgiri°	S	<i>Hyphaene thebaica</i>	dum palm	
Cizo°	D	<i>Cyperus esculentus</i>	tiger nut	
Cùùcún káryá		<i>Indigofera nummulariifolia</i>		whore's disease
Cùùwóó		<i>Landolphia owariensis</i> ; <i>Saba florida</i>	rubber vine	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

D.				
Dà mááshìn kúryáá	Z	<i>Hemizygia bracteosa</i>		with spear of drum
Da sisi°		<i>Schwenkia americana</i>		
Dááɓùrín sáaniyáá		<i>Portulaca oleracea</i>	purslane	cow's palate
Dááɓùrín sáaniyáá		<i>Trianthema pentandra</i> ; <i>T. portulacastrum</i>		cow's palate
Dááfáaráá		<i>Cissus populnea</i>		
Dààkàtáá	K	<i>Ipomoea batatas</i>	sweet potato	Wait!
Dààkùshéé		<i>Uraria picta</i>		blunt (s.t.)
Dààlíí		<i>Commiphora kerstingii</i>		
Dààlóó	S	<i>Commiphora kerstingii</i>		
Dààlóó	K/Z	<i>Combretum ghasalense</i>		
Dààshíí		<i>Balsamodendron africanum</i> ; <i>Commiphora africana</i>		
Dààshín jéjéì		<i>Commiphora pedunculata</i>		<i>C. africana</i> of the bush
Dááwàà <i>pl.</i> dááwóóyíí, dááwàwákíí		<i>Sorghum bicolor</i>	sorghum	
Dááwàà		<i>Nymphaea lotus</i>	seeds of water lily	
Dááwãr ñánkù rááná	Borno	<i>Sorghum arundinaceum</i>		sorghum of your son out in the sun
Dááwãr dòòrínáá		<i>Sorghum arundinaceum</i>		hippo sorghum
Dááwãr kádàà		<i>Sorghum arundinaceum</i> ; <i>Pennisetum purpureum</i> ; <i>Sorghum series spontanea</i>		crocodile sorghum
Dááwãr kádàà		<i>Pennisetum purpureum</i>	elephant grass	crocodile sorghum
Dááwãr Másàr		<i>Zea mays</i>	maize	sorghum of Egypt
Dááwãr rààfíí		<i>Sorghum arundinaceum</i>		stream sorghum
Dááwãr dààmináá		<i>Sorghum series spontanea</i>		wet season sorghum
Dààwàdááwà		<i>Rottboellia exaltata</i>		
Daba°	K	<i>Solanum incanum</i>	garden-egg	
Dàbáágiráá		<i>Balanites aegyptiaca</i>	flowers and leaves of desert date	
Dàbànò		<i>Parkia biglobosa</i>	liquid from locust flower	
Dábíínòn bírìì		<i>Phoenix reclinata</i>	wild date palm	monkey's date
Dábíínòò <i>pl.</i> dàbíinái		<i>Phoenix dactylifera</i>	date	< Kanuri < Coptic
Dábíínùùwáá <i>pl.</i> dàbíiniyáá		<i>Phoenix dactylifera</i>	date palm	< Kanuri < Coptic
Dàddààgúú		<i>Momordica balsamina</i> ; <i>M. charantia</i>	balsam apple	< Fulfulde ?
Dáddáátáá		<i>Thelepogon elegans</i>		
Dáddáwáá		<i>Rottboellia exaltata</i>		
Dadoko°?		<i>Steganotaenia araliacea</i>		
Dàfà kàré	G	<i>Hyptis spicigera</i>	mosquito guardian	treat the dog harshly
Daiyo°		<i>Raphionacme brownii</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Dáálimíí		<i>Saccharum officinarum</i>	sugar-cane	
Damáágàrám		<i>Faidherbia albida</i>	whitethorn	name of a town
Dámágií		<i>Chrozophora senegalensis</i>		
Damáágiráá		<i>Balanites aegyptiaca</i>	flowers and leaves of desert date	
Dàmār zàyyáá	K/Kt	<i>Abrus precatorius</i>	jumblebeads	
Dámám shíyyáá		<i>Boscia senegalensis</i>		bare place
Damdun makiyaya°	S	<i>Nelsonia canescens</i>		
Dàmfarfàmií		<i>Monechma hispida; Borreria radiata; Pandia sp.</i>		
Dándámíí		<i>Gisekia pharnacioides</i>		night-blindness
Dàngàrêzáá		<i>Tamarindus indica</i>	tamarind blossom	
Dândaánaà		<i>Schwenkia americana</i>		
Dàngèráá		<i>Combretum glutinosum</i>		
Dàngèrèè		<i>Cyathula prostrata</i>		
Dàngèrèè		<i>Desmodium velutinum</i>		
Dàngèrèè		<i>Setaria verticillata</i>		
Dàngèrèè		<i>Triumfetta spp.</i>		
Dàngiráá		<i>Hibiscus cannabinus</i>	head	
Dàngiráá bàà súúsà		<i>Hibiscus asper</i>		<i>H. cannabinus</i> causes scratching
Dányáá		<i>Sclerocarya birrea</i>		
Danji		<i>Centaurea praecox; C. perrottetii</i>	thistle	
Dànkálii		<i>Ipomoea batatas</i>	sweet potato	
Dànkálin tũũràáwáá		<i>Solanum tuberosum</i>	Irish potato	European sweet potato
Dànkálin yáaráá		<i>Trianthema portulacastrum & T. pentandra</i>		girls' sweet potato
Dánkòò		<i>Ficus sp.</i>		
Dánkwàn kùyangíí		<i>Merremia aegyptiaca</i>		rubber of female slaves
Dànsàkúúkàà		Algae, moss		
Dányáá		<i>Sclerocarya birrea</i>		
Dányíí		<i>Centaurea praecox & C. perrottetii</i>	thistle	
Dányín gííwáá		<i>Hygrophila auriculata</i>		elephant's thistle
Dar bejiya°		<i>Azadirachta indica</i>	neem	
Dárbaá		<i>Parkia biglobosa</i>	liquid from locust flower	
Dárgàjíí		<i>Grewia mollis</i>		
Dárgàzáá		<i>Grewia mollis</i>		
Dátsí		<i>Aristida siberiana; A. adscensionis; A. mutabilis</i>		
Dáudfà		<i>Dicoma tomentosa</i>		
Dáudfà dáudfà	Knt	<i>Stylosanthes erecta</i>		
Dáudār máágúzááwáá	K	<i>Centaurea perrottetii; Blepharis linarifolia; Centaurea praecox</i>	thistle	<i>D. tomentosa</i> of the pagan Hausa
Dàumààshíí		<i>Vernonia kotschyana</i>		
Dauráá	Hdj	<i>Vossia cuspidata; pennisetum pedicellatum P. polystachion</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Dáurār máhàlbáá		<i>Centaurea praecox</i> ; <i>C. perrottetti</i>	thistle	hunters' millet
Dàuróó		<i>Pennisetum glaucum</i>	millet	
Dawo° ?		<i>Tetrapleura tetraptera</i>		
Dáyyàdíí		<i>Elaeis guineensis</i>	oil-palm	
Dàyyí		<i>Centaurea perrottetti</i> ; <i>C. praecox</i>	thistle	
Dàyyín gííwáá		<i>Hygrophila auriculata</i>		elephant's thistle
Dàyyín gííwáá		<i>Argemone mexicana</i>	Mexican poppy	elephant's thistle
Dííló	G	<i>Boscia augustifolia</i> ; <i>B. senegalensis</i>		
Dínshèè		<i>Phoenix dactylifera</i>	date palm	
Dĩrgáà	K	<i>Bauhinia rufescens</i>		
Dííshèè	K	<i>Acacia senegal</i>		
Dóógón yáàròò		<i>Azadirachta indica</i>	neem	
Dòódóó		<i>Striga spp.</i>	witchweed	masquerade
Dòódón dááwàà		<i>Striga hermonthica</i>	witchweed	masquerade of guinea-corn
Dóógúwá	Z	<i>Nicotiana rustica</i> ; <i>N. tabacum</i>	tobacco	
Dóókàà		<i>Isobertinia doka</i>		
Dóókàà rààfíí		<i>Berlinia crabinia</i> ; <i>B. auriculata</i>		<i>I. doka</i> of the stream
Dòòmàshíí		<i>Vernonia kotschyana</i>		
Dòòmàshín mázáá	S	<i>Physalis angulata</i>	angular winter cherry	male <i>V. kotschyana</i>
Dóóyà		<i>Dioscorea spp.</i>	yam (generic)	
Dóóyār bísà		<i>Dioscorea bulbifera</i>	aerial yam	monkey-yam
Dóóyār dáájìí		<i>Dioscorea praehensilis</i>		bush yam
Dóóyār dúútsèè		<i>Dioscorea praehensilis</i>		rock-yam
Dóóyār gííwáá		<i>Dioscorea praehensilis</i>		elephant-yam
Dóóyār kúdù		<i>Dioscorea cayenensis</i>	red yam	yam of the south
Dóóyār kúdù		<i>Manihot esculenta</i>	cassava	yam of the south
Dóóyār kùréégéé		<i>Cucurigo pilosa</i>		squirrel's yam
Dùbáágíráá		<i>Balanites aegyptiaca</i>	flowers and leaves of desert date	
Dukama°		<i>Ipomoea batatas</i>	sweet potato	
Dùkkíí <i>pl.</i> dùkkóókíí	S	<i>Celtis integrifolia</i>	nettle tree	
Dúkús		<i>Vigna subterranea</i>	Bambara nut	
Dùllúú		<i>Ficus sur</i>	fig	
Dùllúbèè	G	<i>Adenodolichos paniculatus</i>		
Dùlùnhwáá	S	<i>Boscia senegalensis</i>	berries of ~	
Dúmáá <i>pl.</i> dúmààméé		<i>Lagenaria siceraria</i>	bottle gourd	
Dúmán dúútsèè		<i>Aristolochia albidia</i> ; <i>A. bracteolata</i>		hill gourd
Dúmán gàuráákàà		<i>Lagenaria siceraria</i>	bottle gourd	stork gourd
Dúmán gwáázáá		<i>Jacquemontia tanmifolia</i>		cocoyam gourd
Dúmán kádàà		<i>Ipomoea repens</i> , <i>I. asarifolia</i>		crocodile gourd
Dúmán kwáádíí		<i>Ipomoea involucrata</i>		calabash gourd
Dúmán ñwáryáá		<i>Lagenaria siceraria</i>	bottle gourd	calabash gourd
Dúmán lúúdàyyí		<i>Lagenaria siceraria</i>	bottle gourd	spoon gourd

Dúmán rààfiì		<i>Ipomoea asarifolia</i>		stream gourd
Dúmshèè	S/Kt	<i>Acacia seyal</i>		
Dúmshishèè	Dr	<i>Acacia seyal</i>		
Dúndúshèè	Kt	<i>Acacia seyal</i>		
Dúngùjii		<i>Gossypium sp</i>	cotton	
Dùnkíí		<i>Celtis integrifolia</i>	nettle tree	
Dùnkíí		<i>Celtis zenkeri</i>	nettle tree	
Dùnkúú		<i>Adansonia digitata</i>	baobab	
Dúnshè		<i>Acacia seyal</i>		
Dúnshèn		<i>Phoenix dactylifera</i>	date palm	
Durbi*		<i>Ostryoderris stuhlmannii</i>		
Durburwa°		<i>Eragrostis gangetica</i>		
Duru sairu?°	S	<i>Chrozophora senegalensis</i>		
Dúrùmií pl. dúrùma		<i>Ficus polita</i>		
Dúshèè		<i>Acacia seyal</i>		
Dushiya°		<i>Bergia suffruticosa</i>		
Dùssàà		<i>Acacia seyal</i>		
Dúúlúú		<i>Ficus vallis-choudae</i>		
D.				
Dáátà	Kt/Z	<i>Solanum incanum</i>	garden-egg cv.	
Dààtà dáátà		<i>Thelepogon elegans</i>		
Dààtànnííyáá		<i>Thelepogon elegans</i>		
Dààtànnííyār dáácíí		<i>Thelepogon elegans</i>		bitter <i>T. elegans</i>
Dààtàrñííyáá		<i>Thelepogon elegans</i>		
Dáàdòòríí		<i>Cissus quadrangularis</i>	edible stemmed vine	
Dâdđóóyà		<i>Ocimum basilicum</i> O.canum; <i>O. gratissimum</i>	scent-leaf	
Dâdđóóyà tá gídáá		<i>Ocimum gratissimum</i>	scent-leaf	scent-leaf of the house
Dâdđóóyār góónáá	Z	<i>Hyptis spicigera</i> ; <i>Leucas martinicensis</i>	mosquito guardian	scent-leaf of farm
Dâdđóóyār fādámàà		<i>Hyptis spicigera</i> ; <i>Leucas martinicensis</i>	mosquito guardian	scent-leaf of swamp
Dâdđóóyār kàréé		<i>Hyptis spicigera</i> ; <i>Leucas martinicensis</i>	mosquito guardian	scent-leaf of dog
Dâdđóóyār kásá		<i>Bergia suffruticosa</i>		scent-leaf of ground
Dâdđóóyār Māsár		<i>Ocimum basilicum</i> ; <i>O. canum</i>	scent-leaf	scent-leaf of Egypt
Dáfàrdù		<i>Platycerium stemmaria</i>	elk's horn fern	
Dàgéérà		<i>Combretum lamprocarpum</i> ; <i>C. nigricans</i>		
Dái fādámàà		<i>Hyptis spicigera</i>	mosquito guardian	the one of the marsh
Dàkéésà		<i>Tripogon minimus</i>		
Dákwàráá		<i>Acacia senegal</i> ; <i>Acacia dudgeoni</i>		
Dám bálléé		<i>Phoenix dactylifera</i>	date stone	clitoris

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Dàmàl gwàrààjii	K	<i>Cissampelos mucronata</i>		
Dàmàl gwàrààjii		<i>Cissampelos owariensis</i>	velvet leaf	
Damarage°		<i>Hemarthria altissima</i>		
Dàmbáá		<i>Vossia cuspidata</i>		
Dán bà kà sàyáá bá		<i>Commiphora africana</i>		son of ‘you didn’t buy’
Dán bààkúúwà		<i>Leptadenia hastata</i>		son of light-coloured earth
Dán bárááwáá		<i>Leptadenia hastata</i>		son of x
Dán Bàrnóó		<i>Pennisetum sp.</i>		son of Borno
Dán cíizò		<i>Oryza glaberrima</i>		son of biting
Dán dààmánáá		<i>Phoenix dactylifera</i>	date palm	son of rainy season
Dan gariya		<i>Pennisetum sp.</i>		son of
Dán káá búga		<i>Citrus aurantium</i>	lime	son of
Dán kádánáá		<i>Capsicum annum</i>	chili pepper	son of
Dán kanuri		<i>Abelmoschus esculentus</i>	okra	son of
Dán karuna		<i>Abelmoschus esculentus</i>	okra	son of
Dán káshín sháánúú		<i>Oryza sativa</i>	rice	son of
Dán kúmààsà	S	<i>Ficus polita</i>		son of Kumasi
Dán kúnyà		<i>Biophytum petersianum</i>	sensitive plant	modest one
Dán kúnyà		<i>Mimosa pigra</i>		modest one
Dán kurmurya	Kt	<i>Ficus polita</i>		son of
Dán kwaidóó		<i>Oryza sativa</i>	rice	son of
Dán kwásaré	Bob	<i>Ricinus communis</i>	castor	son of
Dán lóómàà	Gumel	<i>Boscia senegalensis</i>		son of a small mouthful of food
Dán magakiya		<i>Oryza sativa</i>	rice	son of
Dán mai wúya		<i>Oryza sativa</i>	rice	son of
Dán manu		<i>Oryza sativa</i>	rice	son of
Dán mǎrkéé		<i>Indigofera secundiflora</i>		son of
Dán másálláacíí		<i>Oryza sativa</i>	rice	son of the mosque
Dán Másaráá		<i>Zea mays</i>	maize	son of Egypt
Dán musa		<i>Oryza sativa</i>	rice	son of
Dán sárkín itáátúwáá	S/Kt	<i>Parkinsonia aculeata</i> ; <i>Stereospermum ?</i>		son of the chief of the trees
Dán tánkó		<i>Oryza sativa</i>	rice	son of
Dán tunuga		<i>Cyperus maculatus</i> & <i>C. tonkinensis</i>		son of
Dán zágóó		<i>Raphia spp.</i>	produce	son of
Dán zindiri		<i>Leptadenia hastata</i>		son of Zinder
Danar maguzawo	K	<i>Centaurea perrottetii</i> ; <i>C. praecox</i>	thistle	
Dànkà dáfii		<i>Desmodium velutinum</i> ; <i>Setaria verticillata</i> ; <i>Cyathula prostrata</i> ; <i>Triumfetta spp.</i>		
Dandar mahalba		<i>Centaurea perrottetii</i> & <i>C. praecox</i>	thistle	
Dandoyar kasa		<i>Bergia suffruticosa</i>		
Dádùùwáá		<i>Saccharum officinarum</i>	sugar-cane cv.	
Dangafara	Kt	<i>Cadaba farinosa</i>		
Daskara		<i>Tripogon minimus</i> ;		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

		<i>Raphionacme brownii</i>		
Dínyáá	K	<i>Vitex doniana</i>	black plum	
Dínyár bírii		<i>Vitex simplicifolia</i>		<i>V. doniana</i> of the monkey
Dínyár rààfi		<i>Vitex chrysocarpa</i>		<i>V. doniana</i> of the stream
Dískaráá		<i>Raphionacme brownii</i>		
Dískaráá		<i>Tripogon minimus</i>		
Dodoriya		<i>Cissus aralioides</i> ; <i>C. quadrangularis</i>		
Dòdáyà		<i>Ocimum basilicum</i>	scent-leaf	
Dòdówà		<i>Ocimum basilicum</i>	scent-leaf	
Dòráwà pl. dōràyi		<i>Parkia biglobosa</i>	locust tree	
Dòráwà kúrmii		<i>Piptadeniastrum</i>		
Dòráwà mahálbi		<i>Albizia coriaria</i>		
Dòré rāi		<i>Senna occidentalis</i>	coffee senna	enhances life
Dúndúú		<i>Dichrostachys cinerea</i> ; <i>Dioscorea sp</i>		
Dúnyáá		<i>Vitex doniana</i>	black plum	
Dúnyár bírii		<i>Vitex simplicifolia</i>		
Dúúsà	S/Zm	<i>Setaria pallide fusca</i>		
Dwai dwayi		<i>Ocimum canum</i>	scent-leaf	
Dwààtānāá	S	<i>Thelepogon elegans</i>		
E.				
Ekuwa		<i>Caralluma retrospiciens</i>		
Erafi		<i>Acacia seyal</i>		
F.				
Fààrún birii		<i>Lansea schimperii</i>		
Fààrún dòyàá		<i>Lansea kerstingii</i> & <i>L. schimperii</i>		
Fààrún mákiiyàà		<i>Ampelocissus africanus</i>		<i>Lansea spp.</i> of the herdsman
Fààrún mùtānèè		<i>Lansea acida</i> ; <i>L. microcarpa</i>		
Fààrúú		<i>Lansea microcarpa</i> ; <i>L. schimperii</i> ; <i>L. fruticosa</i> ; <i>L. humilis</i> [<i>A. Odina barteri</i>]		
Fààtār gíwáá		<i>Ficus vogelii</i>		elephant's hide
Faradurus		<i>Physalis angulata</i>	angular winter cherry	
Fárár dóókāá		<i>Isobertina dalzielii</i> ; <i>I. tomentosa</i>		white <i>I. doka</i>
Fárár géézà		<i>Combretum aculeatum</i>		
Fárár hàn-kúfáá		<i>Sida cordifolia</i>		white <i>Waltheria indica</i>
Fárár kábàá		<i>Centaurea praecox</i>	thistle	
Fárár kábàá		<i>Centaurea perrottetii</i>	thistle	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Fárár kafula		<i>Polygonum senegalense</i>		
Fárár káyà		<i>Acacia sieberana</i>		
Fárár rura		<i>Parinari curatellifolia</i> ; <i>Monotes kerstingii</i>		
Fárár saura		<i>Pulicaria crispa</i>		
Fárár taramniya		<i>Combretum geitonophyllum</i> ; <i>C. lamprocarpum</i>		
Fárár géézàa		<i>Combretum micranthum</i>		
Fárár bii raana		<i>Crotalaria mucronata</i>		
Fárcèn shááhòò		<i>Acacia polyacantha</i> subsp. <i>campylacantha</i>		
Farcen karnata		<i>Acacia polyacantha</i> subsp. <i>campylacantha</i>		
Fáfàráá		<i>Sorghum bicolor</i>	guinea-corn cv.	
Fárfèètsíí		<i>Schwenkia americana</i>		
Faricin harmata		<i>Acacia polyacantha</i> subsp. <i>campylacantha</i>		
Faricin shafo		<i>Acacia polyacantha</i> subsp. <i>campylacantha</i>		
Fárin ásáwààkíí		<i>Salvadora persica</i>	toothbrush tree	
Fárin báurèè		<i>Ficus sur</i> ; <i>F. vallaie choudae</i>	fig	
Fárin báushèè		<i>Terminalia laxiflora</i>		
Fárin daya		<i>Dicoma tomentosa</i>		
Fárin gámó		<i>Ipomoea argenteaurata</i>		
Fárin ganyee		<i>Dioscorea</i> sp.		
Fárin garmani		<i>Sida cordifolia</i>		
Fárin kàà fí máálàm		<i>Heliotropium ovalifolium</i>		white <i>Evolvulus alsinoides</i>
Fárin loko		<i>Antiaris africana</i>	false iroko	white iroko
Fárin maƙarfo		<i>Dalbergia saxatilis</i> ; <i>Afrormosia</i> spp.		
Fárin moro	Ad	<i>Boscia angustifolia</i>		
Fárin mutum	Ad	<i>Boscia angustifolia</i>		
Fárin sànsámíí		<i>Lonchocarpus laxiflorus</i> &L. <i>sericeus</i>		
Fárin sháurèè		<i>Ficus sur</i>	fig	
Fárin shíbeí		<i>Schizachyrium exile</i>		
Fárin tsu(wu)		<i>Pavonia hirsuta</i>		
Fárin tsu(wu)		<i>Urena</i> spp.		
Fàsà dáábù		fruit like a guava		break x
Fàsà dágáá		<i>Azelia africana</i>		
Fàsà kùmbúrí		<i>Portulaca oleracea</i> ; <i>P. quadrifida</i>	purslane	disperse swellings
Fàsà kwàrí		<i>Fagara zanthoxyloides</i>	spice-bark tree	break bow
Fàsà káábáá	Kt	<i>Portulaca oleracea</i> ; <i>P. quadrifida</i>	purslane	disperse infection
Fàsà káábáá		creeper = yààdā kwáryáá		disperse infection
Fàskàrà gííwáá		<i>Ormocarpum bibracteatum</i>		
Fàskàrà sáiwóó		<i>Sida alba</i> ; <i>S. ovata</i> ; <i>S. rhombifolia</i>		
Fàskàrà tòòyíí+		<i>Blepharis linearifolia</i>		
Fátàkkà	S	<i>Pergularia tomentosa</i>		

Fatakkò	G	<i>Pergularia tomentosa</i>		
Feshe		<i>Borreria stachydea</i>		
Fid dà hákúúkáúwà		<i>Dyschoriste perrotteti</i>		
Fùl dà sàrtsè		<i>Euphorbia lateriflora</i>		remove splinter
Fíidílií		<i>Chamaecristus absus</i>	four-leaf senna	
Fíidílin kánááwáá	Ktg	<i>Aeschynomene afraspera</i> ; <i>A. indica</i>		
Filáskwám Mákà		<i>Senna alexandrina</i>	Alexandrian senna	senna of Mecca
Filáskwám Másàr		<i>Senna alexandrina</i>	Alexandrian senna	senna of Egypt
Filáskóó		<i>Senna italica</i>	Italian senna	
Filfil		<i>Capsicum annum</i>	chili	<Arabic
Filóó	Kt	climber with edible tubers		
Fìinááfùùr		<i>Ananas comosus</i>	pineapple	<English
Firo	Sk	<i>Digitaria exilis</i>	fonio	
Fírtsà fákóó		<i>Tribulus terrestris</i>	puncture vine	spring up in a barren place
Fírtsà fákóó		<i>Stylosanthes erecta</i> & <i>S. fruticosa</i>		spring up in a barren place
Fisáá		<i>Blighia sapida</i>	ackee apple	< Southern language
Fisáá		<i>Anacardium occidentale</i>	cashew	< Southern language
Fisawa		<i>Monechma ciliatum</i>		
Fit(t)áá		<i>Thalia geniculata</i> ; <i>Megaphrynium macrostachyum</i> ; <i>Marantochloa cuspidata</i> ; <i>M. filispea</i> ; <i>M. ramosissima</i> ³		
Fiyaka		<i>Aristolochia albida</i> ; <i>A. bracteolata</i> ; <i>Cissampelos mucronata</i> ; <i>C. owariensis</i>		
Foroma		<i>Arachis hypogaea</i>	groundnut	
Fudar awaki		<i>Crotalaria sp.</i>		
Fùrá bawà		<i>Lonchocarpus laxiflorus</i>		
Fùráfùrá	S	<i>Sphaeranthus augustifolius</i>		flower flower
Fùrán áamáryáá		<i>Paullinia pinnata</i>		flower of the bride
Fùrán dúútsè		<i>Clerodendrum capitatum</i>		flower the hill
Fùrán gádúú		<i>Ipomoea aquatica</i>		flower of the warthog
Fùrán júújíí		<i>Datura metel</i>	hairy thorn apple	flower of the rubbish heap
Fùrán yán sárkíí		<i>Lonchocarpus sericeus</i>		flower of the child of a chief
Fúrfúrá tá gyààtùmíí		<i>Aerva javanica</i>		old man's grey hair
Fúrfúrá tsóófwáá		<i>Aerva javanica</i>		old man's grey hair
Furfuraa		<i>Polygonum senegalense</i>		
Furu		<i>Lannea acida</i>		
Fus		<i>Arachis hypogaea</i>	groundnut	

³ Probably any large leaf used to wrap foodstuffs

G.				
Gàajiríí		<i>Cymbopogon hirtus</i>		
Gààríí		<i>Uraria picta</i>		
Gáàràjǐí		<i>Panicum laetum</i> ; <i>Brachiaria jubata</i> ; <i>B. distichophylla</i> ; <i>B. xantholeuca</i> ; <i>Urochloa lata</i> ⁴		
Gáàrijǐí		<i>Panicum laetum</i> ; <i>Brachiaria jubata</i> ; <i>B. distichophylla</i> ; <i>B. xantholeuca</i> ; <i>Urochloa lata</i> ⁵		
Gaarín táábàà		<i>Nicotiana rustica</i>	tobacco	
Gáásàyáá		<i>Gynandropsis gynandra</i>	cat's whiskers, African spiderflower	
Gáásàyáá		<i>Gynandropsis pentaphylla</i>	cat's whiskers, African spiderflower	
Gáásàyār bàrééwáá		<i>Croton lobatus</i>		thief's cat's whiskers
Gààtárin kùùréégée		<i>Eulophia cristata</i>		squirrel's axe
Gààtárin kùùréégée		<i>Haemanthus rupestris</i>		squirrel's axe
Gààtárin kùùréégée	S	<i>Gloriosa superba</i>	climbing lily	squirrel's axe
Gààtárin zóómóó		<i>Tacca leontopetalodes</i> ; <i>Gloriosa sp.</i> ; <i>Haemanthus sp.</i>		hare's axe
Gààtsíikà	K	<i>Adansonia digitata</i>	young baobab	
Gààwóó		<i>Faidherbia albida</i>	winter thorn	
Gaba cara		<i>Acacia macrothyrso</i>		
Gaba gaba		<i>Cissus araliodes</i>		
Gaba tora		<i>Acacia macrothyrso</i>		
Gábàà		<i>Andropogon tectorum</i> ; <i>A. gayanus</i>		
Gàbààrúúwáá pl. gàbààrǐí		<i>Acacia nilotica</i>	Egyptian mimosa	
Gàbààrúúwār kàsà		<i>Chamaecrista mimosoides</i>		
Gàbààrúúwār Màkà		edible mimosa		Egyptian mimosa of Mecca
Gàbààrúúwār Màsàr		<i>Parkinsonia aculeata</i>	Jerusalem thorn	Egyptian mimosa of Egypt
Gaban hankaakaa		<i>Vigna subterranea</i>	Bambara nut	
Gaban kara	Dr	<i>Vigna subterranea</i>	Bambara nut	
Gabara	Sk	<i>Phragmites australis</i>	common reed	
Gàbjín		<i>Sorghum bicolor</i>	large-grained guinea-corn cv.	
Gàdágǐí		<i>Alysicarpus vaginalis</i>		
Gadina		<i>Azadirachta indica</i>	neem	
Gàdākúúkà		<i>Aristolochia albidia</i> ; <i>A. bracteolata</i>		
Gádón mǎcǐlǐí		<i>Boerhavia diffusa</i>	hogweed	serpent's bed

⁴ Probably a generic for fodder grasses with edible grains

⁵ Probably a generic for fodder grasses with edible grains

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Gádón máciijíí		<i>Boerhavia repens</i>		serpent's bed
Gádón máciijíí		<i>Trianthema pentandra</i>		serpent's bed
Gádón máciijíí		<i>Trianthema portulacastrum</i>		serpent's bed
Gàdú		<i>Pavetta crassipes</i>		
Gàdàawà		<i>Sorghum bicolor</i>	white guinea-corn cv.	
Gahwa		<i>Coffea</i> spp.	coffee	< Arabic
Gajele		<i>Digitaria gayana</i>		
Gaji		<i>Blepharis linariifolia</i>		
Galla bar		<i>Diheropogon hagerupii</i>		
Gàmà fàdà		<i>Cassia arereh; C. sieberana</i>		unite fight
Gàmà fàrà		<i>Swartzia madagascariensis</i>		unite x
Gàmàgàrí	K	<i>Oryza sativa</i>	rice	
Gàmàgàrí	K	<i>Ipomoea batatas</i>	sweet potato	
Gàmàgàrí	K	<i>Arachis hypogaea</i>	groundnut fruits	
Gàmbà		<i>Andropogon gayanus</i>	gamba grass	
Gambaje		<i>Hyphaene thebaica</i>	dum palm root	
Gàmbàr kùréégée		<i>Elionurus hirtifolius; E. elegans</i>		squirrel's gamba grass
Gámjì pl. gámúzzà		<i>Ficus ovata</i>		
Gámjì pl. gámúzzà		<i>Ficus platyphylla</i>	gutta percha tree	
Gàmjìí	Kt	<i>Sorghum bicolor</i>	large-grain guinea-corn cv.	
Gamma fada		<i>Cassia arereh</i>		
Gàmmòn baawaa		<i>Merremia tridentata</i>		
Gàmmòn fàtààkéé		<i>Cucurbita maxima</i>	pumpkin	
Gamon sauwa		<i>Holarrhena floribunda</i>		
Gàmsái		Algae, moss		
Gàndàgàurà		<i>Sorghum bicolor</i>	guinea-corn cv.	
Gàngàmáu		<i>Anogeissus leiocarpus</i>		
Gàngàmáu	Kt	<i>Curcuma domestica</i>	turmeric	
Gangami		<i>Borassus aethiopum</i>	swollen stem of fan palm	
Gàngàmóó		<i>Curcuma domestica</i>	turmeric	
Gàngàmóó	Sk	<i>Cryptolepis sanguinolenta</i>		turmeric
Gandaganda		<i>Hyphaene thebaica</i>	dum palm: unripe kernel	
Gàngár zóómóó		hard fungus at base of trees		hare's drum
Ganjil		<i>Ficus tricotopoda</i>		
Gànsàkúúka		Algae, moss		
Ganwon fatake		<i>Cucurbita pepo; C. maxima</i>	pumpkin	
Ganyen gori		<i>Hallea stipulosa</i>	African linden	
Ganyi		<i>Ficus platyphylla</i>		
Ganzema		<i>Corchorus tridens</i>		
Garáá		<i>Zea mays</i>	maize	
Gàrààfúníí		<i>Momordica balsamina; M. charantia</i>	balsam apple	
Gàrààfúnín fàdámàà		<i>Cardiospermum grandiflorum; C. halicacabum</i>	heart seed, balloon vine	swamp balsam apple
Gàrààfúnín kwààttáá		<i>Cardiospermum grandiflorum</i>	heart seed,	waterside balsam

Roger Blench Hausa plant names – Hausa-Latin Circulation version

			balloon vine	apple
Garan garan	Gl	<i>Beckeropsis uniseta</i>		
Gárángáátsà		<i>Saccharum officinarum</i>	sugar-cane cv.	
Garasa	Sk	<i>Aristida stipoides</i>		
Gàrdáà		<i>Parkia biglobosa</i>	young locust pods	
Gárdááyè	Kt	<i>Acacia macrostachya</i>		
Garica	Zm	<i>Ficus sur</i>	fig	
Garko		<i>Solanum macrocarpon</i>	eggplant	< Kanuri?
Gármáníí	S	<i>Sida cordifolia</i>		
Garera		<i>Borassus aethiopum</i>	leaf veins of fan palm	
Garera		<i>Hyphaene thebaica</i>	leaf veins of dum palm	
Gárnúúwáá	Kt	<i>Hibiscus cannabinus</i>	head of ~	
Gas kura		<i>Monotes kerstingii</i>		
Gaton karyaa		<i>Indigofera echinata</i>		
Gatsaura	Dr	<i>Aristida adscensionis</i> ; <i>A. mutabilis</i>		
Gáudè		<i>Gardenia aqualla</i> ; <i>G. erubescens</i>		
Gáudèn dúútsè		<i>Gardenia sokotensis</i>		<i>Gardenia</i> of the rock
Gáudèn kúúráá		<i>Gardenia ternifolia</i> ssp. <i>jovis-tonantis</i>		<i>Gardenia</i> of the hyena
Gáugái	Kt	<i>Striga hermonthica</i>	witchweed	
Gàujín		<i>Sorghum bicolor</i>	large-grain guinea-corn cv.	
Gáutáá		<i>Solanum incanum</i>	garden-egg	
Gáután Bèllò		<i>Lycopersicon esculentum</i>	tomato	Bello's garden-egg
Gáután Bacarmi		<i>Solanum dasyphyllum</i>		Bagirmi garden-egg
Gáután dáácií		<i>Solanum incanum</i>	garden-egg	bitter garden-egg
Gáután gidáá		<i>Solanum incanum</i>	garden-egg	garden-egg of house
Gáután kàdìì		<i>Solanum americanum</i>	nightshade	
Gáután kààjìí		<i>Solanum americanum</i>	nightshade	garden-egg of hen
Gáután kúúráá		<i>Solanum incanum</i>	garden-egg	hyena's garden-egg
Gáután kwààdóó		<i>Cardiospermum grandiflorum</i>	heart seed, balloon vine	toad's garden egg
Gáután tsúntsúú		<i>Solanum anguivi</i>		bird's garden-egg
Gáután túúrààwáá		<i>Lycopersicum esculentum</i>	tomato	European's garden-egg
Gáután wárí		<i>Solanum incanum</i>	garden-egg cv.	garden egg that is one of a pair [?]
Gáután yáálóó		<i>Solanum incanum</i>	garden-egg cv.	garden egg of yalo type
Gáutan zóómóó		<i>Melothria maderaspatana</i>		hare's garden egg
Gàwàsá pl. gawàsúú		<i>Parinari macrophylla</i>	gingerbread-plum tree	
Gàyangàyán		<i>Vigna membranacea</i>	field bean	
Gáyáájì		<i>Sorghum bicolor</i>	guinea-corn cv.	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Gazare		<i>Maerua angolensis</i> ; <i>M. crassifolia</i>		
Gàzàríí	S/Kt	<i>Borassus aethiopum</i>	shoot of fan-palm	
Géémùn bééráá		<i>Fimbristylis hispidula</i>		
Géémùn kwààdóó		<i>Kyllinga</i> spp.		
Géémùn mäsààráá		<i>Zea mays</i>	maize	
Gèèràgèèrà		<i>Typha domingensis</i>	flowering spikes of bulrush	
Géérányà		<i>Typha domingensis</i>	bulrush	
Géérón dǎn kwáárùwà		<i>Pennisetum fallax</i>		millet of son of x
Géérón ítácéé		<i>Phyllanthus pentandrus</i>		millet of tree
Géérón kádá		<i>Pennisetum ramosum</i>		crocodile millet
Géérón tsúntsàáyéé		<i>Acroceras amplexans</i>		birds' millet
Géérón tsúntsàáyéé		<i>Typha domingensis</i>	bulrush	birds' millet
Géérón tsúntsúú		<i>Polygonum senegalense</i> ⁶		bird millet
Gééróó		<i>Pennisetum glaucum</i>	bulrush millet	
Gèèwàyà tsáámííyáá		<i>Cissus quadrangularis</i>		circuit of the tamarind
Géézà pl. géézóójíí		<i>Combretum micranthum</i>		
Gelobai		<i>Ficus trichopoda</i>		
Gémùn kúúsùù		<i>Fimbristylis hispidula</i>		
Geron darli		<i>Setaria pallide-fusca</i>		
Geronu ?		<i>Schizachyrium exile</i>		
Gesuma		<i>Cucurbita pepo</i> ; <i>C. maxima</i>	pumpkin	
Gigentasa	Z	<i>Allium cepa</i>	onion	
Gigi		<i>Blepharis linariifolia</i>		
Gígínyà pl. gígínyóóyíí or gígíyúú		<i>Borassus aethiopum</i>	fan, deleb palm	
Gígínyā bīrī		<i>Tacca leontopetaloides</i>	arrowroot	monkey's fan-palm
Gima		<i>Elaeis guineensis</i>		
Gimi		<i>Ficus</i> sp.		
Gíráàgíríí	S	<i>Cyperus rotundus</i>	nutgrass	
Gírá burtuu		<i>Sorghum margaritifolium</i>		
Girca	Shira	<i>Ficus sur</i>	fig	
Girgita		<i>Strychnos spinosa</i>		
Girígiri		<i>Sphenostylis stenocarpa</i>	yam bean	
Gírmán dárée dáyá		<i>Andropogon gayanus</i>		
Gíshírín dáwáákíí		<i>Thelepogon elegans</i>		horses' salt
Gishishiya	Zm	<i>Acacia seyal</i>		
Gíwár kàmbáá		<i>Sorghum bicolor</i>	large guinea-corn cv.	elephant's x
Gíyyàyyáá		<i>Mitragyna inermis</i>		
Gíyyàyyáá tá máátáá		<i>Crossopteryx febrifuga</i>	ordeal tree	female <i>Mitragyna inermis</i>
Gizaki	Kt	<i>Carissa edulis</i>		
Gizgírí		<i>Borassus aethiopum</i>	edible base of	

⁶ Probably a generic for small-seeded plants

Roger Blench Hausa plant names – Hausa-Latin Circulation version

			fan palm	
Gìzgìrì		<i>Cyperus digitatus</i>		
Gìzgìrì		<i>Hyphaene thebaica</i>	edible base of dum palm	
Godayi		<i>Hippocratea africana</i> ; <i>H. guineensis</i>		
Gogai	Dr	<i>Striga hermonthica</i>	witchweed	
Gogan u kùdùjìí		<i>Striga aspera</i>		
Goge ?		<i>Feretia apodanthera</i>		
Gogen damo	Zm	<i>Combretum molle</i>		
Gogin jima		<i>Adenopus breviflorus</i>		
Goliyo		<i>Arachis hypogaea</i>	groundnut	
Gombiliki	Sk	<i>Aeshynomene afraspera</i> ; <i>A. indica</i>		
Góóbàà		<i>Psidium guajava</i>	guava	<English
Goodà jìkí	Kt	<i>Combretum molle</i> ; <i>C. spp.</i>		
Gòdàá		fruiting head of any species of palm		
Gòdàár zóómóó		<i>Cardiospermum grandiflorum</i>		hare's bell
Gòdàár zóómóó		<i>Cardiospermum halicacabum</i>	balloon vine	hare's bell
Gòdàár zóómóó		<i>Tinnea barteri</i>		hare's bell
Gòdàár zóómóó		<i>Tinnea aethiopica</i>		hare's bell
Gòdón kádàà		<i>Phyla nodiflora</i>	fog grass	
Gòdón máccìjìí		<i>Trianthema pentandra</i> ; <i>C. portulacastrum</i>		
Gòdóó		<i>Nicotiana tabacum</i> ; <i>N. rustica</i>	tobacco	
Gògàà jìkí		tree sp.		rub body
Gògàà máású		<i>Mitracarpus hirtus</i>	button grass	smear spears
Gògyán dāmóó		<i>Combretum sp.</i>		? fiddle of the monitor lizard
Gòjìí	S	<i>Curcubita maxima</i> ; <i>C. pepo</i>	pumpkin	
Góólón zaakii		<i>Cucumis pustulatus</i>		
Gógái	S	<i>Striga spp.</i>	witchweed	
Gòòribà		<i>Hyphaene thebaica</i>	dum palm	
Gòràgòrà		Grass sp.		
Góórò <i>pl. gwàrráá or</i> <i>gòràràkái</i>		<i>Cola acuminata</i> ; <i>C. nitida</i> ; <i>Garcinia kola</i>	cola	
Góóròn bírìí		<i>Irvingia gabonensis</i> ; <i>I. smithii</i>	bush-mango	monkey cola
Góóròn dòòrínáá		<i>Paullinia pinnata</i>		hippo cola
Góóròn Másàrá		<i>Zea mays</i>	maize	cola of Egypt
Góóròn rúwá		<i>Irvingia gabonensis</i> ; <i>I. smithii</i>		water-cola
Góóròn tálàká		<i>Trichilia emetica</i>	roka	poor man's cola
Góóròn Tula		<i>Azanza garckeana</i>		cola of Tula
Gòrúbà <i>pl.</i> <i>gòrúbái or</i> <i>góórúbóóbíí</i>	K	<i>Hyphaene thebaica</i>	dum palm	
Goradi	Kabi	<i>Oxytenanthera abyssinica</i>		
Goriya		<i>Aframomum melegueta</i>	fruit of Malagueta pepper	
Goro		<i>Ficus sp.</i>	aerial shoots	
Gúbdúú	Kt	<i>Annona senegalensis</i>	wild custard	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

			apple leaves	
Gúúdái	S	<i>Crateva religiosa</i>		
Gudai	S/Zm	<i>Allium cepa</i>	onion	
Gude	S/Zm	<i>Crateva religiosa</i>		
Gúðàgúðè		<i>Dactyloctenium aegyptium</i>		
Gùdúmàr zóómóó		<i>Gloriosa superba</i> ; <i>G. simplex</i>		
Gùjín dájìi		<i>Coccinia grandis</i>		
Gújíyáá pl. gúzáàyéé		<i>Vigna subterranea</i>	Bambara nut	
Gújíyáá dúkús		<i>Vigna subterranea</i>	Bambara nut	
Gújíyáá	Kt	<i>Arachis hypogaea</i>	groundnut	
Gújíyáá	S/Kt	<i>Bombax buonopozense</i> ; <i>B. brevisuspe</i> ; <i>B. costatum</i>		
Gújíyáá kwaras	Kt	<i>Vigna subterranea</i>	Bambara nut	
Gújíyār awaki		<i>Crotalaria sp.</i>		
Gújíyār bádòò		<i>Nymphaea lotus</i>	water-lily seeds	
Gújíyār dan miya		<i>Monodora myristica</i>		
Gújíyār dawaki		<i>Polygala arenaria</i>		horse Bambara groundnut
Gújíyār dukus	W	<i>Vigna subterranea</i>	Bambara nut	
Gújíyār hankaka		<i>Indigofera echinata</i>		crow Bambara groundnut
Gújíyār Jaba		<i>Vigna subterranea</i>	Bambara nut	Hyam people's Bambara groundnut
Gújíyār kolace		<i>Arachis hypogaea</i>	groundnut fruits	
Gújíyār kulugu		<i>Vigna subterranea</i>	Bambara nut	
Gújíyār màì kòòkóó	Kt	<i>Vigna subterranea</i>	Bambara nut	
Gújíyār mai wada		<i>Arachis hypogaea</i>	groundnut	
Gújíyār Masar		<i>Vigna subterranea</i>	Bambara nut	Bambara groundnut of Egypt
Gújíyār rúwá		<i>Trapa natans</i>	water chestnut	water Bambara groundnut
Gújíyār tsugun		<i>Vigna</i> ; <i>Arachis spp.</i>	groundnut	
Gúlùbáá		<i>Ficus ingens</i>	ripe fig fruit	
Gúlùbáá		<i>Ficus thoningii</i>	ripe fig fruit	
Gulli		<i>Cucumis melo</i>	sweet melon	
Gullutu	Kabi	<i>Adansonia digitata</i>	baobab	
Gúmbíi	Sk	<i>Mimosa pigra</i> ⁷		
Gume		<i>Oryza sativa</i>	rice	
Gumji		<i>Dioscorea sp.</i>	yam	
Gúnà pl. gúnóóní		<i>Citrullus lanatus</i>	melon	
Gúnār sháánúú		<i>Citrullus lanatus</i>	melon cv.	cow melon
Gúnār jíimàà		<i>Adenopus breviflorus</i>		
Gúnār kúúrúú		<i>Cucumis pustulatus</i>		hyena melon
Gundargura	Dr	<i>Tamarindus indica</i>	tamarind	
Gundi		<i>Gossypium barbadense</i>	cotton	
Gúndúruú pl. gúndúróóríi		<i>Pterocarpus santalinoides</i>		

⁷ A generic for other similarly thorny plants

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Gùntsúú		<i>Adansonia digitata</i>	baobab seed	
Gùntsúú		<i>Borassus aethiopum</i>	fan-palm kernel	
Gurdugu		<i>Grewia spp.</i>	fruit	
Gure		<i>Portulaca oleracea</i> ; <i>P. quadrifida</i>	purslane	
Gúrgúzúú		<i>Hibiscus sabdariffa</i>	roselle seeds	
Gúrgúzúú		<i>Hibiscus cannabinus</i>	kenaf seeds	
Gùrjífí		<i>Cucumis melo</i>	sweet melon	
Gúrjífíyáá	S/Kt	<i>Bombax buonopozense</i> ; <i>B. breviscuspe</i> ; <i>B. costatum</i>	red-flowered silk-cotton	
Gurku		<i>Grewia barteri</i>		
Gurli		<i>Cucumis melo</i>	sweet melon	
Gurli kwantal		<i>Cucumis melo</i>	sweet melon	
Gurmushi		<i>Grewia mollis</i>		
Guro	S	<i>Abelmoschus esculentus</i>	okra	
Gúróbàà		<i>Psidium guajava</i>	guava	<English
Gursami		<i>Dioscorea dumetorum</i>	three leaved yam	
Gursumi	Ng	<i>Grewia villosa</i>		
Guru		<i>Sansevieria liberica</i> ; <i>S. senegambica</i> ; <i>S. trifasciata</i>		
Gùrumbàlìí		<i>Eugenia carophyllus</i>	clove	
Gùryáá	Kt	<i>Gossypium sp.</i>	cotton seed	
Gurzun dali	Ktg	<i>Commiphora Kerstingii</i>		
Gussu	Zm	<i>Securinega virosa</i>		
Gùùlùùlùn zóómóó		<i>Echinops longifolius</i>		
Gùùlùùlùù		<i>Gossypium sp</i>	cotton	
Guwande		<i>Termitomyces microcarpus</i>		
Guzami?		<i>Stylochiton lancifolius</i>		
Gúzúgúzú	Kt	<i>Cyperus esculentus</i>	tiger nut cv.	
Gwàànon kùrmìi		<i>Olax subscorpioidea</i>		stink-ant of the forest
Gwàànon rààfìi		<i>Olax subscorpioidea</i>		stink-ant of the stream
Gwáázáá		<i>Colocasia esculenta</i>	cocoyam	
Gwáázáá mai gòòràà		<i>Xanthosoma mafaffa</i>	new cocoyam	
Gwáázáá mai gùdààjìi		<i>Colocasia esculenta</i>	cocoyam	
Gwáázáá gwààzàà		<i>Colocasia esculenta</i>	cocoyam	cocoyam cocoyam
Gwáázáá gíiwáá		<i>Amorphophallus dracontoides</i>		elephant's cocoyam
Gwábsà		<i>Cussonia barteri</i>		
Gwádäyíí		<i>Hippocratea guineensis</i>		
Gwaigywaya		<i>Cyperus dives</i> ; <i>C. rotundus</i>		
Gwalagwaji		<i>Saccharum officinarum</i>	sugar-cane cv.	
Gwamba		<i>Colocasia esculenta</i>	cocoyam	
Gwambe		<i>Mimosa pigra</i>		
Gwàmmà kááshíí	Kt	tree like <i>Diospyros mespiliformis</i>		
Gwándà pl. gwándóójíí		<i>Carica papaya</i>	pawpaw	
Gwándái		<i>Gossypium sp.</i>	cotton cv.	= Bāgwàndaráá

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Gwándái		<i>Stylochiton lancifolius</i>		
Gwándàn dààjìi		<i>Annona senegalensis</i>	wild custard apple	
Gwándār jéejì		<i>Annona senegalensis</i>	wild custard apple	
Gwándār kùnnèè		<i>Trianthema pentandra</i> ; <i>T. portulacastrum</i>		
Gwándār Màsar		<i>Carica papaya</i>	pawpaw	custard-apple of Egypt
Gwandaŋ rabeji		<i>Carica papaya</i>	pawpaw	
Gwande	Dr	<i>Gossypium barbabense</i>	cotton	
Gwàndíí	Kt	<i>Gossypium barbadense</i>	cotton	= Bàgwàndaráá
Gwanduwa		<i>Coccinia grandis</i>		
Gwangwa		<i>Canna indica</i>	Indian shot	
Gwángwáláá		<i>Raphia sudanica</i>	raphia midrib	
Gwángwálée		<i>Annona senegalensis</i>	wild custard apple flower	
Gwāngwáámà		<i>Canna indica</i>	Indian shot	
Gwànjáá kúsá ⁸		<i>Parinari polyandra</i> ; <i>P. curatellifolia</i> ; <i>Blighia sapida</i> ; <i>Trichilia emetica</i> ; <i>T. roka</i> ; <i>Cynium adoense ssp. camporum</i>		Gonja is near
Gwanno		<i>Acacia macrothyrsa</i>		
Gwārgwámíí		<i>Adansonia digitata</i>	baobab seeds	
Gwargwasa		<i>Colocasia esculenta</i>	cocoyam	
Gwàri		<i>Zea mays</i>	maize	
Gwàri		<i>Arachis hypogaea</i>	groundnut	
Gwàrzò		<i>Lawsonia inermis</i>	henna	
Gwáskáá		<i>Andira inermis</i>		
Gwáskáá		<i>Erythrophleum guineense</i>	sasswood	
Gwawon kàrèè		<i>Mussaenda arcuata</i>		x of dog
Gwazkiya	Dr	<i>Swartzia madagascariensis</i>		
Gwéébàà		<i>Psidium guajava</i>	guava	<English
Gwìiwār kàrèè		<i>Securinega virosa</i>		
Gwìiwar rààkùmlì		<i>Grewia villosa</i>		
Gwìiwār tsòòhùwàà		<i>Aristida stipoides</i>		
Gwingi		<i>Ceratotheca sesamoides</i>	false sesame	
Gwolai	Dr	<i>Vigna subterranea</i>	Bambara nut	
Gworgoro		<i>Ludwigia octovalvis</i>		
Gwundi	Z	<i>Gossypium barbadense</i>	cotton	
Gyà àr birìi		<i>Indigofera echinata</i>		
Gyàdāá		<i>Arachis hypogaea</i>	groundnut	
Gyàdāŋ áwáákíí		<i>Crotalaria sp.</i>		goat's groundnut
Gyàdāŋ Gwáárií		<i>Arachis hypogaea</i>	groundnut cv.	Gbari groundnut
Gyàdāŋ kùrmìi		<i>Pterocarpus santalinoides</i>		forest groundnut
Gyàdāŋ rùwa		<i>Trapa natans</i>	water-chestnut	water groundnut
Gyàdāŋ Tùùrààwáá		<i>Arachis hypogaea</i>	groundnut cv.	white man's groundnut
Gyàdāŋ yààràà		<i>Crotalaria sp.</i>		
Gyàndámár yáájì	Kt	<i>Aframomum melegueta</i>	Malagueta	bottle of spice

⁸ Generic term for cola substitutes

Roger Blench Hausa plant names – Hausa-Latin Circulation version

			pepper	
Gyáarányà		<i>Typha domingensis</i>	bulrush	
Gyàuròn ràkèè		<i>Saccharum officinarum</i>	sugar-cane	
Gyaushe		<i>Echinochloa pyramidalis</i>		
Gyazama		<i>Rottboellia exaltata</i>		
H.				
Hada rawaki		<i>Cissus aralioides</i>		
Hagucuwa	Shira	<i>Ficus sur</i>	fig	
Haguguwa		<i>Ficus sur</i>	fig	
Hájin rààkúmíi		<i>Landolphia owariensis</i>		
Hakin furtau	S	<i>Sporobolus festivus</i>		
Hakokari		<i>Irvingia gaboneensis</i>		
Hákoóríi		<i>Achyranthes aspera</i>		teeth
Hákoórín bàbbàuniyyáa		<i>Breonadia salicina</i>		teeth of the female pagan
Hákoórín gíiwáa		<i>Dioscorea sp.</i>		elephant's teeth
Hákoórín kádà		<i>Argemone mexicana</i>	Mexican poppy	crocodile's teeth
Hákoórín kàrèè		<i>Paspalidium geminatum</i>		dog's teeth
Hákoórín màcìjji		<i>Achyranthes aspera</i>		serpent's teeth
Hákoórín káàrùùwà		<i>Cola sp.</i>	cola	thief's teeth
Hákoórín káàrùùwà		<i>Zea mays</i>	maize	thief's teeth
Halallamai	Kt	<i>Jatropha curcas</i>	physic nut	
Hamanya	Kt	<i>Cucumis ficifolius; C. prophetarum</i>	prophet's melon	
Hànà tààkámá		<i>Tribulus terrestris</i>	puncture vine	prevents swagger
Hánjín kádée	Sk	<i>Eugenia caryophyllus</i>	clove	shea intestines
Hánjín Kúdáa		<i>Commelina erecta; C. forskalaei</i>		Kudaa intestines
Hánjín rààgóó		<i>Oxystelma bornouense</i>		sheep intestines
Hànkààkíi dákóó		<i>Polygala arenaria</i>		causes the crows to wait
Hànkúfáa		<i>Waltheria indica</i>		
Hànnún kútúruú	K	<i>Cussonia barteri</i>		
Hànnún rúwáa		<i>Cola verticillata</i>		water hand
Hànnún sárkíi		<i>Hidiscus sabdariffa</i>	roselle	chief's hand
Hànnúú bìyár		<i>Paullinia pinnata</i>		five hands
Hántsàr gádáa		<i>Amorphophallus dracontoides; Anchomanes difformis</i>		
Hántsàr gíiwáa		<i>Kigelia africana</i>	sausage tree	elephant's udder
Hántsàr gíiwáa		<i>Ananas comosus</i>	pineapple	elephant's udder
Hántsàr gíiwáa		<i>Aloe buettneri</i>	aloe	elephant's udder
Hántsàr sáaniyáa		<i>Scoparia dulcis</i>	sweet broomweed	cow's udder
Hantso		<i>Monotes kerstingii</i>		
Hánúú	K	<i>Boswellia dalzielii</i>	frankincense	
Hánúú		<i>Steganotaenis araliacea</i>		
Hànzáa		<i>Boscia augustifolia</i>		
Hànzáa		<i>Boscia senegalensis</i>		
Hànzáa		<i>Cadaba farinosa</i>		
Hàrkíiyáa		<i>Digitaria debilis; D. velutina</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Hàrwàtsíí		<i>Mitracarpus hirtus</i>	button grass	
Hárshèn rààgòò		<i>Portulaca oleracea</i> ; <i>P. quadrifida</i>	purslane	ram's tongue
Hárshèn rààgòò		<i>Trianthema pentandra</i>		ram's tongue
Hárshèn rààgòò		<i>Trianthema portulacastrum</i>		ram's tongue
Hárshèn sàà		<i>Lonchocarpus laxiflorus</i>		cow tongue
Hárshèn sàániyyáá		<i>Boerhavia diffusa</i>	hogweed	cow tongue
Hárshèn sàániyyáá		<i>Portulaca oleracea</i> ; <i>P. quadrifida</i>	purslane	cow tongue
Hárshèn túnkiiyáá		<i>Oxystelma bornouense</i>		sheep's tongue
Hárshèn túnkiiyáá		<i>Portulaca oleracea</i> ; <i>P. quadrifida</i>	purslane	sheep's tongue
Hárshèn túnkiiyáá		<i>Protea madiensis</i>		sheep's tongue
Hàtsàà hàtsàà		<i>Eragrostis ciliaris</i> ; <i>E. gangetica</i> ; <i>E. tremula</i>		
Hàtsíí	Kt	<i>Pennisetum glaucum</i>	bulrush millet	
Hàtsín mánòòmáá		<i>Pancratium trianthum</i>		farmers' millet
Hàtsín tsúntsààyéé		<i>Phyllanthus pentandrus</i>		birds' millet
Hàtsín tsúntsààyéé		<i>Typha domingensis</i>	bulrush	birds' millet
Haujeri		<i>Capparis corymbosa</i> ; <i>C. tomentosa</i> ; <i>C. rothii</i>		
Haujerin mutane		<i>Capparis corymbosa</i> ; <i>C. rothii</i>		person's <i>Capparis</i> spp.
Haujerin raḱumi		<i>Capparis tomentosa</i>		camel's <i>Capparis</i> spp.
Hàukàtà yáàròò		<i>Datura metel</i>	hairy thorn apple	x of youth
Hàwààyan záàkì		<i>Anaphrenium abyssinicum</i> ; <i>Heeria insignis</i> ; <i>Arachis hypogaea</i>	groundnut	
Haya	Hdj	<i>Cyperus esculentus</i>	tiger nut	
Hita	Kt	<i>Marantochloa ramosissima</i> ; <i>M. cuspidata</i> ; <i>M. filipes</i>		
Holama		<i>Arachis hypogaea</i>	groundnut	
Hudar awaki		<i>Crotalaria</i> sp.		
Huli	Dr	<i>Sclerocarya birrea</i>		
Hùndà tükúnyá		<i>Psorospermum senegalense</i>		
Hunda tumbi		<i>Panicum phragmitoides</i>		
Hura		<i>Pennisetum pedicellatum</i> ; <i>P. polystachion</i>		
Hura hura		<i>Sphaeranthus augustifolius</i>		
Hùùlár tsóóhóó		<i>Polycarpaea linearifolia</i> ; <i>P. corymbosa</i>		
I.				
Ìbíró		<i>Digitaria iburua</i>	iburu	
Ìbúró	K	<i>Digitaria iburua</i>	iburu	
Ìbúrùn dáájìì		<i>Digitaria debilis</i> ; <i>D. velutina</i>		bush iburu
Ìbúrù	Z	<i>Digitaria iburua</i>	iburu	
Ìcèn gwáská		<i>Erythrophleum guineense</i>		tree of poison
Ìcèn Māsàr		<i>Croton zambesicus</i>		tree of Egypt

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Ìcén kúrdíí		<i>Melia azedarach</i>	Persian lilac	
Ìcén kúrdíí		<i>Burkea africana</i>		
Ìdòn sáàniyáá		<i>Solanum incanum</i>	garden-egg	eye of cattle
Ìdòn zàkàràà		<i>Abrus precatorius</i>	jumblebeads	cock's eye
Ìdòn zàkàràà		<i>Erythrina senegalensis</i>		cock's eye
Ìgíyàà		<i>Nauclea latifolia</i>		
Ìgíyàrà rààfíí		<i>Urena lobata</i>		rope of stream
Illiri	Kt	<i>Clerodendrum capitatum</i>		
Imbiji	Kt	<i>Hyphaene thebaica</i>	dum palm	
Ìnàá rúwáánáá		<i>Salix ledermannii</i>		no business of mine
Ìnàbíí		<i>Vitis xx</i>	grape	<Arabic
Ìnàbíí		<i>Ampelocissus africanus</i>		<Arabic 'grape'
Ìngídíídò	K	<i>Crateva religiosa</i>		
Ìngídíídò		<i>Clerodendron capitatum</i>		
Ingilmi		<i>Gossypium arboreum</i>	cotton	
Ingudaya	Kt	<i>Gossypium arboreum</i>	cotton	
Ìnkíí	S	<i>Typha domingensis</i>	bulrush root	
Inoga		<i>Dioscorea sp.</i>		
Ìntááyà	Z	<i>Digitaria exilis</i>	fonio	
Ìnúúwār bāunáá		<i>Morelia senegalensis</i>		buffalo shade
Ìnúúwār gādāá		<i>Opilia celtidifolia</i>		duiker shade
Ìnúúwār tufi		<i>Aeschynomene crassicaulis</i>		
Irahi	S/Z	<i>Acacia seyal</i>		
Iskici	Kabi	<i>Commiphora africana</i>		
Isu	Z	<i>Arachis hypogaea</i>	groundnut	
Ìtààcéé àlján		<i>Datura metel</i>	hairy thorn apple	spirit tree
Ìtààcén baka		<i>Allophylus africanus</i>		
Íiwà	S	<i>Rhytachne congoensis</i>		
Iyaya		<i>Ipomoea batatas</i>	sweet potato	
Izazzari		<i>Phoenix dactylifera</i>	date palm	
J.				
Jàà gùùgá		<i>Manihot esculenta</i>	new cassava	pull bucket
Jààjàà mazá	S/Z	<i>Cynodon dactylon</i>	dub-grass, dogstooth grass	
Jaakii		<i>Arachis hypogaea</i>	groundnut	
Jààtáu		<i>Oryza sativa</i>	rice	
Jààtáu		<i>Panicum laetum</i>		
Jááwùl		<i>Commiphora africana</i>	gum	
Jábdàríí		<i>Argemone mexicana</i>	Mexican poppy	
Jagalandi		<i>Moringa oleifera</i>	horseradish tree	
Jamajina		<i>Aspilia helianthoides</i> ; <i>A. Kotschy</i> ; <i>A. africana</i>		
Jambako		<i>Schizachyrium exile</i>		
Jambe		<i>Anacardium occidentale</i>	cashew	
Ján báiyá		<i>Schizachyrium exile</i>		
Ján bàràáwòò		<i>Leonotis nepetifolia</i>		
Ján bàróódò		<i>Annona senegalensis</i>	custard apple	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Ján bàróódò		<i>Hibiscus sabdariffa</i>	roselle	
Ján báujéé		<i>Monocymbium cerasiiforme</i>	oatgrass	
Ján báujéé		<i>Schizachyrium exile</i>		
Ján baƙo		<i>Andropogon pseudapricus</i>		
Ján daatsii		<i>Andropogon pseudapricus</i>		
Ján dabiinoo		<i>Phoenix dactylifera</i>	date: red cv.	red date
Ján dányáá		<i>Haematostaphis barteri</i>	blood plum	
Ján dari		<i>Solanum dasyphyllum</i>		
Ján dutse		<i>Schizachyrium sanguineum</i>		
Ján gányéé		<i>Combretum hypopilinum</i>		red leaf
Ján ice		<i>Hymenocardia acida</i>		red tree
Ján jáàrè		<i>Sorghum bicolor</i>	red guinea-corn cv.	
Ján Kááyáá		<i>Acacia seyal</i>		red thorn
Ján natu	Hdj	<i>Parkinsonia aculeata</i>		
Ján ni baibai		<i>Capparis tomentosa</i>		
Ján rámnóó		<i>Schizachyrium exile</i>		
Ján ránó		<i>Schizachyrium exile</i>		
Ján ráunóó		<i>Schizachyrium exile</i>		
Ján saye	S	<i>Trichilia emetica</i>	roka	
Ján tsu		<i>Urenia lobata</i>		
Ján yáàrò		<i>Hymenocardia acida</i>		
Jár bìi rááná		<i>Crotalaria sp.</i>		
Jar saiwaa		<i>Trichilia emetica</i>	roka	
Jár tàráuniyá		<i>Combretum hypopilium</i>		
Jarmayi ?	Ktg	<i>Oxystelma bornouense</i>		
Jarwa		<i>Ficus thoningii</i>	aerial roots	
Jedda		<i>Arachis hypogaea</i>	groundnut	
Jéémàà		<i>Urelytrum giganteum</i>		
Jero	Ktg	<i>Phyllanthus pentandrus</i>		
Jibjar Kàsà		<i>Cissampelos owariensis</i> ; <i>C. mucronata</i>	velvet leaf	
Jìgá		<i>Bauhinia rufescens</i> ; <i>Maerua crassifolia</i>		
Jigi		<i>Cyperus rotundus</i>	nutgrass	
Jiji		<i>Cyperus rotundus</i>	nutgrass	
Jikin mutum		<i>Abelmoschus esculentus</i>	okra	body of a person
Jimbíríí		<i>Tamarindus indica</i>	unripe pods	
Jimfa		<i>Hyparrhenia violascens</i>		
Jimfaa		<i>Tephrosia vogelli</i> ; <i>T. densiflora</i>		
Jimfi		<i>Hyparrhenia violascens</i>		
Jimráu		<i>Oryza glaberrima</i>	red rice cv.	
Jimshi		<i>Acacia seyal</i>		
Jinàjínà		<i>Ostryoderris stuhlmanii</i>		
Jinbíríí		<i>Tamarindus indica</i>	tamarind	
Jinin mutum		<i>Arnebia hispidissima</i>		
Jinjiriya		<i>Erythrina senegalensis</i>		
Jirga	S/Kt	<i>Bauhinia rufescens</i> ; <i>Maerua crassifolia</i>		
Jiríí		<i>Stereospermum kunthianum</i>	tulip tree	
Jishiya	S	<i>Bergia suffruticosa</i>		
Jushi		<i>Acacia seyal</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Júúdàr Kàsà		<i>Cissampelos owariensis</i> ; <i>C. mucronata</i>	velvet leaf	
K.				
Ka buɗe ka noƙe		<i>Biophytum petersianum</i>	sensitive plant	open and close
Ká dányàr rààfíí tá mātáá		<i>Manilkara multinervis</i>		
Ká dányàr rúwá		<i>Manilkara obovata</i>		
Ká déé		<i>Vitellaria paradoxa</i>	shea	
Ka fafago		<i>Uapaca togoensis</i>		
Ká wuri		<i>Ficus glumosa</i> ; <i>F. ingens</i>		
Káá fĩ ámáryáá		<i>Ocimum basilicum</i>	scent-leaf	you exceed the bride
Káá fĩ bóókáá		<i>Ipomoea argenteaurata</i>		you exceed the native doctor
Káá fĩ máálàm		<i>Evolvulus alsinoides</i>		you exceed the mallam
Káá fĩ náámàà záákì		<i>Lecaniodiscus cupanioides</i>		you exceed the meat of a lion
Káá fĩ rámmàà		<i>Urena lobata</i>		you exceed hemp
Káá fĩ ríímíí		<i>Pennisetum pedicellatum</i> ; <i>P. polystachion</i>		you exceed the silk-cotton tree
Káágúwáá	Kubi	<i>Euphorbia balsamifera</i>		
Kààjíjìjì		<i>Cyperus articulatus</i>	jointed flatsedge	
Kààjíjìjì ná fadamaa		<i>Cyperus articulatus</i>	jointed flatsedge	
Kààjíjìjì ná gúl bíí		<i>Cyperus articulatus</i>	jointed flatsedge	
Káájì mállàm		<i>Crotalaria atrorubens</i>		
Kààkàà kai ka fitoo		<i>Sida linifolia</i>		
Káákí rúwàn Allàh		<i>Argemone mexicana</i>	Mexican poppy	refuse the water of God
Kaamaa mu rabaa		<i>Acacia gourmaensis</i>		
Kaaraajii	Kt/Dr	<i>Manihot esculenta</i>	cassava	
Kaasaraa		<i>Chloris robusta</i>		
Kááshín áwáákíí		<i>Crossopteryx febrifuga</i>	ordeal tree	goat shit
Kááshín áwáákíí		<i>Parkia biglobosa</i>	locust blossom	goat shit
Kááshín bééráá		<i>Ischaemum afrum</i>		rat shit
Kááshín gwankii		<i>Cucumis pustulatus</i>		
Kááshín kaajii		<i>Sphenostylis stenocarpa</i>	winged bean	
Kááshín yààwóó		<i>Acanthospermum hispidum</i>		Yoruba woman's shit
Kaawarii		<i>Ficus glumosa</i>		
Kààwóó		<i>Azelia africana</i>		
Kábà pl. káboóbíí		<i>Hyphaene thebaica</i>	young dum palm	
Kàbáiwàà		<i>Cucurbita maxima</i> ; <i>C. pepo</i>	pumpkin	
Kàbàr gíiwáá		<i>Aloe buettneri</i>	West African aloe	
Kàbééwàà		<i>Cucurbita maxima</i> ; <i>C. pepo</i>	pumpkin	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Kàbúúshì		<i>Cucurbita maxima; C. pepo</i>	pumpkin	
Kádakáda	Knt	<i>Cienfuegosia heteroclada</i>		
Kàbùs		<i>Cucurbita maxima; C. pepo</i>	pumpkin	
Kàcálá		<i>Typha domingensis</i>	bulrush	
Kadacin kasa		<i>Aristolochia albidia; A. bracteolata</i>		
Kadakada		<i>Cienfuegosia heteroclada</i>		
Kadaggi ?		<i>Ficus glumosa</i>		
Kadan kadafi		<i>Desmodium velutinum</i>		
Kádányà pl. kàdānēé or kádāndānīí or kádányóóyīí or kádányúú		<i>Vitellaria paradoxa</i>	shea	
Kádányàr kùrmīi		<i>Breonadia salicina</i>		forest shea
Kádányàr rààfīi		<i>Breonadia salicina</i>		stream shea
Kádányàr rààfīi		<i>Manilkara obovata</i>	African pearwood	stream shea
Kádányàr rààfīi tá màtāá		<i>Manilkara multinervis</i>	bullet wood, sleeper wood	wife of stream shea
Kádányàr rúúwāá		<i>Manilkara obovata</i>	African pearwood	water shea
Kàdàrkòò	Dr	<i>Strychnos spinosa</i>	snuffbox tree	
Kàdàurāá	K/Z	<i>Daniellia oliveri</i>	copaiba balsam	
Kádēé		<i>Vitellaria paradoxa</i>	shea	
Kádén kùrmīi		<i>Manilkara obovata</i>	African pearwood	forest shea
Kàfāffágóó		<i>Uapaca guineensis</i>		
Káfàr mūtúwāá		<i>Mallotus oppositifolius</i>		
Káfàr fàkàráá		<i>Chloris pilosa</i>		
Kafi ramo		<i>Urena lobata</i>		
Kafula		<i>Polygonum senegalense</i>		
Kàhón bàdī		<i>Ectadiopsis oblongifolia</i>		horn of x
Káinúúwāá		<i>Pistia stratiotes</i>	water lettuce	
Kaiwaa		<i>Diospyros mespiliformis</i>		
Kájínjírīi		<i>Phoenix reclinata</i>	wild date palm	
Kakawa		<i>Erythrophleum guineense</i>		
Kákīi zúwāá Háusá		<i>Costus afer</i>		
Kakuwa maharaba		<i>Hibiscus asper</i>		
Kakuma		<i>Schoenefeldia gracilis</i>		
Kala		<i>Raphia sp.</i>		
Kalambu		<i>Phyllanthus reticulatus; Sesbania dalzielii & S. sesban.</i>		
Kalangan daji		<i>Terminalia macroptera</i>		
Kàlàngùn dààjīi		<i>Amblygonocarpus andongensis</i>		
Kàlànḥùwà		<i>Digitaria gayana</i>		
Kàlànḡùwāá		<i>Aspilia helianthoides</i>		
Kalanwuka		<i>Aspilia africana & A. helianthoides</i>		
Kaleru	Dr	<i>Digitaria gayana</i>		
Kálgóó		<i>Piliostigma reticulatum & P. thonningii</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Kali		<i>Crateva religiosa</i>		
Kálmùntáá		<i>Abrus precatorius</i>	jumblebeads	
Kalumbo		<i>Sesbania dalzielii</i> & <i>S. sesban</i>		
Kálwáá		<i>Parkia biglobosa</i>	locust bean seeds	
Kàmboorin shaahoo		<i>Acacia polyacantha</i> ssp. <i>campylacantha</i>		
Kambusu		<i>Abelmoschus esculentus</i>	okra cultivar with short red fruits	
Kamfalwa		<i>Digitaria gayana</i>		
Kamanmoa	Ng	<i>Grewia lasiodicus</i>		
Kamo móówa	G	<i>Grewia mollis</i>		
Kamu		<i>Dioscorea bulbifera</i>	aerial yam	
Kamumuwa		<i>Grewia mollis</i>		
Kân bírí		<i>Xanthosoma mafaffa</i>	new cocoyam	monkey's head
Kân bunsuruu		<i>Monechma ciliatum</i>		goat's head
Kân bàrááwò		<i>Leucas martinicensis</i>		thief's head
Kân bàrááwò		<i>Leonotis</i> spp.		thief's head
Kân makwarwa		<i>Vigna subterranea</i>	Bambara nut	
Kân makwarwaa		<i>Cucumis ficifolius</i> & <i>C. prophetarum</i>	prophet's melon	
Kân mäsààbáá		<i>Sorghum bicolor</i>	guinea-corn cv.	
Kân mäsàràà		<i>Zea mays</i>	maize	
Kân mutum		<i>Leonotis nepetifolia</i>		
Kân zágóó		<i>Sorghum bicolor</i>	large-grained guinea-corn cv.	
Kana		<i>Celtis integrifolia</i>	nettle tree	
Kanaawaa		<i>Gossypium arboreum</i>	cotton	
Kanakana	S/Z	<i>Paullinia pinnata</i>		
Kànmfàríí		<i>Eugenia caryophyllus</i>	clove	<Arabic
Kanarin dookii		<i>Chloris gayana</i>		
Kàncíkùlkùl		<i>Cucumis ficifolius</i> ; <i>C. prophetarum</i>	prophet's melon	
Kanda		<i>Ziziphus mauritiana</i>	jujube leaves	
Kandare		<i>Terminalia macroptera</i>		
Kandari		<i>Terminalia macroptera</i>		
Kándíídà		<i>Ziziphus spina-christi</i>	Christ's thorn fruit kernel	
Kàndiirìi		<i>Acacia farnesiana</i> & <i>Gomphrena golbosa</i>		
Kàndiirin bèègùwàà		<i>Manihot esculenta</i>	cassava	
Kan fakaraa	K	<i>Cucumis prophetarum</i> & <i>C. ficifolius</i>	prophet's melon	
Kangalmo?	S	<i>Sesbania dalzielii</i> & <i>S. sesban</i>		
Kangi		<i>Borassus aethiopum</i>	base of trunk of fan palm	
Kànjùù		<i>Anacardium occidentale</i>	cashew	
Kánkààmáá		<i>Argemone mexicana</i>	Mexican poppy	
Kankame		<i>Borassus aethiopum</i>	swollen stem of fan palm	
Kankame		<i>Hyphaene thebaica</i>	dum palm	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Kánkánáá		<i>Citrullus lanatus</i>	red-fleshed cv.	
Kànkàràà		<i>Acacia polyacantha</i>		
Kànkàrè		<i>Arachis hypogaea</i>	groundnut	
Kántákàráá		<i>Combretum glutinosum</i> ; <i>C. lamprocarpum</i>		
Kànúmfàríí		<i>Eugenia caryophyllus</i>	clove	<Arabic فص من الثوم
Kányà <i>pl.</i> kányóóyíí		<i>Diospyros mespiliformis</i>	West African ebony	
Kas bammi		<i>Sorghum gabicum</i>		
Kàrà kàuji		<i>Beckeropsis uniseta</i>		
Kàraa kàràà		<i>Vigna subterranea</i>	Bambara nut	
Kàrábááá		<i>Hibiscus sabdariffa</i>	self-sown roselle	
Kàrábsúú		<i>Hibiscus sabdariffa</i>	roselle calyx	<Kanuri
Karagaba	Dr	<i>Vigna subterranea</i>	Bambara nut	
Kàràiràyáu		<i>Diheteropogon hagerupii</i>		
Karaki	S/Kt	<i>Acacia polyacantha ssp. campylacantha</i>		
Karama mowa		<i>Hibiscus asper</i>		
Káran	Dr	<i>Digitaria gayana</i>		
Káran àlbàsa		<i>Allium cepa</i>	onion	
Káran bùshààràà		? <i>Phragmites australis</i>	common reed	
Káran dàfii		<i>Sorghum bicolor</i>	guinea-corn	
Káran másállááíí		<i>Caralluma dalzielii</i>		mosque stalk
Káran sárkíí		<i>Saccharum officinarum</i>	sugar-cane cv.	chief's stalk
Káran tàlàkà		<i>Sorghum mellitum</i>		poor man's stalk
Karanciya		<i>Cenchrus biflorus</i>		
Karanga		<i>Cola laurifolia</i>	laurel-leaved cola	
Karanguja		<i>Cenchrus biflorus</i>		
Karanho	Kt	<i>Eugenia caryophyllus</i>	clove	
Karani		<i>Digitaria gayana</i>		
Karanin dawaki		<i>Digitaria debilis</i> ; <i>D. horizontalis</i>		
Karank àusa		<i>Beckeropsis uniseta</i>		
Karankauji		<i>Beckeropsis uniseta</i>		
Karanko	Kt	<i>Argemone mexicana</i>	Mexican poppy	
Kàràr kàdangàrèè		<i>Asparagus flagellaris</i> ; <i>A. africanus</i>		
Kàràrà		<i>Mucuna pruriens</i> ; <i>M. sloanei</i>	cow-itch	
Kara tsiki		<i>Vigna oleifera</i>		
Kàrásúú		<i>Hibiscus sabdariffa</i>	roselle calyx	<Kanuri
Karaukin Zaila		<i>Moringa oleifera</i>	horseradish tree	fencepost of Zaila
Karaza	N	<i>Manihot esculenta</i>	cassava	
Karelawar maciji		<i>Hibiscus rostellatus</i>		
Kárgón Àllàh	K	<i>Bauhinia rufescens</i>		
Kárgóó <i>pl.</i> kàrààgéeé		<i>Piliostigma reticulatum</i> ; <i>P. thonningii</i>		
Kariya		<i>Adenium obesum</i> ; <i>Combretum paniculatum</i> ; <i>Hildegardia barteri</i> (kabba)		
Kariya kurmi		<i>Piptadeniastrum africanum</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Kárkáshíí		<i>Ceratotheca sesamoides</i>	false sesame leaves	
Kárkáshíí		<i>Sesamum orientale</i>	sesame leaves	
Kárkáshíí		<i>Sesamum radiatum</i>	sesame leaves	
Kárkáshín Kòòràràà		<i>Heisteria parviflora</i>		
Kárkáshín Kòòràràà	Z	<i>Heliotropium indicum</i>	Indian heliotrope	
Kárkáshín zóómóó	B	<i>Indigofera bracteolata</i>		hare's sesame
Karki		<i>Acacia polyacantha</i> ssp. <i>campylacantha</i>		
Karmunta	Dr	<i>Abrus precatorius</i>	jumblebeads	
Karo		<i>Acacia polyacantha</i> ssp. <i>campylacantha</i>		
Kártákàráá		<i>Combretum glutinosum</i> ; <i>C. lamprocarpum</i>		
Karuguna		<i>Lagenaria siceraria</i>	bottle gourd	
Kàryà		<i>Hildegardia barteri</i>		
Kàryà gààtári		<i>Afrormosia laxiflora</i> & <i>Dalbergia hostilis</i> ; <i>Burkea africana</i>		
Karyà garma		<i>Aneilema lanceolatum</i> ; <i>Combretum</i> sp.; <i>Commelina</i> sp.; <i>Cynodon dactylon</i>		
Kasa		<i>Byrsocarpus coccineus</i> ; <i>Bergia suffruticosa</i>		
Kasam bá di		<i>Hibiscus sabdariffa</i>	roselle	
Kàs fàrèètání		<i>Pavonia hirsuta</i>		break hoes ⁹
Kásfiyáá		<i>Crossopteryx febrifuga</i>	ordeal tree	
Kàshè kàájí		<i>Parinari robusta</i> ; <i>Psorospermum</i> spp.		
Kashala		<i>Phragmites</i> sp.		
Kàs káifíí		<i>Uraria picta</i>		
Kàskáwààmè		<i>Parinari robusta</i> & <i>Psorospermum</i> spp.		
Katakata		<i>Allium cepa</i>	onion	
Kàtànbíri		<i>Gardenia ternifolia</i>		
Kàtànbíri		<i>Rothmannia longiflora</i>		
Kàtsáíí		<i>Albizia chevalieri</i>		
Katsaura		<i>Aristida mutabilis</i> ; <i>A. adscensionis</i> ; <i>Aristida sieberiana</i>		
Katsemu		<i>Aristida stipoides</i>		
Káttákàráá		<i>Combretum glutinosum</i> ; <i>C. lamprocarpum</i>		
Kaƙaimi		<i>Cucumis ficifolius</i>		
Káucì		<i>Englerina gabonensis</i> ; <i>E. Lecardii</i> . <i>Phragmanthera kamerunensis</i> . <i>P. capitala</i> <i>P. incana</i> ; <i>Tapinanthus</i> sp.; <i>Loranthus</i> sp. <i>Agelanthus</i> spp.	generic for any type of mistletoe	
Kaúdèè		<i>Sphaeranthus augustifolius</i>		

⁹ Refers to the tough roots

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Kàudóódò		<i>Capparis tomentosa</i>		
Kàusàkàusà		small plant whose leaves are used to clean writing-boards		
Kawutta	Kt	<i>Englerina gabonensis</i> ; <i>E. lecardii</i> ; <i>Loranthus spp.</i>		
Kebulu		<i>Pavonia hirsuta</i>		
Kèèwàrà tsáámíyáá		<i>Cissus quadrangularis</i>		goes round the tamarind
Kiban ƙa dangaru		<i>Achyranthes aspera</i>		
Kíbiyàà		<i>Saccharum spontaneum</i>		
Kíbiyar dáájii		<i>Hyparrhenia subplumosa</i>		
Kiciiciyaa		<i>Kigelia africana</i>	sausage tree	
Kige		<i>Salvadora persica</i>	toothbrush tree	< Kanuri ?
Kii raafi		<i>Acacia seyal</i>		
Kíjínjiríí pl. kijinjirái		<i>Phoenix reclinata</i>	wild date palm	
Kilabu		<i>Pavonia hirsuta</i>		
Kilijjiri	Kt	<i>Phoenix reclinata</i>	wild date palm	
Kílilíí		<i>Phoenix dactylifera</i>	pollen of male date palm	
Kímbáá		<i>Hyptis pectinata</i>		
Kímbáá		<i>Xylopia aethiopica</i> ; <i>X. parviflora</i>	Guinea pepper	
Kímbār áwáákíí		<i>Hyptis pectinata</i>		goat's pepper
Kímbār dutse		<i>Grewia mollis</i>		rock pepper
Kímbār máhàrbáá ¹⁰		<i>Lantana spp.</i>		hunter's pepper
Kímbār máhàrbáá		<i>Brysocarpus coccineus</i>		hunter's pepper
Kímbār rààfíí		<i>Platosatoma africanum</i>		stream pepper
Kimi	Kt	<i>Tephrosia bracteolata</i>		
Kináráá	Kt	<i>Euphorbia kamerunica</i>	fence-cactus	
Kínciìyáá		<i>Colocasia sp</i>	cocoyam	
Kínciìyáá		<i>Amorphophallus dracontoides</i>		
Kínciìyáá		<i>Stylochiton lancifolius</i>	lily root	
Kini		<i>Tephrosia vogelii</i>		
Kírfi		<i>Azadirachta indica</i>	neem	
Kírníí		<i>Antidesma venosum</i> ; <i>Bridelia ferruginea</i> ; <i>Bridelia scleroneura</i>		
Kiska wali		<i>Visma guineensis</i>		
Kisni		<i>Bridelia ferruginea</i>		
Kiyafa	Kibi	<i>Maerua angloensis</i>		
Kizni		<i>Bridelia ferruginea</i> ; <i>B. scleroneura</i>		
Kokua		<i>Limonia sp.</i>		
Kokuwa		<i>Afraegle paniculata</i>		
Kolo		<i>Amblygonocarpus andongensis</i> ; <i>Burkea africana</i>		
Kòódóódòn kwàádóó		<i>Amorphophallus abyssinicus</i>		
Kòòkà rááníí		<i>Hibiscus cannabinus</i>	kenaf	
Kóókàráá		<i>Dalbergia melanoxylon</i>		
Kookoo		<i>Theobroma cacao</i>	cocoa	<English
Kóókóókíí		<i>Oncoba spinosa</i>	snuff-box tree	

¹⁰ Generic term for some odoriferous plants

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Kóókón biri		<i>Oncoba spinosa</i>	snuff-box tree	
Kòomáyyà		<i>Eragrostis tremula</i> ; <i>E. ciliaris</i> ; <i>E. gangetica</i>		
Kòòrén hàwaíniyáá		<i>Merremia tridentata</i>		
Kóósán róógòò		<i>Dioscorea dumetorum</i>	three-leaf yam	
Koriba		<i>Croton zambesicus</i>		
Koshikoshi	Knt	<i>Amblygonocarpus andogensis</i>		
Kotogo		<i>Arachis hypogaea</i>	groundnut	
Kubali	Kt	<i>Adansonia digitata</i>	baobab	
Kúbèèwáá		<i>Abelmoschus esculentus</i>	okra	
Kúbèèwár kwàádóó		<i>Scripus aureiglumis</i>		
Kubin roko	Dr	<i>Vigna subterranea</i>	Bambara nut	
Kuburu		<i>Saccharum officinarum</i>		
Kùbúúbúwar makààfíí	Dr	<i>Centaurea sp.</i>	thistle	
Kuchin akuya		<i>Abelmoschus esculentus</i>	okra	goat's face
Kudu	Kt	<i>Nymphaea lotus</i>	water lily	
Kudundu		<i>Ficus sp.</i>		
Kú'è		<i>Spondias mombin</i>	hog-plum fruit-stone kernel	
Kugundugu		<i>Ipomoea batatas</i>	sweet potato	
Kùjééméé		<i>Lophira alata</i>	meni oil tree	
Kújèèrár kúrcíyáá		<i>Sorghum bicolor</i>	guinea-corn cv.	dove's seat (= shèèkáá)
Kukur		<i>Cochlospermum tinctorium</i>		
Kukuri		<i>Sterculia setigera</i>	karaya gum tree	
Kùkkúúki		<i>Sterculia setigera</i>	karaya gum tree	
Kùkkúúkin rààfíí		<i>Sterculia tragacantha</i>		<i>Sterculia setigera</i> of the stream
Kuƙaimi		<i>Cucumis pustulatus</i>		
Kulakula	Gl	<i>Ricinus communis</i>	castor	
Kulambali	Kt	<i>Adansonia digitata</i>	baobab	
Kulba	Kt	<i>Thonningii sanguinea</i>		
Kuliri	N	<i>Cucumis melo</i>	sweet melon	
Kúlláá		<i>Thonningii sanguinea</i>		
Kullum shí ba		<i>Abelmoschus esculentus</i>	okra	
Kuloko		<i>Cissus araliodes</i>		
Kúlùfítàà		<i>Solanum incanum</i>	garden-egg cv.	
Kulunga		<i>Tiliacora funifera</i>		
Kúmaàtún mùzúúruú		<i>Abelmoschus esculentus</i>	okra	cat's cheeks
Kúmbàlíí	Kt	<i>Adansonia digitata</i>	baobab flower buds	
Kùmbár shááhòò		<i>Acacia polyacantha</i> ssp. <i>campylacantha</i>		
Kumbullaci	Kt	<i>Arachis hypogaea</i>	groundnut	
Kùmbùrà fágé		<i>Vernonia kotschyana</i>		swell open space
Kùmbùrà tsúúlí		<i>Schizachyrium exile</i>		swell the anus
Kúmbúsúú		<i>Abelmoschus esculentus</i>	okra cv. with red capsules	
Kumci	W	<i>Phyllanthus muellerianus</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Kumfa		<i>Aframomum melegueta</i>	Malagueta pepper	
Kumfan Allah		<i>Aframomum melegueta</i>	Malagueta pepper	
Kùnbùrà kàmà		<i>Eragrostis ciliaris</i>		
Kúncìn àkwíyà		<i>Abelmoschus esculentus</i>	okra cv. with short capsules	= kúrúskúbà
Kúndíí	K	<i>Arachis hypogaea</i>	groundnut	
Kundumasa		<i>Lagenaria siceraria</i>	bottle gourd	
Kùnfáláló		<i>Arachis hypogaea</i>	groundnut pods without kernel	
Kunkushewa		<i>Maytenus senegalensis</i>		
Kùnnén jààkíí		<i>Stylochiton lancifolius</i>		donkey's ear
Kùnnén jààkíí		<i>Amorphophallus abyssinicus</i> ; <i>A. dracontiodes</i> ; <i>Colocasia esculenta</i>	cocoyam	donkey's ear
Kùnnén kúúsùù		<i>Ipomoea aitonii</i> ; <i>Indigofera pilosa</i>		rat's ear
Kùnnén zóómóó		<i>Costus spectabilis</i>		hare's ear
Kúntùù		<i>Oryza sativa</i>	Asian rice	
Kùnúngúrúú		<i>Commelina nudiflora</i>	spiderwort	
Kura shanu	K	<i>Pulicaria crispa</i>		cow dust
Kùrángà		<i>Saba florida</i>	rubber vine	ladder
Kùrángà wofí		<i>Smilax anceps</i>	West African sarsparilla	useless ladder
Kúrdíí		<i>Burkea africana</i>		
Kurgum		<i>Curcuma domestica</i>	turmeric dye	
Kurkubi		<i>Grewia spp.</i>	fruit	
Kúrnà		<i>Ziziphus spina-christi</i>	Christ's thorn	
Kúrnàr Māsàr		<i>Melia azedarach</i>	Persian lilac	Egyptian Christ's thorn
Kúrnàr Nàsáaráá		<i>Melia azedarach</i>	Persian lilac	White man's Christ's thorn
Kurni		<i>Bridelia ferruginea</i>		
Kúrúskúbà		<i>Abelmoschus esculentus</i>	okra cv. with short capsules	= kúncìn àkwíyà
Kúryáá		<i>Bombax brevisuspe B. buonopozense</i> ; <i>B. costatum</i>	silk-cotton	
Kúryáá	S	<i>Bombax buonopozense</i> ; <i>B. costatum B. brevisuspe</i>	silk-cotton	
Kusuru		<i>Sterculia tragacantha</i>	karaya gum tree	
Kùsúúsù		<i>Abelmoschus esculentus</i>	second crop okra	
Kutukku		<i>Dactyloctenium aegyptium</i>		
Kuturi		<i>Nicotiana rustica</i> ; <i>N. tabacum</i>	tobacco fruit capsule	
Kúúdákúú	S	<i>Ipomoea batatas</i>	sweet potato	
Kúúkà pl. kúúkóókíí		<i>Adansonia digitata</i>	baobab	
Kùùsàr sháánuu		<i>Euphorbia aegyptiaca</i>		
Kwáá àttáágàrá		<i>Cocos nucifera</i>	coconut	
Kwààrúúrú		<i>Kerstingella geocarpa</i>	Kersting's groundnut	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Kwààrúúrú		<i>Vigna subterranea</i>	Bambara nut	
Kwááfiníí	Knt	<i>Abelmoschus esculentus</i>	second crop okra	
Kwáákwa		<i>Elaeis guineensis</i>	oil-palm	
Kwáákwàr àttáá gára		<i>Cocos nucifera</i>	coconut palm	
Kwabara		<i>Borassus aethiopum</i>	young fan palm	
Kwagiri		<i>Laccosperma secundiflorum</i>	Benin rattan	
Kwàikwayéé		<i>Balanites aegyptiaca</i>	desert date fruit-stone kernel	
Kwaloko		<i>Cissus aralioides</i>		
Kwandan		<i>Musa sapientum</i> ; <i>M. nana</i>	banana	
Kwandare		<i>Terminalia macroptera</i>		
Kwandari		<i>Terminalia macroptera</i>		
Kwándíidā		<i>Ziziphus spina-christi</i>	Christ's thorn fruit-stone kernel	
Kwángí		<i>Borassus aethiopum</i>	lower part of fan palm	
Kwángwáláá		<i>Raphia sudanica</i>	raffia midrib	
Kwán kádāā (?)		<i>Allium ascalonicum</i>	garlic	
Kwankalita	S/Kt	<i>Trapa natans</i>	water-chestnut	
Kwankalita	S/Kt	<i>Nymphaea lotus</i>	water-lily	
Kwankwan	S/Kt	<i>Indigofera nummulariifolia</i> ; <i>I. echinata</i>		
Kwànkwaníí		<i>Strophanthus hispidus</i> ; <i>S. sarmentosus</i>	arrow poison	
Kwànkwanín tsa tsumbe	Knt	<i>Parquetina nigrescens</i>		x of tree-frog
Kwànkwarándé		<i>Isobertinia doka</i>		
Kwankwarimi Zm		<i>Wissadula ampliissima</i>		
Kwànsóó	Sk	<i>Gossypium sp.</i>	cotton	
Kwàntà Àlì dà zúgú	W	<i>Gossypium barbadense</i>	cotton	Ali lay in his shroud
Kwantal		<i>Cucumis melo</i>	sweet melon	
Kwan zabuna	Dr	<i>Vigna subterranea</i>	Bambara nut	
Kwarakko		<i>Argemone mexicana</i>	Mexican poppy	
Kwarakko		<i>Datura metel</i>	hairy thorn apple	
Kwàrángáá		<i>Saba florida</i>	rubber vine	
Kwàrángáá wofi		<i>Smilax anceps</i>	West African sarsparilla	useless ladder
Kwaranko	Kt	<i>Argemone mexicana</i>	Mexican poppy	
Kwaras kwaras		<i>Arachis hypogaea</i> ; <i>Vigna subterranea</i>	groundnut	
Kwardaú da		<i>Dicoma tomentosa</i>		
Kwàrkò	K	<i>Argemone mexicana</i>	Mexican poppy	
Kwarkwaroo		<i>Beckeropsis uniseta</i>		
Kwarooroo (?)		<i>Argemone mexicana</i> ; <i>Commiphora africana</i>	Mexican poppy	
Kwarri ?		<i>Anthocleista vogelli</i> . <i>A. djalensis</i> ; <i>A. nobilis</i>		
Kwartowa		<i>Citrullus colocynthis</i>	bitter gourd	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Kwààrúúruú		<i>Vigna subterranea</i>	Bambara groundnut	
Kwáryáá		<i>Lagenaria siceraria</i>	bottle gourd	
Kwatakwalí (Kabi)		<i>Zea mays</i>	maize	
Kwato		<i>Dioscorea sp.</i>	yam	
Kwattowa		<i>Colocynthis vulgaris</i>		
Kwíiwáá		<i>Adenodolichos paniculatus</i>		
Kwíiyáá	W	<i>Adenodolichos paniculatus</i> ; <i>Mimosa pigra</i> ; <i>Acacia ataxacantha</i>		
Kyalbuwa		<i>Maytenus senegalensis</i>		
Kyalli		<i>Grewia mollis</i>		
Kyàmbáá		<i>Cochlospermum tinctorium</i>		
Kyambama		<i>Pennisetum purpureum</i>	elephant grass	
Kyámróó		<i>Saccharum spontaneum</i>		
Kyàránáá		<i>Euphorbia kamerunica</i>	fence-cactus	
Kyangan gumi		<i>Oryza sativa</i>	rice	
Kyara		<i>Parinari kerstingii</i>		
Kyaurya		<i>Schizachyrium exile</i>		
Kyáurón kibiyyà		<i>Saccharum spontaneum</i>		
Kyáuróó pl. kyámààréé		<i>Saccharum spontaneum</i>		
K.				
KááKaàyyáá		<i>Grewia sp.</i>		
KááKùrúndúú		<i>Sorghum bicolor</i>	guinea-corn cv.	
Kààréé áiki		<i>Cannabis sativa</i>	type of Indian hemp	finish work
Kabdarai	G	<i>Capparis tomentosa</i>		
Kàbdóódò		<i>Capparis tomentosa</i>		
Kada		<i>Gossypium spp.</i>	cotton	
Kadabebe		<i>Capparis tomentosa</i>		
Káddàjii		<i>Mimosa asperata</i>		
Káddàjín rúwá		<i>Aeschynomene crassicaulis</i>		
Káfàr fàkàráá		<i>Chloris breviseta</i>		
Káfàr gauráákà		<i>Chloris breviseta</i>		
Káfàr kààzáá		<i>Merremia pterygocaulos</i>		
Káfàr shààmúúwáá		<i>Saccharum officinarum</i>	red sugar-cane cv.	
Kafiífiyyà		<i>Panicum repens</i>		
Kafon baareewa		<i>Abelmoschus esculentus</i>	okra	
Kahwan baareewa		<i>Abelmoschus esculentus</i>	okra	
Kahwan batsi		<i>Ectadiopsis oblongifolia</i>		
Kai daji		<i>Mimosa pigra</i>		
Kàibáábà		<i>Borassus aethiopum</i>	thorny leaf stalk	
Kàibáábà		<i>Hyphaene thebaica</i>	thorny leaf stalk	
Káidàjii		<i>Mimosa asperata</i>		
Kaikai kuwa		<i>Hibiscus asper</i>		

Kàikàyyí		<i>Parinari polyandrum</i> ; <i>Ambrosia maritima</i> ; <i>Indigofera</i> sp. <i>Tephrosia</i> sp.;		
Kàikàyyí kòòmàà kâm mǎshéékíyyáá		<i>Indigofera astragalina</i>		
Kaƙa		<i>Sida linifolia</i>		
Kaƙai ta fito		<i>Sida linifolia</i>		
Káákààyyáá		<i>Grewia</i> spp.		
Káimín kàdàngàrè		<i>Achyranthes aspera</i>		
Kàmasagi		<i>Ficus vallis-choudae</i>		
Kamin makiyaayuu		<i>Acacia senegal</i>		
Kamuƙamu		<i>Argemone mexicana</i>	Mexican poppy	
Kànkámàrkà tà bíí kà		<i>Argemone mexicana</i>	Mexican poppy	let your evil recoil upon itself
Kànsúúwáá		<i>Pennisetum polystachyon</i> & <i>P. pedicellatum</i> <i>P. Subangustum</i>		
Karama anta		<i>Withania somnifera</i>	burrwood	
Kàràngíyyáá		<i>Cenchrus biflorus</i> & <i>C. ciliaris</i>	burs	
Kàràngíyyár àzbin		<i>Cenchrus ciliaris</i>		
Kàràngíyyár bèèràà		<i>Cyathula prostrata</i> ; <i>Indigofera nummulariifolia</i>		
Kàràngíyyár kùùsùù		<i>Indigofera nummulariifolia</i> ; <i>Cyathula prostrata</i>		
Kàránkááú		<i>Diheteropogon hagerupii</i> & <i>Echinochloa pyramidalis</i>		
Kardafí		<i>Sida cordifolia</i>		? healer of arrow poison
Kàrdàjii		<i>Mimosa asperata</i>		
Kàrfii		<i>Gossypium barbadense</i>	cotton	= Bàgwàndaráá
Karƙikara	Sk	<i>Sesbania dalzielii</i> ; <i>S. sesban</i>		
Kàrkáàrà		<i>Acacia polyacantha</i> subsp. <i>campylacantha</i>		
Kàryàà		<i>Adenium obesum</i>	false baobab	lie
Kasha		<i>Brachiaria distichophylla</i> ; <i>B. xantholauca</i>		
Káshéeshè		<i>Heeria insignis</i>		
Kàujéé		<i>Beckeropsis uniseta</i>		
Káurà		<i>Sorghum bicolor</i>	red guinea-corn cv.	
Kààwàríí		<i>Ficus glumosa</i>		
Kààwàríí		<i>Ficus ingens</i>		
Kààwúríí		<i>Ficus glumosa</i>		
Kààwúríí		<i>Ficus ingens</i>		
Káyàr gííwáá		<i>Hygrophila auriculata</i>		elephant thorn
Káyàr gííwáá		<i>Dioscorea praehensilis</i>		elephant thorn
Káyàr Góóbírááwáá		<i>Tribulus terrestris</i>	puncture vine	Gobir thorn
Káyàr Góóbírááwáá		<i>Trianthema</i> spp.		Gobir thorn
Káyàr kàdàngàrè		<i>Asparagus Pauli-Guilelmi</i>		lizard thorn
Káyàr kúúsù		<i>Smilax anceps</i>	West African sarsparilla	
Káyàr rààkúmií		<i>Hygrophilla auriculata</i> ; <i>Acacia polyacantha</i>		
Kéékáshéeshè	Kt	<i>Heeria insignis</i>		

Roger Blanch Hausa plant names – Hausa-Latin Circulation version

Kéékáshéeshè		weed species		
Kéékáshéeshè		<i>Hibiscus cannabinus</i>	peeled stems of kenaf	
Klì táábéèwáá		<i>Lagenaria siceraria</i>	bottle gourd	
Klì táábéèwáá		<i>Cyperus sp.</i>		
Kiríkirií		<i>Cynodon dactylon</i>	dub-grass, dogstooth grass	
Kíryà		<i>Prosopis africana</i>	false locust	
Kíryàr dúútsèè		<i>Burkea africana</i>		rock <i>Prosopis</i>
Kíryà ta màtáá		<i>Amblygonocarpus andongensis</i> ; <i>Prosopis africana</i>		
Kíryàr kúrmìi		<i>Manilkara obovata</i>	African pearwood	forest <i>Prosopis</i>
Kíryàr kúrmìi		<i>Piptadeniastrum africanum</i>		forest <i>Prosopis</i>
Kòòdágò pl. Kòòdágái		<i>Borassus aethiopum</i>	fan-palm fruit stone	
Kòòdágò pl. Kòòdágái		<i>Hyphaene thebaica</i>	dum-palm fruit stone	
Kóódái	Kt	<i>Raphionacme brownii</i>		
KoKirmo	Zm	<i>Crateva religiosa</i> ; <i>Strychnos tricalysiodes</i>		
Kòòkííyáá		<i>Strychnos spp.</i>		
Kòòkííyár bírii		<i>Voacanga thouarsii</i> ; <i>Strychnos innocua</i>		
Kudu		<i>Nymphaea lotus</i>	water-lily rhizome	
Kúdùjìí		<i>Striga spp.</i>	witchweed	
Kúdùjìí		<i>Buchnera hispida</i>		
Kúdùjín fadama		<i>Ludwigia adscendens ssp. diffusa</i>		
Kuduru		<i>Allium cepa</i>	onion	
Kujiji	D	<i>Striga hermonthica</i>	witchweed	
Kúkùs		<i>Oryza sp.</i>	wild grass	
Kúlli		<i>Arachis hypogaea</i>	groundnut cv. with single nut	= Kúmbúláá
Kúllin shi ba	Gl	<i>Hibiscus sabdariffa</i>	roselle	
Kulùbúútùù		<i>Lagenaria siceraria</i>	bottle gourd	
Kululu		<i>Guiera senegalensis</i>		
Kúmbúláá		<i>Arachis hypogaea</i>	groundnut cv. with single nut	
Kùrigà	Kt	<i>Vigna subterranea</i>	Bambara nut	
KùrííKùríí	Kt	<i>Chamaecristus absus</i>	senna	
Kùrkúráá		<i>Sorghum bicolor</i>	guinea-corn cv.	
Kùrùnkúshèèwáá		<i>Gymnosporia senegalensis</i>		
Kùrùnkúshìiyáá	Kt	<i>Gymnosporia senegalensis</i>		
Kùrúúkùrúú		<i>Pilostigma thonningii</i>	camel's foot roots	
Kùrúúkùrúú		<i>Feretia apodanthera</i>		
Kùùrár fataakee		<i>Argemone mexicana</i>	Mexican poppy	dust of x
Kwáánáryà		tree whose seeds are used for rosaries		
Kwáará pl. Kwááróórií		<i>Vitellaria paradoxa</i>	shea-nut	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Kwááràr kwáák-wàà		<i>Elaeis guineensis</i>	oil palm kernel	
Kwáátái		plant sp.		
Kwàláá		<i>Nymphaea lotus</i>	water-lily	
Kwàllíí		<i>Arachis hypogaea</i>	groundnut cv. with single nut	= kùlli
Kwambala		<i>Isobertinia doka</i>	Pods of ~	
Kwámè		<i>Adansonia digitata</i>	baobab fruit	
Kwámè		<i>Borassus aethiopum</i>	fan palm fruit	
Kwanarya		<i>Catunaregam nilotica</i>		
Kwàndíí		<i>Arachis hypogaea</i>	groundnut cv. with single nut	= kùlli
Kwíiyà	Kt	<i>Mimosa asperata</i>		
Kyààráá		<i>Hyperthelia dissoluta</i> ; <i>Sorghum margaritifera</i>		
Kyar kusa		<i>Smilax anceps</i>	West African sarsparilla	
Kyarno		<i>Saccharum spontaneum</i>		
Kyás		<i>Setaria pallide-fusca</i>		
Kyàásúúwáá		<i>Pennisetum hordeoides</i> ; <i>P. pedicellatum</i> ; <i>P. polystachion</i> ; <i>P. subangustum</i>		
Kyasuwar rafi		<i>Setaria pallide-fusca</i>		
L.				
Lá bai	K	<i>Gossypium hirsutum</i>	cotton	
Lá banda		<i>Andropogon pseudapricus</i>		
Lááléémò	S	<i>Hyparrhenia subplumosa</i>		
Láálòn kwààdǎ		<i>Ludwigia octovalvis</i>		jute kidney
Láálò		<i>Corchorus tridens</i>	jute	
Láálò		<i>Corchorus trilocularis</i>	jute	
Láálò		<i>Corchorus olitorius</i>	jute	
Lááwúr		<i>Ipomoea batatas</i>	sweet potato	
Lááwúr		<i>Pennisetum glaucum</i>	millet cv.	
Lababuje		<i>Physalis angulata</i> ; <i>P. micrantha</i>	angular winter cherry	
Lábàshíí	Hdj	<i>Amaranthus viridis</i>		
Labla		<i>Cissus populnea</i>		
Làbsûr		<i>Lepidium sativum</i>	cress	<Arabic
Labta	Kt	<i>Cissus populnea</i>		
Labto	S	<i>Sesamum orientale</i>	sesame	
Labuje		<i>Cola nitida</i>	cola	< Nupe [Laboshi town]
Ladiko		<i>Canavalia ensiformis</i>	horse-bean	
Làfsûr		<i>Lepidium sativum</i>	cress	<Arabic
Laka		<i>Typha domingensis</i>	bulrush culm pith	
Lállàkíí		<i>Oryza barthii</i>	wild rice	
Lállàkíí		<i>Oryza breviguilata</i>	wild rice	
Lállàkíí		<i>Oryza perennis</i>	wild rice	
Lállè		<i>Lawsonia inermis</i>	henna	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Lállèn bírí		<i>Sporobolus festivus</i>		monkey henna
Lállèn giwáá		<i>Pteleopsis habensis</i>		elephant henna
Lállèn jíbáá		<i>Feretia apodanthera</i>		henna of the small anthill
Lállèn súúri		<i>Feretia apodanthera</i>		henna of the anthill
Lállèn shàámúúwáá		<i>Gisekia pharnacioides</i>		stork's henna
Lallewa	Hdj	<i>Tamarindus indica</i>	tamarind	
Lambani	Sk	<i>Vossia cuspidata</i>		
Làmbúú		<i>Sesbania sp.</i>		
Lámíníyár kwààdǵí		<i>Siphonochilus aethiopicus</i> ; <i>Siphonochilus nigericus</i>	resurrection lily	frogspawn
Lamtin bàrééwáá	Ng	<i>Sesamum alatum</i>		antelope sesame
Lányár kwààdǵí		<i>Siphonochilus aethiopicus</i> ; <i>Siphonochilus nigericus</i>	resurrection lily	frogspawn
Laúshí		<i>Gossypium hirsutum</i>	cotton	
Làusûr	K	<i>Lepidium sativum</i>	cress	< Arabic
Làusúrù	K	<i>Lepidium sativum</i>	cress	< Arabic
Láwàshíí		<i>Allium ascalonicum</i> ; <i>A. cepa</i>	garlic onion	
Layo		<i>Solanum incanum</i>	garden-egg cv.	
Layyata	Kt	<i>Cissus populnea</i>		
Léébèn raakúmíí		<i>Sorghum maritiferum</i> ; <i>S. notabile</i>		
Lèémóó	K	<i>Citrus aurantifolia</i>	lime	< English
Lèémún mágáájíyáá		<i>Citrus medica</i>		
Lèémún Mákka		<i>Citrus aurantium</i> ; <i>C. sinensis</i>		lime of Mecca
Lèémún Másàr		<i>Citrus medica</i>		lime of Egypt
Lèémún tsuntsuu		<i>Carissa edulis</i>		sour lime
Lèémun yán sárkíí		<i>Citrus medica</i>		
Lèémúú		<i>Citrus aurantifolia</i>	lime	
Lèémúú màì záákíí		<i>Citrus sinensis</i>	orange	
Lenje	Zm	<i>Gisekia pharnacioides</i>		
Líboso		<i>Ficus polita</i>	ripe fruits	
Lííǵíí		<i>Sesamum orientale</i>	sesame	
Lìíǵín túúǵíí		<i>Fimbristylis hispidula</i>		
Lilo		<i>Boscia senegalensis</i>		
Lòòdáá		<i>Rogeria adenophylla</i>		
Lòòdáá		<i>Cissus populnea</i>		
Lòòdár marina		<i>Cissus populnea</i>		<i>Cissus</i> of the dye-pit
Lóókò		<i>Milicia excelsa</i>	Iroko	<Yoruba
Lotokuwa		<i>Tamarindus indica</i>	tamarind	
Louwa	Dr	<i>Vigna subterranea</i>	Bambara nut	
Lubban		<i>Commiphora pedunculata</i>	gum	
Lube	Kt	<i>Ficus vallis-choudae</i>		
Lubiya		<i>Ficus vallis-choudae</i>		
Lubiya		<i>Phoenix dactylifera</i>	date-palm	
Lúddè		<i>Sclerocarya birrea</i>	fruit of ~	
Lúgùbáá		<i>Ficus polita</i>	ripe fruits	
Lujíyar ?		<i>Xysmalobium heudelotianum</i>		
Lule		<i>Sclerocarya birrea</i>	fruits	
Lumiya	Dr	<i>Vigna subterranea</i>	Bambara nut	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Lutua	K	<i>Gossypium hirsutum</i>	cotton	
Lututuwa		<i>Cissus populnea</i>		
Lúúbìiyáá		<i>Ficus spp.</i>		
Lúúd(d)ààyií pl. lúúwààdúú		<i>Lagenaria siceraria</i>	bottle gourd	
Lùùjiiyà		<i>Raphionacme brownii</i>		
M.				
Má ámfá		<i>Dioscorea sp.</i>		
Má dáddafi		<i>Desmodium velutium; Setaria verticulata</i>		
Má dáddafin kusu		<i>Pupalla lappacea; Cyathula prostrata</i>		
Máágànin kunáámàà		<i>Heliotropium subulatum</i>		scorpion medicine
Máágùráázàà		<i>Dioscorea praeheensis</i>		
Máájè		<i>Daniellia oliveri</i>	copaiba balsam	
Mààjigíí		<i>Baphia nitida; B. pubescens</i>	camwood	
Mààkúbà		<i>Parkia biglobosa</i>	empty locust pods	
Mààkàrfò		<i>Afrormosia laxiflora</i>		
MáálánKóócií		<i>Amaranthus viridis</i>	waterleaf	
Máálàmií		<i>Evolvulus alsinoides</i>		
Máálàmií ná máátáá		<i>Evolvulus alsinoides</i>		
Máásún kàdàngàrúú	Kt	<i>Achyranthes aspera</i>		
Maasun kadangaree		<i>Pandiaka involucrata; P. heudelotti</i>		
Máátánká nàwá		<i>Gossypium arboreum</i>	cotton	
Mààtár Máìná		<i>Saccharum officinarum</i>	sugar-cane cv.	
Maburkaki		<i>Zea mays</i>	maize	
Màcàkóó		<i>Sorghum bicolor</i>	red guinea-corn cv.	
Màcèè	Kabi	<i>Trichilia emetica</i>	roka	
Màcèè à tsùgùné	Kt	<i>Vigna subterranea</i>	Bambara groundnut cv.	
Màcèè dúkús		<i>Sorghum bicolor</i>	guinea-corn cv.	
Macara		<i>Panicum subalbidum</i>		
Macara		<i>Phragmites australis</i>	common reed	
Máďààcií pl. mààďààtái		<i>Khaya senegalensis</i>	mahogany	
Máďààcin kàsà		<i>Aristolochia albidia; A. bracteolata</i>		
Máďààcin dúútsèè		<i>Ekebergia senegalensis</i>		rock mahogany
Máďaráá		<i>Zea mays</i>	maize	
Madinginji		<i>Boscia salicifolia</i>	leaves, flowers	
Mádobiya		<i>Pterocarpus erinaceus; P. mildbraedii</i>		
Mádóóbiiyáá pl. mààdòòbái		<i>Andira inermis</i>		
Mádóóbiiyáá pl. mààdòòbái		<i>Pterocarpus erinaceus</i>	African rosewood	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Mádóóbiiyár rààfíí		<i>Albizia zygia</i>		stream henna
Maga		<i>Phoenix dactylifera</i>	date without stone	
Magaga		<i>Borassus aethiopum</i>	fan-palm	
Mágáryáá <i>pl.</i> mágààréé		<i>Ziziphus abyssinica</i>	catch thorn	
Mágáryáá <i>pl.</i> mágààréé		<i>Ziziphus mauritiana</i>	jujube	
Mágáryár kúúrää		<i>Ziziphus mucronata</i>	buffalo thorn	
Màgímfää		<i>Tephrosia densiflora</i> ; <i>T. vogelii</i>		
Magina		<i>Curcuma domestica</i>	turmeric dye	
Mágòòrí		<i>Mitracarpus hirtus</i>	button grass	vendor of love-potions
Mágúúdiyáá		<i>Polycarpea corymbosa</i> ; <i>P. linearifolia</i>		
Magyamfa		<i>Tephrosia vogelii</i> ; <i>T. densiflora</i>		
Màì		<i>Arachis hypogaea</i>	groundnut	
Mái fàrín kài		<i>Rhynchelytrum repens</i>		
Mài gyàà		<i>Arachis hypogaea</i>	groundnut	
Mài jíníí		<i>Pterocarpus erinaceus</i>	African rosewood	
Mài kái dúbúú (?)		<i>Alternanthera sessilis</i> ; <i>A. nodiflora</i>		
Mài kúmààtuu		<i>Oryza sativa</i>	rice	
Mài kàfóó		<i>Sida cordifolia</i>		lord of the horn
Mài lààlíitàà		<i>Physalis angulata</i>	angular winter cherry	lord of the small bag
Mài làúshíí	K	<i>Gossypium hirsutum</i>	cotton	
Mài rààwáyàà		<i>Datura metel</i>	hairy thorn apple	lord of <i>Cochlospermum tinctorium</i>
Mài yààdóó		<i>Arachis hypogaea</i>	groundnut	
Máiwáá <i>or</i> màiwáá		<i>Pennisetum glaucum</i>	millet	
Màjàmfàríí		<i>Senna occidentalis</i>	coffee senna	
Majigege		<i>Amblygonocarpus andongensis</i>		
Májínáàciyáá <i>pl.</i> màjìnààtái		<i>Ostryoderris stuhlmanii</i>		
Májíriyáá	S/Kt	<i>Erythrina senegalensis</i>		
Májíriyár kúrmìí		<i>Phyllanthus muellerianus</i> ; <i>Erythrina sp.</i>		
Makaahoo da waayoo		<i>Sorghum membranaceum</i>		
Makari	S/Kt	<i>Dalbergia sp.</i>		
Makari	S/Kt	<i>Digitaria iburua</i>	iburu	
Mákárín dáfi ¹¹		<i>Fadogia erythrophloea</i>		antidote to poison
Mákárín fako		<i>Brachiaria jubata</i>		
Makasha		<i>Striga hermontheca</i>	witchweed	
Makashan dááwàà		<i>Striga hermontheca</i>	witchweed	killer of guinea-corn
Mákkà		<i>Moringa oleifera</i>	horseradish tree	
Mákòòríí		<i>Amorphophallus abyssinicus</i> ;		

¹¹ Probably a generic for antidotes to arrow-poison

Roger Blench Hausa plant names – Hausa-Latin Circulation version

		<i>Stylochiton lancifolius</i>		
Mákòòrín kàréé		<i>Paspalidium geminatum</i>		
Màkwáiwáá		<i>Vitex doniana</i>	black plum	
Maƙodoo		<i>Amorphophallus abyssinicus</i> ; <i>Stylochiton lancifolius</i>		
Maƙaimi		<i>Cucumis ficifolius</i> ; <i>C. pustulatus</i>		
Malafia		<i>Corchorus olitorius</i>	jute	< Arabic
Malaiduwa	Kt	<i>Cissus populnea</i>		
Malaina		<i>Gmelina arborea</i>	Gmelina	< Latin
Male		<i>Khaya grandifoliola</i> ; <i>K. ivorensis</i>	broad-leaved mahogany	
Maleduwa	Kt	<i>Cassia arereh</i>		
Maliya		<i>Oryza sativa</i>	rice	
Maliya		<i>Vigna subterranea</i>	Bambara nut	
Mallen kabi		<i>Sorghum margaritifera</i>		
Mallen mama		<i>Sorghum margaritifera</i>		
Mallen zamfara		<i>Sorghum margaritifera</i>		
Malmaliyo		<i>Ficus ingens</i>		
Malmaliyo		<i>Ficus thonningii</i>		
Málmóó		<i>Syzygium guineense</i>		
Màn jáá		<i>Elaeis guineensis</i>	palm-oil	red oil
Man saítum		<i>Olea hochstetteri</i>		
Màndééwáá		<i>Maerua angolensis</i>		
Màndíiwáá		<i>Maerua angolensis</i>		
Màndà mábdàà		<i>Sporobolus helvolus</i>		
Mangaladi		<i>Maytenus senegalensis</i>		
Màngwàrò		<i>Mangifera indica</i>	mango	<English
Mànkàníí	W	<i>Xanthosoma maffafa</i>	new cocoyam	< ?
Màntà úúwáá		Orchidaceae	orchid	forget mother
Màntà úúwáá		<i>Crotalaria arenaria</i>		forget mother
Màntà úúwáá		<i>Ansellia congoensis</i>		forget mother
Màráábiyyáá		<i>Ficus iteophylla</i>		spleen (because an epiphyte)
Maraguwa	Ktg/Shira	<i>Tephrosia purpurea</i>		
Màràndáá		<i>Lawsonia inermis</i>	small henna leaves	
Màrgáá	S/Gobir	<i>Cassia arereh</i> ; <i>C. sieberana</i>		
Margosa		<i>Azadirachta indica</i>	neem	<Portuguese
Màrgóowà		herb used by Fulbe to flavour milk		
Màrín góónáá	Kt	<i>Striga spp.</i>	witchweed	x of farm
Màrìn kùùsùù		<i>Pupalia lappacea</i>		
Markafo		<i>Afrormosia laxiflora</i> ; <i>Ambrosia maritima</i> ; <i>Dalbergia sp.</i>		
Màrkéé		<i>Anogeissus leiocarpus</i>	chewstick tree	
Màrkèn dùùtsèè		<i>Grewia bicolor</i>		<i>Anogeissus</i> of the rocks
Màrmàrtòò nì		small plant		desire me ¹²
Màsakuwa		<i>Sorghum durra</i>	guinea-corn cv.	
Màsàràà		<i>Zea mays</i>	maize	

¹² The seeds of this plant are used in love potions

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Màsàràà kwona		<i>Zea mays</i>	maize	
Màsàràà wààdàà		<i>Zea mays</i>	maize	
Màsàràã Fùlànii		<i>Zea mays</i>	maize cv.	
Máshááyíí pl. màshààýái		<i>Clerodendrum capitatum</i>		thing for smoking
Màsóóróó		<i>Piper guineense</i> ; <i>P. umbellatum</i>	West African pepper	
Mata gara kafa		<i>Biophytum petersianum</i>	sensitive plant	woman, close the feet
Mátákáshíí		<i>Ceratotheca sesamoides</i>	false sesame leaves	
Matinga	S	<i>Stylochiton lancifolius</i>		
Matsagi		<i>Bauhinia rufescens</i>		
Matsandaka		<i>Eragrostis sp.</i>		
Matsandaka tsumbe		<i>Eragrostis ciliaris</i> ; <i>E. gangetica</i> ; <i>E. tremula</i>		
Màtsármámáá		<i>Physalis angulata</i>	angular winter cherry	gall bladder
Mátsátsáágíí		<i>Bauhinia rufescens</i>		
Mazakuwa		<i>Sorghum durra</i>		
Mijigaga	S	<i>Amblygonocarpus andongensis</i>		
Míjìn kádányà		<i>Lophira alata</i>	meni oil tree	
Mijiriya		<i>Erythrina senegalensis</i>		
Milla		<i>Vossia cuspidata</i>		
Mínjírýáá		<i>Erythrina senegalensis</i>	coral tree	
Miyafa	Kabi	<i>Maerua angolensis</i>		
Miyar tsanya		<i>Sida ovata</i>		
Mobefa		<i>Cymbopogon giganteus</i>		
Móódà		<i>Aloe buettneri</i>	West African aloe	
Móódà		<i>Sansevieria liberica</i> ; <i>S. senegambica</i> ; <i>S. trifasciata</i> & <i>Ananas comosus</i>		
Móódà kàsa?		<i>Eriosema griseum</i>		
Mòòríí (mààtárkà)		<i>Sorghum bicolor</i>	white guinea-corn cv.	
Mòòwàr bìrìí		<i>Diospyros mespiliformis</i>	ebony fruits	
Mulli		<i>Hyphaene thebaica</i>	dum palm unexpanded leaf frond	
Mùrmùrà		<i>Sorghum bicolor</i>	soft guinea-corn cv.	
Mùrnàà	S	<i>Adansonia digitata</i>	baobab	
Mùrúúcíí		<i>Borassus aethiopum</i>	sprout of fan-palm	
Mùrúúcin bisa		Orchidaceae	epiphytic orchid	livestock fan-palm sprouts
Mùrúúcin dáájìí		Orchidaceae	terrestrial orchid	bush fan-palm sprouts
Mùrúúcin doka		<i>Ansellia africana</i>	Ansell's orchid	x fan-palm sprouts
Mùrúúcin màkwàrwàà		<i>Cucurlogo pilosa</i>		
Mùrúúcin sama		Orchidaceae	epiphytic orchid	fan-palm sprouts of the sky

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Múúgùn túúwóó		<i>Sorghum bicolor</i>	guinea-corn cv.	
N.				
Náámàn gáraá		mushroom spp.		
Náámàn Gwáaríí		mushroom spp.		Gbari meat
Náámàn jeji		<i>Termitomyces spp.</i>		bush meat
Náámàn kààzáá		<i>Agaricus campestris</i>		chicken meat
Náámàn ùngùlúú		<i>Agaricus campestris</i>		vulture meat
Námíjìn bàà màà tàbòò		<i>Ipomoea aitonii</i>		
Námíjìn bààbàà		<i>Indigofera bracteolata</i>		
Námíjìn bàgàrùwàà		<i>Acacia nilotica & Acacia tortilis</i> subsp. <i>raddiana</i>	Egyptian mimosa	
Námíjìn dààshìì		<i>Commiphora pedunculata</i>		
Námíjìn dàyyì		<i>Centaurea sp.</i>		
Námíjìn dàyyì		<i>Launaea taraxacifolia</i>	wild lettuce	
Námíjìn dàyyì		<i>Sesamum alatum</i>		
Námíjìn dàyyì		<i>Sonchus chevalieri</i>		
Námíjìn gáàsàyyáá		<i>Amaranthus graecizans</i> ; <i>A.</i> <i>spinosus</i> <i>A. viridis</i> ; <i>Polanisia</i> <i>viscosa</i> ; <i>Croton lobatus</i>		
Námíjìn gàdàgìì		<i>Zornia glochidiata</i>		
Námíjìn garaafunìì		<i>Ctenolepis cerasiformis</i>		male
Námíjìn gwabsa		<i>Quassia undulata</i>		male
Námíjìn hànkufáá		<i>Sida alba</i> ; <i>S. ovata</i> & <i>S.</i> <i>rhombofolia</i>		male
Námíjìn kàdée	S	<i>Lophira alata</i> ; <i>L. lanceolata</i>	meni oil tree	male
Námíjìn kádányà		<i>Lophira alata</i> ; <i>L. lanceolata</i>	meni oil tree	male
Námíjìn kimbàà		<i>Coelocaryon preusii</i>		male
Námíjìn kòkirmo		<i>Strychnos innocua</i>		male
Námíjìn kòòkiyàà		<i>Strychnos innocua</i>		male
Námíjìn kíryà		<i>Amblygonocarpus andongensis</i> ; <i>Burkea africana</i>		male
Námíjìn lèèmuú		<i>Opilia celtidifolia</i>		male orange
Námíjìn ròòmàà fààda		<i>Heliotropium bacciferum</i> ; <i>H.</i> <i>subulatum</i>		male
Námíjìn surendi		<i>Sonchus chevalieri</i>		male
Námíjìn tàràmmiyàà		<i>Combretum ghasalense</i>		male
Námíjìn tsáádà		<i>Maytenus senegalensis</i>		male hog plum
Námíjìn tsintsiyàà		<i>Eragrostis ciliaris</i> ; <i>E. sp</i>		male
Námíjìn yààdiyàà		<i>Leptadenia pyrotechnica</i>		male
Námíjìn zààkìì bànzàà		<i>Amaranthus graecizans</i> ; <i>A.</i> <i>spinosus</i> ; <i>A. viridis</i> ; <i>Croton</i> <i>lobatus</i>		male
Nanake		<i>Aspilia africana</i> ; <i>A.</i> <i>helianthoides</i> <i>A. kotschyii</i>		
Nanare		<i>Oryza barthii</i> ; <i>O. brevigulata</i> ; <i>O. perennis</i>	wild rice	
Nànnàfàà		<i>Celosia laxa</i>		
Nànnàhòò		<i>Celosia laxa</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Natsika		<i>Thespesia populnea</i>	Pacific rosewood	
Ngibe		<i>Barteria fistulosa</i>		
Nobe		<i>Cymbopogon schoenanthus</i>		
Nóómè	W	<i>Sesamum orientale</i>	sesame seeds	
Nóómèn bàrééwáá		<i>Launaea taraxacifolia</i>	wild lettuce	antelope sesame
Nóómèn bàrééwáá		<i>Sesamum alatum</i>		antelope sesame
Nóómèn bàrééwáá		<i>Sesamum radiatum</i>	black sesame	antelope sesame
Nóómèn barya		<i>Sesamum alatum</i>		sesame
Nóómèn barya		<i>Launaea taraxacifolia</i>	wild lettuce	sesame
Nòònòn gíiwáá		<i>Kigelia africana</i>	sausage tree	elephant breast
Nòònòn gwánkíí		<i>Ficus vogelii</i>		breast of roan antelope
Nòònòn kàrèè	Hdj	<i>Cucumis pustulatus</i>		dog breast
Nòònòn kùrciyáá		<i>Euphorbia convolvuloides</i> ; <i>E. hirta</i> ; <i>E. polycnemoides</i>		dove milk
Nòònòn kùùràà		<i>Cucumis metuliferus</i>	horned melon	hyena breast
Nunu		<i>Sclerocarya birrea</i>	fruit	
R.				
Ràábàà(?)		<i>Cyanotis lanata</i>		
Rààkùmin gyàdàà		<i>Arachis hypogaea</i>	groundnut	
Rààriyàr kàsa	Knt	<i>Chrysanthellum americanum</i>		
Rààtsà hànji		<i>Oldenlandia corymbosa</i>		
Rààwáyà		<i>Cochlospermum tinctorium</i>		
Rààwáyà		<i>Cochlospermum planchonii</i>		
Rààwáyà		<i>Zea mays</i>	maize	
Rafasa	K	<i>Euphorbia aegyptiaca</i>		
Ràháináá		<i>Kigelia africana</i>	sausage-tree	
Rahaiwa		<i>Bersama abyssinica</i>		
Râi dōòré		<i>Senna occidentalis</i>	coffee senna	enhances life
Ráirái		<i>Senna occidentalis</i>	coffee senna	life life
Ràkéé		<i>Saccharum officinarum</i>	sugar-cane	
Ràkén giwàà		<i>Steganotaenia araliacea</i>		elephant's sugar-cane
Ràkén giwàà		<i>Quassia undulata</i>		elephant's sugar-cane
Ràmàà ràràà		<i>Urena lobata</i>		
Ràmàà		<i>Hibiscus cannabinus</i>	kenaf	
Ramaniya		<i>Urena lobata</i>		
Ramar kurmii		<i>Wissadula amplissima</i>		
Ràmàr rààfiì		<i>Hibiscus asper</i>		river hemp
Ràmàr ruwa		<i>Hibiscus asper</i>		water hemp
Ràmarana		<i>Urena lobata</i>		
Ramoramo		<i>Urena lobata</i>		
Ramuza		<i>Allium ascalonicum</i>	garlic	
Rara		<i>Zea mays</i>	white maize	
Rawuya	S	<i>Kigelia africana</i>	sausage tree	
Rigà biri		<i>Cissus cornifolia</i>		robe of the

				monkey
Rìgà káfi		<i>Antidesma venosum</i> ; <i>Bridelia ferruginea</i> ; <i>Bridelia scleroneura</i>		
Rìgizà	K	<i>Cyperus esculentus</i>	tiger nut	
Ríídíí		<i>Sesamum orientale</i>	sesame	
Ríídín bàrééwáá		<i>Sesamum alatum</i>		antelope sesame
Ríídín kàdàà		<i>Hyptis spicigera</i>	mosquito guardian	crocodile sesame
Ríídín tùùjì		<i>Fimbristylis hispidula</i>		
Ríímíí <i>pl.</i> ríimààyéé		<i>Ceiba pentandra</i>	silk-cotton tree	
Ríimíí	K	<i>Celosia argentea</i>		
Ríímín ágwádáá		<i>Sopubia mannii</i> , <i>S. parviflora</i> , <i>S. ramosa</i> & <i>S. simplex</i>		kapok of the hyrax
Ríímín kàdàà		<i>Polygonum senegalense</i>		crocodile kapok
Ríímín násàrà		<i>Moringa oleifera</i>	horseradish tree	white man's kapok
Ríímín sàmààríí		<i>Kohautia grandiflora</i> ; <i>K. senegalensis</i>		young men's kapok
Ríímín sàuríí		<i>Kohautia grandiflora</i> ; <i>K. senegalensis</i>		young men's kapok
Ríímín tùùrààwàà		<i>Moringa oleifera</i>	horseradish tree	white man's kapok
Ríimni		<i>Salix ledermannii</i>		
Rìmà fáádà		<i>Scoparia dulcis</i>	sweet broomweed	x of the palace
Rinji	Kt	<i>Senna alexandrina</i>	Alexandrian senna	
Rízgáá		<i>Plectranthus esculentus</i>	rizga	
Rízgár kùrèègèè		<i>Pachycarpus lineolatus</i>		squirrel's rizga
Roko		<i>Vigna subterranea</i>	Bambara nut	
Ròòbáá	Kt	<i>Echinochloa pyramidalis</i>		
Róógò		<i>Manihot esculenta</i>	cassava	
Róógò kààráázà		<i>Manihot esculenta</i>	old cassava	
Róógòn bírii		<i>Dioscorea dumetorum</i>	three leaved yam	monkey's cassava
Róógòn dáájì		<i>Ampelocissus africanus</i>		bush cassava
Róógòn jééjì		<i>Ampelocissus africanus</i>		bush cassava
Róógòn mákííyááyáá		<i>Sphaeranthus angustifolius</i>		large intestine cassava
Róógòn yààráá		<i>Trianthema pentandra</i> ; <i>T. portulacastrum</i>		boys' cassava
Rùb dà tükúnyá		<i>Amaranthus viridis</i>	waterleaf	
Rùb dà tükúnyá		<i>Portulaca oleracea</i> ; <i>P. quadrifida</i>	purslane	
Ruba ari		<i>Pavetta crassipes</i>		
Rubiya		<i>Ficus sp.</i>		
Rubun rubushi		<i>Polygonum senegalense</i> & <i>P. spp.</i>		
Rúgár gádáá		<i>Opilia celtidifolia</i>		duiker shelter
Rùgùdúú		<i>Cucurbita</i> ; <i>C. pepo</i>	pumpkin	
Rùkúù		<i>Amaranthus viridis</i>	waterleaf	
Rùkúkì		tree sp.		
Rùmà fáádà		<i>Scoparia dulcis</i>	sweet broomweed	x of the palace
Rùmáánáá		<i>Habenaria zambesina</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Rumaza		<i>Schoenefeldia gracilis</i>		
Rumbagada		<i>Lentinus tuber-regium</i>		
Rùmmáàni		<i>Punica granatum</i>	pomegranate	<Arabic
Rùmmân		<i>Punica granatum</i>	pomegranate	<Arabic
Rùmfár gàdàá		<i>Opilia celtidifolia</i>		duiker's granary
Rùmfár gàdàá		<i>Cassytha filiformis</i>		duiker's granary
Rúnfúú		<i>Cassia singueana</i>		
Rúnhún zaaki		<i>Dalbergia saxatilis</i>		
Rùùgúùgùùwáá		<i>Cucurbita maxima; C. pepo</i>	pumpkin	
Rùùjiiyà		<i>Raphionacme brownii</i>		
Rùùjiiyàr máhàrbáá		<i>Xysmalobium heudelotianum</i>		hunters' <i>Raphionacme brownii</i>
Rúúrà		<i>Parinari curatellifolia</i>		
S.				
Sá bi	K	<i>Gossypium species</i>	cotton	
Sàà bàbbá sàátàà		large bean sp.		make big one stealing
Sàà fúrfúrá		<i>Crotaria microcarpa</i>		makes grey hairs
Sàà hànkààkíí dààkò		<i>Polygala arenaria</i>		makes the crows wait
Sààbááníí		<i>Tephrosia linearis</i>		
Sààbàràà pl. sààbàrúú		<i>Guiera senegalensis</i>		
Sààbúlùn kùyàngíí		<i>Zornia glochidiata</i>		soap of the female slaves
Sààbúlùn sálóó (?)	Kt	<i>Zornia glochidiata</i>		
Sààbúlùn yán máátáá		<i>Zornia glochidiata; Vernonia macrocyanus</i>		soap of the child of the women
Sááfáá		<i>Allium ascalonicum</i>	shallot	
Sááfáá mai gora		<i>Allium ascalonicum</i>	shallot	
Sààgààgí	Ktg	<i>Indigofera simplicifolia; I. paniculata</i>		
Sààkàà bàbbá sàátà		bean sp.		
Sáàniyáá		<i>Raphionacme brownii</i>		
Sáàrán wááwáá		<i>Gardenia aqualla; G. erubescens</i>		chopping of fool
Sààrè gwíiwà		<i>Hyhrophila auriculata</i>		
Sààsàrín kúúráá		<i>Asparagus sp.</i>		chain of hyena
Sààsàrín kúúráá		<i>Cissus quadrangularis</i>		chain of hyena
Sááwún kádàfkaràà		<i>Schoenefeldia gracilis</i>		
Saawuu dubuu		<i>Ipomoea coptica</i>		
Sàbàdã		<i>Parkia biglobosa</i>	immature locust pods	
Sabe		<i>Echinocloa colonum; Panicum laetum; Brachiaria jubata</i>		
Sáifà		<i>Ficus iteophylla</i>		spleen
Sakan zabur	Gl	<i>Zingiber officinale</i>	ginger	
Sakanjabir		<i>Zingiber officinale</i>	ginger	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Sàkàtáá		<i>Dioscorea alata</i>	water-yam	
Sakera		<i>Echinochloa stagnina</i>		
Sàmààrín dǎngǎá		<i>Moringa oleifera</i>	horseradish tree	fence sticks
Sàmaátsíí		<i>Tephrosia linearis</i>		
Sàmbèèrúú		<i>Erythrophleum africanum</i>		
Sàmbèèrúú		<i>Lasiosiphon kraussiana</i>		
Samo		<i>Ziziphus mauritiana</i>	jujube leaves	
Sán gàuráákà		<i>Chloris breviseta</i>		footstep of the crowned crane
Sán tsúntsúú		grass with edible leaf		footstep of the bird
Sàndálíí		<i>Cola nitida</i>	cola	
Sàndálúú		<i>Cola nitida</i>	cola	
Sàndán bírí		<i>Tacca involucrata</i>	arrowroot	monkey stick
Sàndán dutsee		<i>Tacca involucrata</i>	arrowroot	hill stick
Sàndán maya		<i>Amblygonocarpus andogensis</i> ; <i>Cassia arereh</i> ; <i>Holarrhena floribunda</i>		
Sàndán yǎn bòoríí		<i>Tacca involucrata</i>	flowering stem of arrowroot	Bori stick
Sàngáásàngǎà		<i>Senna occidentalis</i>	coffee senna	
Sankalwa		<i>Trapa natans</i>	water chestnut	
Sànkè wà kinkà		sensitive plant sp.		tuck in your loincloth
Sansabaraye	Arg	<i>Parkinsonia aculeata</i>		
Sánsámíí		<i>Stereospermum kunthianum</i>	tulip tree	
Sánsámín táábàà	Kt	<i>Nicotiana tabacum</i> ; <i>N. rustica</i>	tobacco leaves	
Sánsàn		<i>Dyschoriste perrotteti</i>		
Sansari		<i>Chasmopodium caudatum</i> ; <i>Saccharum spontaneum</i> ; <i>Sesbania pachycarpa</i>		
Sansoni		<i>Mucuna pruriens</i> ; <i>M. sloanei</i>	cow-itch	
Sányáá		<i>Securidaca longepedunculata</i>	violet tree	
Sányár kasà		<i>Vernonia pumila</i>		
Sàràkúúwáá		<i>Leucas martinicensis</i> ; <i>Hyptis spicigera</i> ; <i>Ocimum canum</i>		
Sàràkúúwáá		<i>Leucas martinicensis</i> ; <i>Hyptis spicigera</i> ; <i>Ocimum canum</i>		
Sàràkúúwáá		<i>Hyptis spicigera</i>	mosquito guardian	
Sárkà		<i>Aparagus sp.</i>		
Sárkín jíbjií ¹³		<i>Boerhavia spp.</i>	hogweed	lord of the dungheap
Sárkín jíbjií		<i>Datura spp.</i>		lord of the dungheap
Sárkín jíbjií		<i>Portulaca spp.</i>		lord of the dungheap
Sárkákíyáá		<i>Dichrostachys cinerea</i> ; <i>Acacia ataxacantha</i>		
Sasami		<i>Stereospermum kunthianum</i>	tulip tree	
Sashe		<i>Ziziphus mauritiana</i>	jujube leaves	

¹³ 'Loosely applied to ruderals' (Burkill 2000:258)

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Sàssàbàání		<i>Parkinsonia aculeata</i>	Jerusalem thorn	
Sawoki		<i>Striga hermonthica</i>	witchweed	
Sesigi		<i>Tribulus terrestris</i>	puncture vine	
Shà'ir		<i>Hordeum vulgare</i>	barley	<Arabic
Shàà dà wúká		rubber plant sp.		sharpen knife
Shàà jíníí		<i>Pterocarpus erinaceus</i>		drink blood
Shàà kùùshé		<i>Ipomoea batatas</i>	sweet potato	drink finding fault
Shàà ní in sháá kà		<i>Balanites aegytiacus</i>	desert date fruit not properly ripe	drink me and I drink you
Shàà ní ká sán nì		<i>Heliotropium ovalifolium</i>		drink and you'll know me
Shàà ní ká sán nì		<i>Polygala arenaria</i>		drink and you'll know me
Shàà nóónò		<i>Sorghum bicolor</i>	white guinea- corn cv.	drink milk
Shàà ràbó		<i>Cola acuminata</i>	large cola-nut	drink sharing
Shàà rúwá		<i>Gossypium arboreum</i>	early-ripening cotton	drink water
Shàà sari		<i>Saccharum spontaneum</i> ; <i>Sesbania pachycarpa</i>		drink x
Shàà shàà rúwá		<i>Gossypium arboreum</i>	cotton	drink drink water
Shàà shàà táu		<i>Jussiaea suffruticosa</i>		drink drink
Shááfi		<i>Uraria picta</i>		
Shabilin gwolai	Dr	<i>Vigna subterranea</i>	Bambara nut	
Shabrai		<i>Diheteropogon hagerupii</i> ; <i>Echinochloa pyramidalis</i>		
Shafa		<i>Allium ascalonicum</i>	garlic	
Shafo	Gl	<i>Sterculia setigera</i>	karaya gum tree	
Shaffa		<i>Crossopteryx febrifuga</i>	ordeal tree	
Shalanta		<i>Allium ascalonicum</i>	shallot	
Shalla		<i>Typha domingensis</i>	flowering spike of bulrush	
Sham	Sk	<i>Acacia sieberana</i>		
Shamman		<i>Cucumis melo</i>	sweet melon	< Arabic
Shamrai	Sk	<i>Diheteropogon hagerupii</i> ; <i>Echinochloa pyramidalis</i>		
Shánsheèráá		<i>Oryza sativa</i>	Asian rice	
Shànyéé dúkà		<i>Tephrosia linearis</i>		
Sharan labbi		<i>Parkinsonia aculeata</i>		
Shààshààtáu		<i>Ludwigia octovalvis</i>		
Shééfè	S/Kt	<i>Oryza sativa</i>	rice	
Sheka°		<i>Sorghum bicolor</i>	guinea-corn cv.	
Shékára tsàyé		<i>Rogeria adenophylla</i>		year has ended
Shekař zóómóó		<i>Vernonia pumila</i>		x of hare
Scheme		<i>Saccharum spontaneum</i> ; <i>Sesbania pachycarpa</i>		
Shekani		<i>Vernonia pumila</i> ; <i>V. spp.</i>		
Shiba	K	<i>Gossypium sp.</i>	cotton	
Shibcii		<i>Andropogon sp. ?</i>		
Shibi		<i>Tephrosia vogelii</i> ; <i>T. densiflora</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Shíí6óólì	Kt	<i>Grewia tenax</i>		< Fulfulde
Shinaka		<i>Schoenefeldia gracilis</i> ; <i>Ctenium elegans</i> ; <i>C. newtonii</i>		
Shìnkááfáá		<i>Oryza glaberrima</i> ; <i>O. sativa</i>	rice	
Shìnkááfáá biyyáu		<i>Oryza glaberrima</i>	African rice	rice of a child which follows a familiar person
Shìnkááfáá shééfè		<i>Oryza glaberrima</i>	African rice	rice whose husk has a small grain
Shìnkááfā̃ dāájìì		<i>Chasmopodium caudatum</i>		bush rice
Shìnkááfā̃ gyáádò		<i>Oryza barthii</i> ; <i>O. breviligulata</i>	wild rice	warthog's rice
Shìnkááfā̃ kwààdīì		<i>Oryza barthii</i> ; <i>O. breviligulata</i>	wild rice	toads' rice
Shìnkááfā̃ múúgùù dāwà		<i>Oryza barthii</i> ; <i>O. breviligulata</i>	wild rice	
Shìnkááfā̃ rishi	Kt/Dr	<i>Oryza barthii</i> ; <i>O. breviligulata</i>	wild rice	rice of x
Shìnkááfā̃ tsúntsúú		<i>Chasmopodium caudatum</i>		birds' rice
Shìrínýàà		<i>Ficus iteophylla</i>		
Shìwáákáá		<i>Vernonia amygdalina</i> ; <i>V. colorata</i>	bitterleaf	
Shìwáákā̃ ján gārgārīì		<i>Vernonia glaberrima</i> ; <i>Heeria pulcherrima</i>		bitterleaf of red clay soil
Shùùkà hálíì		<i>Moringa oleifera</i>	horseradish tree	
Shùùkà hálínkà		<i>Moringa oleifera</i>	horseradish tree	
Shùùkà hálínkà		<i>Parkinsonia aculeata</i>		
Shúúnín bírìì		<i>Lonchocarpus laxiflorus</i> ; <i>L. sericeus</i>		monkey's indigo
Siling silame		<i>Ampelocissus africanus</i>		
Siliyar suluwa ?		<i>Cassytha filiformis</i>		
Silka	G	<i>Heteropogon contortus</i>		
Síntálíkóó		climbing plant sp.		
Sisi	D	<i>Bauhinia rufescens</i>		
Sítirà		<i>Datura metel</i>	hairy thorn apple	< Arabic
Sóó6āróódò		<i>Hibiscus sabdariffa</i>	roselle calyx	
Sòòsón yāmmáá		<i>Luffa acutangula</i>	loofah gourd	loofah of the west
Sòòsóó		<i>Luffa aegyptiaca</i>	loofah gourd	
Sòòyáyyàà		<i>Cuscuta australis</i>	dodder	
Sùrándù		<i>Centaurea perrotteti</i> ; <i>C. praecox</i>	thistle	
Sùráddù		<i>Centaurea perrotteti</i> ; <i>C. praecox</i> ; <i>Dicoma tomentosa</i>	thistle	
Súrádù		<i>Centaurea perrotteti</i> ; <i>C. praecox</i>	thistle	
Sure		<i>Hibiscus sabdariffa</i>	roselle	
Suren fadama		<i>Triumfetta</i> spp.	burweed	marsh roselle
Súttúú	S/Kt	<i>Gossypium</i> spp.	cotton	
Sùtùrà		<i>Datura metel</i>	hairy thorn apple	< Arabic
Súútúú	S/Kt	<i>Gossypium</i> sp.	cotton	

T.				
Tá fádámà		<i>Setaria pallide fusca</i>		
Tá májèèmá		<i>Acacia nilotica</i>	Egyptian mimosa	
Tá rúwá	Ktg	<i>Strychnos spinosa</i>	snuff box tree	
Táá gá ráánáá	S/Kt	<i>Abrus precatorius</i>	jumblebeads	she sees the sun
Táábàà		<i>Nicotiana rustica</i> ; <i>N. tabacum</i>	tobacco	
Tààbàtáábà		<i>Clerodendrum capitatum</i>		tobacco tobacco
Táá6ò		<i>Vitellaria paradoxa</i>	ripe shea fruit	
Tándaráà		<i>Abrus precatorius</i>	jumblebeads	
Tààbármár zóómóó		<i>Costus spectabilis</i>		mat of the hare
Tààfín kútúruú		<i>Hibiscus sabdariffa</i>	roselle cv.	
Tàakàlmín biri		?		monkey's sandal
Tàakàlmín Mákkà		<i>Opuntia ficus-indica</i>	prickly pear	Mecca sandal
Tàakàlmín zóómóó		<i>Costus spectabilis</i> ; <i>Isobertinia doka</i>		hare's sandal
Taara yaara		<i>Tacca leontopetaloides</i>	arrowroot	
Táaringídà		<i>Glossonema boveanum</i>		
Taatsunyaa		<i>Amaranthus viridis</i>		
Tààwátsáá		<i>Entada abyssinica</i> ; <i>E. africana</i>		
Taba damashe	Kabi	<i>Gynandropsis gynandra</i>	cat's whiskers, African spiderflower	
Taba jiki		<i>Eriosema psoraleoides</i>		
Tabadai	Kt	<i>Gynandropsis gynandra</i>	cat's whiskers, African spiderflower	
Taƙa ni ka saamuu ¹⁴		<i>Ficus vogelii</i>		touch me and you get
Taƙa ni ka saamuu		<i>Moringa oleifera</i>	horseradish tree	
Tabso		<i>Sesamum orientale</i>	sesame cv.	
Tafa duwa		<i>Schoenefeldia gracilis</i>		
Tafar biri		<i>Euphorbia aegyptiaca</i>		
Tàfànnúúwáá		<i>Allium sativum</i>	garlic	
Tàfànnúúwáá		<i>Allium sativum</i>	garlic	
Tàfàsáá		<i>Senna occidentalis</i>	coffee senna	
Tàfááshíiyà		<i>Nauclea diderrichii</i>	African peach	
Tafatso		<i>Panicum anabaptistum</i> ; <i>P. phragmitoides</i>		
Tàftàf				
Tagida		<i>Ocimum gratissimum</i>	scent-leaf	
Tagwamba		<i>Colocasis esculenta</i>	cocoyam	
Tagzara	G	<i>Raphionacme brownii</i>		
Tàkàndáá		<i>Sorghum mellitum</i>	sweet sorghum	
Tàkàndār gíiwáá		<i>Quassia undulata</i>		elephant's sugar-cane
Tàkàndār gíiwáá		<i>Cussonia barter</i>		elephant's sugar-cane
Tàkàndār gíiwáá		<i>Steganotaenia araliacea</i>		elephant's sugar-cane

¹⁴ An epithet of certain economic plants

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Tàkàndār gíwáá		<i>Quassia klaineana</i>		elephant's sugar-cane
Takoure		<i>Brachiaria stigmatistata</i>		
Talagi		<i>Lonchocarpus cyanescens</i>		
Talaki		<i>Lonchocarpus cyanescens</i>		
Talakin yara bawa		<i>Lonchocarpus cyanescens</i>		
Tàllàfà màrààyú	G	<i>Annona senegalensis</i>	wild custard-apple	
Tàmángájíí		<i>Pennisetum glaucum</i>	millet cv.	
Tàmàníí		<i>Tamarindus indica</i>	tamarind	
Támár tsáuríí		<i>Raphionacme brownii</i>		
Tamatsi		<i>Mitracarpus hirtus</i>	button grass	
Támà		<i>Eleusine coracana</i>	finger millet	
Tamihio	Ng	<i>Tamarix spp.</i>	tamarisk	
Tàmráàrò		<i>Cyanotis caespitosa</i>		star
Tántàlíbò		<i>Hyphaene thebaica</i>	dum palm unripe fruit kernel	
Tantaroba		<i>Indigofera diphylla</i>		
Tantsiya		<i>Strophanthus hispidus</i> ; <i>S. sarmentosus</i>		
Tàràunííyáá		<i>Combretum glutinosum</i> ; <i>C. lamprocarpum</i>		
Tàrfà mázáá dúrus		weed sp.		
Tàrkón bééráá		<i>Asparagus africanus</i> ; <i>A. flagellaris</i>		rat trap
Tármásííkà		<i>Boswellia dalzielii</i>	frankincense	
Taro		<i>Combretum sericeum</i>		
Taru		<i>Combretum sp.</i>		
Tasawa		<i>Abelmoshus esculentus</i>	okra	
Tâsshíí	S	<i>Capsicum annum</i>	chili pepper	
Táshíí	G	<i>Gossypium arboreum</i>	tree cotton	
Tatarí da		<i>Glossonema boveanum</i>		
Tattakiya		<i>Vossia cuspidata</i>		
Tattara		<i>Oryza sativa</i>	rice	
Tàttààsái		<i>Capsicum annum</i>	chili pepper	
Tàttààshíí		<i>Capsicum annum</i>	chili pepper	
Tauna		<i>Acacia farnesiana</i>		
Tauna gardi	Kt	<i>Nicotiana tabacum</i> ; <i>N. rustica</i>	tobacco seeds	
Taune		<i>Nicotiana rustica</i> ; <i>N. tabacum</i>	tobacco seeds	
Táuráá pl. táurààyéé		<i>Detarium microcarpum</i> ; <i>D. senegalense</i>		
Táurár kúrmìl		<i>Detarium senegalense</i>		
Tausami		<i>Tamarindus indica</i>	tamarind	
Táyà rágóó		tree sp.		help lazy person
Tázàrgàdè		fragrant medicinal herb		
Tínyà		<i>Euphorbia poissoni</i> ; <i>E. unispina</i>		
Tírìl		<i>Curcuma domestica</i>	turmeric	
Toƙari	S/Kt	<i>Diheteropogon hagerupii</i>		
Tònáá		<i>Pseudocedrela kotschy</i>	dry-zone cedar	
Tóófáá		<i>Imperata cylindrica</i>	spear-grass	
Tòòkár dááwàà		<i>Striga gesnerioides</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Tóózàlín yán máátáá		<i>Aspilia africana</i>		women's kohl
Tóózàlín yán máátáá		<i>Aspilia helianthoides</i>		women's kohl
Tóózàlín yán máátáá		<i>Aspilia kotschy</i>		women's kohl
Tóózàlín bàrééwáá		<i>Vernonia pauciflora</i>		antelope's kohl
Tóózàlín kúúráá		<i>Vernonia macrocyanus</i>		hyena's kohl
Tsa	S	<i>Ormocarpum bibracteatum</i>		
Tsa	S	<i>Securinega virosa</i>		
Tsáádà		<i>Ximenia americana</i>	spiny plum	
Tsáádà bírii		<i>Physalis angulata</i>	angular winter cherry	
Tsáádàr Lámàrúúdù		<i>Spondias mombin</i>	hog plum	
Tsáádàr Másàr		<i>Spondias mombin</i>	hog plum	
Tsààkíí	Kt	<i>Capsicum frutescens</i>	chili pepper seedlings	
Tsáámíyáá pl. tsáámíyóóyíí		<i>Tamarindus indica</i>	tamarind	
Tsáámíyā́ bírii		<i>Dialium guineense</i>		monkey tamarind
Tsáámíyā́ Lámàrúúdù		<i>Haematostaphis barteri</i>	blood plum	Nimrod's tamarind
Tsáámíyā́ máhàrbáá		<i>Nelsonia canescens</i>		hunters' tamarind
Tsáámíyā́ màkííyááyáá		<i>Nelsonia canescens</i>		tamarind of the large intestine
Tsààtsà		<i>Gossypium arboreum</i>	tree cotton	
Tsààtsà rúwá		<i>Gossypium arboreum</i>	early-ripening cotton	drink water
Tsabre		<i>Cymbopogon giganteus</i>		
Tsadakwuni		<i>Mussaenda arcuata</i>		
Tsage	S	<i>Amblygonocarpus andongensis</i>		
Tsagre		<i>Cymbopogon giganteus</i>		
Tsakayi		<i>Celtis integrifolia</i>	nettle tree	
Tsàkiin táábàà	Kts	<i>Nicotiana tabacum</i> ; <i>N. rustica</i>	tobacco leaf veins	
Tsamba		<i>Vossia cuspidata</i>		
Tsambiya	Kts	<i>Cynodon dactylon</i>	dub-grass, dogstooth grass	
Tsana		<i>Lagenaria siceraria</i>	bottle gourd	
Tsantsa		<i>Hibiscus sabdariffa</i>	roselle seed	
Tsàrárrííyáá		brown bean		= cééréérííyáá
Tsàrkíyā́ kùùsùù		<i>Stachytarpheta angustifolia</i>	devil's coach whip	mouse's bowstring
Tsàrkíyā́ kùùsùù		<i>Stachytarpheta cayenensis</i>	rat's tail vervaine	mouse's bowstring
Tsàrkíyā́ kùùsùù		<i>Stachytarpheta jamaicensis</i>	bastard vervaine	mouse's bowstring
Tsàrkíyā́ zóómóó		<i>Cynodon dactylon</i>	dub-grass, dogstooth grass	hare's bowstring
Tsàttsààgíí		<i>Bauhinia rufescens</i>		
Tsatsarara ɓeera		<i>Asparagus flagellaris</i> ; <i>A. africanus</i> <i>Cyathula prostrata</i>		
Tsatsarara kúúráá		<i>Asparagus flagellaris</i> ; <i>A. africanus</i> <i>Cyathula prostrata</i>		x of hyena
Tsatisarar kúúráá		<i>Cissus quadrangularis</i>		fish-trap of hyena
Tsege		<i>Amblygonocarpus andongensis</i>		

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Tsibiri kinkini		<i>Ampelocissus africanus</i>		
Tsibra		<i>Catunaregam nilotica</i>		
Tsiidáá		<i>Tribulus terrestris</i>	puncture vine	stop
Tsiidán kàréé		<i>Aneilema lanceolatum</i>		stop dog
Tsiidáu	Ng	<i>Sida alba</i>		
Tsiidáu		<i>Tribulus terrestris</i>	puncture vine	
Tsiidúhúú		<i>Capsicum annuum</i> ; <i>C. frutescens</i>	chili	
Tsiígàà		<i>Heteropogon contortus</i> ; <i>Loudetia hordeiformis</i> ; <i>L. annua</i>		
Tsíikār dáájìi		<i>Hyparrhenia subplumosa</i>		
Tsíikār dáwà		<i>Hyparrhenia subplumosa</i>		
Tsinta fagee	Ng	<i>Sida alba</i>		
Tsintsiga		<i>Morelia senegalensis</i>		buffalo shade
Tsíntsiyáá pl. tsíntsiyóoyíi		<i>Eragrostis</i> sp.; <i>Panicum</i> sp.		
Tsíntsiyār duutsee		<i>Loudetia arundinacea</i> ; <i>L. simplex</i> ; <i>Aristida adscensionis</i>		thatching grass of the hill
Tsíntsiyār fādámàà		<i>Eragrostis</i> sp.		thatching grass of the swamp
Tsíntsiyār kòògíi		<i>Aristida stipoides</i>		thatching grass of the river
Tsíntsiyār kúrmìi		<i>Albizia ferruginea</i> ; <i>A. adianthifolia</i> ; <i>A. glaberrima</i> ; <i>A. zygia</i>		thatching grass of the forest
Tsíntsiyār mázáá		<i>Loudetia phragmitoides</i>		men's thatching grass
Tsíntsiyār tafartso		<i>Panicum anabaptistum</i>		thatching grass of x
Tsirà fákóó		<i>Tribulus terrestris</i>	puncture vine	
Tsirà fákóó	Ng	<i>Sida alba</i>		
Tsirà fákóó		<i>Stylosanthes fruticosa</i> ; <i>S. erecta</i>		? source
Tsiri		<i>Combretum ghasalense</i>		
Tsiriri	S/Zm	<i>Combretum nigricans</i>		
Tsírkiiyār dāmóó		<i>Cynodon dactylon</i>	dub-grass, dogstooth grass	monitor lizard's bowstring
Tsírkiiyār zóómóó		<i>Cynodon dactylon</i>	dub-grass, dogstooth grass	hare's bowstring
Tsu		<i>Pavonia hirsuta</i>	dub-grass, dogstooth grass	
Tsùkú		<i>Biophytum petersianum</i>	sensitive plant	
Tsúmán Fulaanii		<i>Asparagus flagellaris</i> ; <i>A. africanus</i>		
Tsùmbé	D.	<i>Eragrostis</i> sp.		
Tsura		<i>Catunaregam nilotica</i>		
Tsúúwààwún bírí		<i>Cissus cornifolia</i>		monkey's testicles
Tsúúwààwún kàréé		<i>Securinea virosa</i>		dog's testicles
Tsúwààwún 6eera		<i>Grewia</i> spp.		rat's testicles
Tsúúwààwún záàkìi	S/Kt	<i>Cucumis pustulatus</i>		lion's testicles
Tsùùwúú		<i>Pavonia hirsuta</i>		
Tsùwùkú		<i>Biophytum petersianum</i>		
Tùbàánín dáwáákíi		<i>Peristrophe bicalyculata</i>		bean-flour food for horses

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Tùbáánín dáwáákíí		<i>Commelina erecta</i>		bean-flour food for horses
Tùbáánín dáwáákíí		<i>Commelina forskalei</i>		bean-flour food for horses
Tuburku		<i>Milletia thonningii</i>		
Tudi	Zam.	<i>Lannea schimperi</i>		
Tújí		<i>Eleusine indica</i>	goosegrass	
Tuƙe		<i>Nicotiana rustica</i> ; <i>N. tabacum</i>	tobacco leaf part rejected for smoking	
Tukura		<i>Melochia corchorifolia</i>		
Túkúrwáá <i>pl.</i> túkwààréé		<i>Raphia sudanica</i>	raphia palm	
Tumàà dà gòòbàráá	Zam.	<i>Hyparrhenia subplumosa</i>		
Tumáátùr		<i>Lycopersicon esculentum</i>	tomato	<English
Tùmbín jáákíí		<i>Paspalum scrobiculatum</i>	ricegrass	donkey belly
Tùmbín kúúsùù		<i>Paspalidium geminatum</i>		rat belly
Tùmfááfíyáá <i>pl.</i> tùmfàáfíi <i>or</i> tùmfááfíyóóyíí		<i>Calotropis procera</i>	Sodom apple	
Tùmfááfíyár kádàà		<i>Costus afer</i>		crocodile's Sodom apple
Tumniya		<i>Euphorbia poissonii</i> ; <i>E. unispina</i>		
Tùmúkùn bírí		<i>Solenostemon monostachyus</i>		monkey's tumuku
Tùmúkù		<i>Solenostemon rotundifolius</i>	tumuku	
Tumun shalla		<i>Typha domingensis</i>	bulrush	
Túraàkáf zóómóó		<i>Asparagus flagellaris</i> ; <i>A. africanus</i>		tethering posts' of the hare
Túráren gùlbíí		<i>Cyperus articulatus</i>		perfume of the pond
Turar tarauniya		<i>Combretum glutinosum</i>		
Tùrgúnùùwáá		<i>Corchorus tridens</i>	jute	
Tùrgúnùùwáá		<i>Corchorus trilocularis</i>	jute	
Tùrgúnùùwáá		<i>Corchorus olitorius</i>	Jews' mallow	
Túríì		<i>Curcuma domestica</i>	turmeric	
Turkai		<i>Abelmoschus esculentus</i>	okra	
Túrkèn dóókíì		<i>Stereospermum kunthianum</i>	tulip tree	
Tùrùrùbíí		<i>Dicranolepis persei</i>		
Tùrùrùbíí		<i>Gnidia kraussiana</i>		
Tutubidi		<i>Tephrosia purpurea</i> ; <i>Ambrosia maritima</i>		
Tùùgándéé		<i>Capsicum annum</i>	chili pepper	
Túújíí		<i>Eleusine indica</i>	fowlfoot grass	
Tùùlún moowàà		<i>Dioscorea sp.</i>		
Tùùnàs		<i>Pseudocedrela kotschyii</i>	dry-zone cedar	
Tuutar ʔan sarkii		<i>Leonotis nepetifolia</i>		
Túwón bírí		<i>Dioscorea bulbifera</i>	aerial yam	monkeys' porridge
Twanka		<i>Capsicum annum</i>	chili pepper	

U.				
Úngúdúúdù	Kt/Z	<i>Crateva religiosa</i>		
Ùngúúwáá		<i>Gynandropsis pentaphylla</i>	cat's whiskers	
Úúwár bánzáá		<i>Carissa edulis</i>		
Úúwár mááganiíí		<i>Urena lobata</i>		mother of medicine
Úúwár máágúngúnà		<i>Securidaca longepedunculata</i>	violet tree	mother of medicines
Úúwár yààráá	Hd	<i>Euphorbia balsamifera</i>		mother of children
Úúwár yààráá		<i>Ficus sur</i>		mother of children
W.				
Wáá		<i>Ficus abutilifolia</i>		
Wáákée <i>pl.</i> wáákàikái		Any beans, most commonly cowpeas		
Wáákén àwáákíí		<i>Vigna pubigera</i> ; <i>V. reticulata</i> ; <i>V. vexillata</i>		goat bean
Wáákén bàibààyyíí	Sk	<i>Lablab niger</i>		pagan bean
Wáákén bàrééwáá		<i>Vigna pubigera</i> ; <i>V. reticulata</i> ; <i>V. vexillata</i>		gazelle bean
Wáákén bàrèèyyíí		<i>Sphaeranthus schweinfurthii</i>		gazelle bean
Wáákén bisáá		<i>Canavalia ensiformis</i>	horse bean	small ruminant bean
Wáákén dāmóó		<i>Vigna vexillata</i>		monitor lizard bean
Wáákén dànfāmíí		<i>Lablab niger</i> ; <i>Cajanus cajan</i>	pigeon pea	bean of the temporary fence
Wáákén dàrníí	Sk	<i>Lablab niger</i>		fence bean
Wáákén Gwáárí	Sk	<i>Lablab niger</i>		Gbari bean
Wáákén Másàr		<i>Lablab niger</i>		Egypt bean
Wáákén Másàr		<i>Cajanus cajan</i>	pigeon pea	Egypt bean
Wáákén Sàntànbùl		<i>Lablab niger</i> ; <i>Cajanus cajan</i>	pigeon pea	Istanbul bean
Wáákén tàntàbàràá		<i>Lablab niger</i> ; <i>Cajanus cajan</i>	pigeon pea	pigeon bean
Wáákén tùùrààwáá		<i>Lablab niger</i> ; <i>Cajanus cajan</i>	pigeon pea	foreigner's bean
Wáákén zóómóó		<i>Desmodium canum</i>		hare bean
Wááwá kaji magoori		<i>Mitracarpus hirtus</i>	button grass	
Wááwá maza		<i>Quassia undulata</i>		
Wááwán góónáá		<i>Cucurbita maxima</i> ; <i>C. pepo</i>	pumpkin	
Wááwán kúrmìí		<i>Ricinodendron heudelotii</i>		fool of the forest
Wààyo		<i>Sorghum bicolor</i>	guinea-corn cv.	
Wada		<i>Rauwolfia caffra</i> ; <i>R. vomitoria</i>		
Wagiri		<i>Argemone mexicana</i> .	Mexican poppy	
Wán kúrmìí ¹⁵		<i>Ficus abutilifolia</i>		forest fig
Warina		<i>Ipomoea batatas</i>	sweet potato	
Wàrkín maciijjii	S	<i>Chrozophora senegalensis</i>		snake's loincloth
Wàrkín tsóófóó		<i>Trichodesma africanum</i>		old loin-cloth
Wàrkín wááwáá		<i>Trichodesma africanum</i>		

¹⁵ Probably includes other spp. of forest-growing fig

Roger Blanch Hausa plant names – Hausa-Latin Circulation version

Wasani		<i>Monotes kerstingii</i>		
Wasiri		<i>Argemone mexicana.</i>	Mexican poppy	
Wúrúcin dáájìi		<i>Habenaria barrina; Eulophia adenoglossa</i>		
Wùtààwùtàà		<i>Striga hermontheca</i>	witchweed	fires
Wùtsíiyā̃ bíri		<i>Ctenium elegans; C. newtonii; Faurea speciosa; Setaria sphacelata</i>		monkey-tail
Wùtsíiyā̃ bíri		<i>Pennisetum glaucum</i>	millet cv.	monkey's tail
Wùtsíiyā̃ bééráá		<i>Ctenium elegans</i>		rat's tail
Wùtsíiyā̃ bééráá		<i>Ctenium newtonii</i>		rat's tail
Wùtsíiyā̃ bééráá		<i>Sporobolus spicatus</i>		rat's tail
Wùtsíiyā̃ bééráá		<i>Stachytarpheta jamaicensis</i>	bastard vervaine	rat's tail
Wùtsíiyā̃ bééráá		<i>Uraria picta</i>		rat's tail
Wùtsíiyā̃ bóódàríí		<i>Panicum paucinode</i>		zorilla's tail
Wùtsíiyā̃ dāmóó		<i>Caralluma dalzielii</i>		monitor lizard's tail
Wùtsíiyā̃ gíiwáá		<i>Phragmites australis</i>	common reed	elephant's tail
Wùtsíiyā̃ gíiwáá		<i>Sorghum nobile</i>		elephant's tail
Wùtsíiyā̃ gwánkíí		<i>Loudetia hordeiformis; L. annua</i>		roan antelope's tail
Wùtsíiyā̃ jàákíí		<i>Aristida stipoides</i>		donkey's tail
Wùtsíiyā̃ káásáá		<i>Stachytarpheta cayenensis</i>		puff adder's tail
Wùtsíiyā̃ kàdángàrè		<i>Ctenium elegans; Stachytarpheta angustifolia; S. cayenensis;</i>		agama lizard's tail
Wùtsíiyā̃ kùréégéé		<i>Loudetia hordeiformis; L. annua; Perotis indica</i>		squirrel's tail
Wùtsíiyā̃ kúúsùù		<i>Ctenium elegans; Stachytarpheta angustifolia; S. cayenensis;</i>		mouse's tail
Wùtsíiyā̃ rààkúmíí		<i>Platycoryne paludosa</i>		camel's tail
Wùtsíiyā̃ rààkúmíí		Orchidaceae	terrestrial orchid	camel's tail
Wùtsíiyā̃ shààrindò		weed used for medicine		skink's tail
Wùtsíiyā̃ zóómóó		<i>Loudetia hordeiformis; L. annua</i>		hare's tail
Wúyàn bàjíníí	Kt	<i>Pennisetum glaucum</i>	millet cv.	x's neck
Wúyàn dāmóó	Kt	<i>Combretum molle; C. glutinosum</i>		monitor lizard's neck
Wúyàn gíiwáá		<i>Pteleopsis suberosa</i>		elephant's neck
Wúyàn mǎkwárwáá	Z	<i>Allium cepa</i>	onion	
Y.				
Yáá	Kt	<i>Ficus sp.</i>		
Yààdǎ kwáryá		creeper = fàsà káábáá		spread calabash
Yààdíyáá		<i>Leptadenia hastata</i>		tears
Yààdíyár kádàà		<i>Tacazzea apiculata</i>		crocodile tears
Yáákùùwáá		<i>Hibiscus sabdariffa</i>	roselle	
Yáákùùwár dáájìi		<i>Hibiscus asper</i>		bush roselle
Yáákùùwár fàtààkéé		<i>Cyphostemma adenocaulis;</i>		trader's roselle

Roger Blench Hausa plant names – Hausa-Latin Circulation version

		<i>Cayratia gracilis</i>		
Yáákùùwár kàréé		<i>Hibiscus asper</i>		dog roselle
Yáákùùwár kwààdíí		<i>Hibiscus asper</i>		frog roselle
Yáákùùwár káima mowa		<i>Hibiscus asper</i>		little loved roselle
Yáákùùwár káyà		<i>Hibiscus asper</i>		thorny roselle
Yáákùùwár mááhàrbáá		<i>Cyphostemma adenocaulis</i> ; <i>Cayratia gracilis</i>		hunter's roselle
Yáálóó		<i>Solanum incanum</i>	large white garden-egg	
Yààríí		moss found on <i>Diospyros mespiliformis</i>		
Yáátsàà bìyár		<i>Paullinia pinnata</i>		five fingers
Yáátsún yǎn sárkíí		<i>Hibiscus sabdariffa</i>	roselle cv.	
Yàázááwáá		<i>Sapium grahamii</i>		
Yábo		<i>Ziziphus mauritiana</i>	jujube leaves	
Yaggulumbe		<i>Zea mays</i>	maize	
Yako		<i>Ipomoea nil</i> ; <i>I. aitonii</i> ; <i>Merremia aegyptiaca</i>		
Yamáá		<i>Hyparrhenia rufa</i> ; <i>Monocymbium ceresiforme</i>		
Yamanya	S	<i>Cucumis prohetarum</i> ; <i>C. ficifolius</i>	prophet's melon	
Yamanza		<i>Clematis hirsuta</i>		
Yambama		<i>Pennisetum purpureum</i>	elephant grass	
Yàmǎúrúú		<i>Merremia tridentata</i>		
Yándì		<i>Ficus abutilifolia</i>		
Yandó		<i>Ceratotheca sesamoides</i>	false sesame	
Yankufa	Gobir	<i>Waltheria indica</i>		
Yarwatsi	S	<i>Mitracarpus hirtus</i>	button grass	
Yáryààdíí		<i>Ipomoea muricata</i> ; <i>Vigna vexillata</i> ; <i>V. reticulata</i> ; <i>V. pubigera</i>		
Yátúúyátúú	Kt	<i>Tamarindus indica</i>	tamarind blossom	
Yaudi	S/Kt	<i>Abelmoschus esculentus</i>	okra	
Yauki	Ktg	<i>Crotalaria microcarpa</i>		
Yáwàn rái		<i>Senna occidentalis</i>		
Yaya kai to fito		<i>Sida linifolia</i>		
Yáyò	Kt	<i>Ampelocissus africanus</i>		
Yáázááwáá		<i>Sapium grahamii</i>		
Yin ñururu		<i>Ipomoea eriocarpa</i>		
Y.				
Yáá yán dáràà		<i>Caesalpinia bonduc</i>		
Yán kyamba		<i>Cochlospermum tinctorium</i>		
Yǎñ bààkín kòògíí		<i>Allium ascalonicum</i>	shallot	son of river-bank
Yǎñ garii		<i>Cucurbita pepo</i> ; <i>C. maxima</i>	pumpkin	
Yǎñ kán másálláacíí		<i>Ocimum basilicum</i> ; <i>O. canum</i>	tea-bush	
Yǎñ làmbúú		<i>Allium ascalonicum</i>	shallot	

Roger Blanch Hausa plant names – Hausa-Latin Circulation version

Yañ ma taɓa		<i>Eriosema psoraleoides</i>		
Yañ tábshí	Sk	<i>Gossypium hirsutum</i>		
Yáñ tsáurí		<i>Gossypium arboreum</i> ; <i>G. herbaceum</i>	cotton	
Yáñ kárfí		<i>Gossypium arboreum</i> ; <i>G. herbaceum</i>	cotton	
Yáñ kàtíníí		<i>Sorghum bicolor</i>	guinea-corn cv.	
Yáñ ùngúwáá		<i>Gynandropsis gynandra</i>	cat's whiskers, African spiderflower	son of the quarter
Yara	Ktg	<i>Tacca leontopetaloides</i>	arrowroot	
Yaro	Bo/Ktg	<i>Euphorbia balsamifera</i>		
Yaron kòògíí		<i>Aeschynome crassicaulis</i>		
Z.				
Zààbón dáfí		<i>Aloe buettneri</i>		
Zààbóó	S	<i>Aloe buettneri</i>		
Zààbuwaa	Kt	<i>Aloe buettneri</i>		
Zààgà rààfíí	Z	<i>Paullinia pinnata</i>		x of the stream
Záákíí	G	<i>Scoparia dulcis</i>	sweet broomweed	
Záákíí bánzáá		<i>Amaranthus viridis</i>		
Záázár gííwáá		<i>Hygrophila auriculatus</i>		elephant's pubic hair
Zabakon kaura		<i>Sorghum exsertum</i>		
Zábgái		<i>Strophanthus hispidus</i>	arrow-poison	
Zàbííbì		<i>Curcuma domestica</i>	turmeric	
Zàbííbì		<i>Cochlospermum tinctorium</i>		
Zabiya		<i>Phoenix dactylifera</i>	date cv. with red fruit	
Zagai		<i>Cocculus pendulus</i>		
Zàitùn		<i>Olea europea</i>	olive	learned word < Arabic
ZáKámíí		<i>Datura metel</i>	hairy thorn apple	
ZáKámíí		<i>Datura stramonium</i>	Jimson weed	
Zàkánkàù		<i>Pistia stratiotes</i>	water lettuce	
Zalbo		<i>Allium ascalonicum</i>	garlic	
Zàmàntàróórì	Kt	<i>Lepidium sativum</i>	cress seeds	
Zàmàrkéé	Sk	<i>Sesbania spp.</i>		
Zàmàrkéé		<i>Pavonia hirsuta</i>		
Zángóó		<i>Pennisetum glaucum</i>	millet cv.	
Zànzàbîr		<i>Zingiber officinale</i>	ginger	<Arabic
Zàrángádéé	Kt	thorny plant		
Zarenshi	B	<i>Imperata cylindrica</i>	spear-grass	
Zarin ɓauna		<i>Brachiaria mutica</i>		
Zàrkámóó		<i>Senna occidentalis</i>		
Zàunàà ínùwà		<i>Sorghum bicolor</i>	guinea-corn dwarf cv.	sit down in the shade
Zàzzà bábbíyáá		<i>Oryza sativa</i>	rice	

Roger Blench Hausa plant names – Hausa-Latin Circulation version

Zóóbàróódòò		<i>Abelmoschus esculentus</i>	okra	
Zóóbàróódòò		<i>Hibiscus sabdariffa</i>	roselle calyx	
Zóógálé		<i>Moringa oleifera</i>	horseradish tree	
Zóógálágándì		<i>Moringa oleifera</i>	horseradish tree	
Zòò ká tsállé		thatching grass sp.		come you jumping
Zu	K/Kt	<i>Celtis integrifolia</i>	nettle tree	
Zùmùwáá	Shira	<i>Maerua angolensis</i>		
Zúnzúnáá		<i>Cochlospermum tinctorium; C. planchoni</i>		
Zúúrè		<i>Boscia salicifolia</i>		
Zùrmâ mutane		<i>Ricinus communis</i>	castor bean	
Zùrmâ násàrà		<i>Ricinus communis</i>	castor bean	
Zùrmân		<i>Ricinus communis</i>	castor bean	
Zùrmân taho		<i>Ricinus communis</i>	castor bean	
Zùùwóó		<i>Celtis integrifolia; C. spp.</i>	nettle tree	
Zùùwúú		<i>Celtis integrifolia; C. spp.</i>	nettle tree	